

StarPU Internal Handbook

for StarPU 1.4.2

1 Introduction	3
1.1 Motivation	3
2 StarPU Core	5
2.1 StarPU Core Entities	5
3 Module Index	11
3.1 Modules	11
4 Module Documentation	13
4.1 Workers	13
5 File Index	15
5.1 File List	15
6 StarPU File Documentation	19
6.1 barrier.h File Reference	19
6.2 barrier_counter.h File Reference	19
6.3 bound.h File Reference	20
6.4 cg.h File Reference	21
6.5 coherency.h File Reference	23
6.6 combined_workers.h File Reference	31
6.7 config.h File Reference	31
6.8 copy_driver.h File Reference	38
6.9 data_concurrency.h File Reference	40
6.10 data_interface.h File Reference	40
6.11 data_request.h File Reference	41
6.12 datastats.h File Reference	42
6.13 datawizard.h File Reference	43
6.14 debug.h File Reference	43
6.15 detect_combined_workers.h File Reference	45
6.16 disk.h File Reference	45
6.17 disk_unistd_global.h File Reference	47
6.18 driver_common.h File Reference	48
6.19 driver_cpu.h File Reference	49
6.20 driver_cuda.h File Reference	50
6.21 driver_disk.h File Reference	51
6.22 driver_mpi_common.h File Reference	51
6.23 driver_mpi_sink.h File Reference	52
6.24 driver_mpi_source.h File Reference	52
6.25 driver_opencl.h File Reference	53
6.26 driver_opencl_utils.h File Reference	54
6.27 drivers.h File Reference	54
6.28 errorcheck.h File Reference	55

6.29 fifo_queues.h File Reference	56
6.30 filters.h File Reference	57
6.31 footprint.h File Reference	57
6.32 fxt.h File Reference	58
6.33 graph.h File Reference	63
6.34 helper_mct.h File Reference	66
6.35 idle_hook.h File Reference	66
6.36 implicit_data_deps.h File Reference	66
6.37 jobs.h File Reference	67
6.38 knobs.h File Reference	71
6.39 malloc.h File Reference	75
6.40 memalloc.h File Reference	75
6.41 memory_manager.h File Reference	76
6.42 memory_nodes.h File Reference	76
6.43 memstats.h File Reference	79
6.44 mp_common.h File Reference	80
6.45 multiple_regression.h File Reference	80
6.46 node_ops.h File Reference	80
6.47 openmp_runtime_support.h File Reference	82
6.48 perfmodel.h File Reference	86
6.49 prio_deque.h File Reference	88
6.50 prio_list.h File Reference	88
6.51 profiling.h File Reference	88
6.52 progress_hook.h File Reference	90
6.53 rbtree.h File Reference	90
6.54 rbtree_i.h File Reference	94
6.55 regression.h File Reference	97
6.56 rwlock.h File Reference	97
6.57 sched_component.h File Reference	98
6.58 sched_ctx.h File Reference	99
6.59 sched_ctx_list.h File Reference	103
6.60 sched_policy.h File Reference	105
6.61 simgrid.h File Reference	106
6.62 sink_common.h File Reference	108
6.63 sort_data_handles.h File Reference	108
6.64 source_common.h File Reference	109
6.65 starpu_parallel_worker_create.h File Reference	109
6.66 starpu_data_cpy.h File Reference	109
6.67 starpu_debug_helpers.h File Reference	110
6.68 starpu_fxt.h File Reference	110
6.69 starpu_spinlock.h File Reference	110
6.70 starpu_task_insert_utils.h File Reference	111

6.71 tags.h File Reference	111
6.72 task.h File Reference	113
6.73 task_bundle.h File Reference	115
6.74 thread.h File Reference	118
6.75 timing.h File Reference	118
6.76 topology.h File Reference	119
6.77 utils.h File Reference	123
6.78 uthash.h File Reference	125
6.79 write_back.h File Reference	127
7 StarPU MPI File Documentation	129
7.1 starpu_mpi_cache.h File Reference	129
7.2 starpu_mpi_driver.h File Reference	129
7.3 starpu_mpi_init.h File Reference	129
7.4 starpu_mpi_nmad_backend.h File Reference	130
7.5 starpu_mpi_stats.h File Reference	130
7.6 starpu_mpi_cache_stats.h File Reference	131
7.7 starpu_mpi_early_data.h File Reference	131
7.8 starpu_mpi_mpi.h File Reference	132
7.9 starpu_mpi_nmad_unknown_datatype.h File Reference	132
7.10 starpu_mpi_sync_data.h File Reference	133
7.11 starpu_mpi_comm.h File Reference	133
7.12 starpu_mpi_early_request.h File Reference	133
7.13 starpu_mpi_mpi_backend.h File Reference	134
7.14 starpu_mpi_private.h File Reference	135
7.15 starpu_mpi_tag.h File Reference	140
7.16 starpu_mpi_datatype.h File Reference	140
7.17 starpu_mpi_fxt.h File Reference	140
7.18 starpu_mpi_nmad.h File Reference	142
7.19 starpu_mpi_select_node.h File Reference	142
7.20 starpu_mpi_task_insert.h File Reference	142
7.21 load_balancer_policy.h File Reference	143
7.22 load_data_interface.h File Reference	143
7.23 data_movements_interface.h File Reference	144
8 StarPU Resource Manager File Documentation	145
8.1 starpurm_private.h File Reference	145

This manual documents the usage of StarPU version 1.4.2. Its contents was last updated on 2023-11-23.

Copyright © 2009-2023 Université de Bordeaux, CNRS (LaBRI UMR 5800), Inria

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled “GNU Free Documentation License”.

Chapter 1

Introduction

1.1 Motivation

Chapter 2

StarPU Core

2.1 StarPU Core Entities

TODO

2.1.1 Overview

Execution entities:

- **worker**: A worker (see [Workers](#), [Workers and Scheduling Contexts](#)) entity is a CPU thread created by StarPU to manage one computing unit. The computing unit can be a local CPU core, an accelerator or GPU device, or — on the master side when running in master-slave distributed mode — a remote slave computing node. It is responsible for querying scheduling policies for tasks to execute.
- **sched_context**: A scheduling context (see [Scheduling Contexts](#), [Workers and Scheduling Contexts](#)) is a logical set of workers governed by an instance of a scheduling policy. It defines the computing units to which the scheduling policy instance may assign work entities.
- **driver**: A driver is the set of hardware-dependent routines used by a worker to initialize its associated computing unit, execute work entities on it, and finalize the computing unit usage at the end of the session.

Work entities:

- **task**: A task is a high level work request submitted to StarPU by the application, or internally by StarPU itself.
- **job**: A job is a low level view of a work request. It is not exposed to the application. A job structure may be shared among several task structures in the case of a parallel task.

Data entities:

- **data handle**: A data handle is a high-level, application opaque object designating a piece of data currently registered to the StarPU data management layer. Internally, it is a `_starpu_data_state` structure.
- **data replicate**: A data replicate is a low-level object designating one copy of a piece of data registered to StarPU as a data handle, residing in one memory node managed by StarPU. It is not exposed to the application.

2.1.2 Workers

A **worker** is a CPU thread created by StarPU. Its role is to manage one computing unit. This computing unit can be a local CPU core, in which case, the worker thread manages the actual CPU core to which it is assigned; or it can be a computing device such as a GPU or an accelerator (or even a remote computing node when StarPU is running in distributed master-slave mode.) When a worker manages a computing device, the CPU core to which the worker's thread is by default exclusively assigned to the device management work and does not participate to computation.

2.1.2.1 States

Scheduling operations related state

While a worker is conducting a scheduling operations, e.g. the worker is in the process of selecting a new task to execute, flag `state_sched_op_pending` is set to `!0`, otherwise it is set to `0`.

While `state_sched_op_pending` is `!0`, the following exhaustive list of operations on that workers are restricted in the stated way:

- adding the worker to a context is not allowed;
- removing the worker from a context is not allowed;
- adding the worker to a parallel task team is not allowed;
- removing the worker from a parallel task team is not allowed;
- querying state information about the worker is only allowed while `state_relax_refcnt > 0`;
 - in particular, querying whether the worker is blocked on a parallel team entry is only allowed while `state_relax_refcnt > 0`.

Entering and leaving the `state_sched_op_pending` state is done through calls to `_starpw_worker_enter_sched_op()` and `_starpw_worker_leave_sched_op()` respectively (see these functions in use in functions `_starpw_get_worker_task()` and `_starpw_get_multi_worker_task()`). These calls ensure that any pending conflicting operation deferred while the worker was in the `state_sched_op_pending` state is performed in an orderly manner.

Scheduling contexts related states

Flag `state_changing_ctx_notice` is set to `!0` when a thread is about to add the worker to a scheduling context or remove it from a scheduling context, and is currently waiting for a safe window to do so, until the targeted worker is not in a scheduling operation or parallel task operation anymore. This flag set to `!0` will also prevent the targeted worker to attempt a fresh scheduling operation or parallel task operation to avoid starving conditions. However, a scheduling operation that was already in progress before the notice is allowed to complete.

Flag `state_changing_ctx_waiting` is set to `!0` when a scheduling context worker addition or removal involving the targeted worker is about to occur and the worker is currently performing a scheduling operation to tell the targeted worker that the initiator thread is waiting for the scheduling operation to complete and should be woken up upon completion.

Relaxed synchronization related states

Any StarPU worker may participate to scheduling operations, and in this process, may be forced to observe state information from other workers. A StarPU worker thread may therefore be observed by any thread, even other StarPU workers. Since workers may observe each other in any order, it is not possible to rely exclusively on the `sched_mutex` of each worker to protect the observation of worker state flags by other workers, because worker A observing worker B would involve locking workers in (A B) sequence, while worker B observing worker A would involve locking workers in (B A) sequence, leading to lock inversion deadlocks.

In consequence, no thread must hold more than one worker's `sched_mutex` at any time. Instead, workers implement a relaxed locking scheme based on the `state_relax_refcnt` counter, itself protected by the worker's `sched_cond_mutex`. When `state_relax_refcnt`

`0`, the targeted worker state flags may be observed, otherwise the thread attempting

the observation must repeatedly wait on the targeted worker's `sched_cond` condition until `state_relax_refcnt > 0`.

The relaxed mode, while on, can actually be seen as a transactional consistency model, where concurrent accesses are authorized and potential conflicts are resolved after the fact. When the relaxed mode is off, the consistency model becomes a mutual exclusion model, where the `sched_mutex` of the worker must be held in order to access or change the worker state.

Parallel tasks related states

When a worker is scheduled to participate to the execution of a parallel task, it must wait for the whole team of workers participating to the execution of this task to be ready. While the worker waits for its teammates, it is not available to run other tasks or perform other operations. Such a waiting operation can therefore not start while conflicting operations such as scheduling operations and scheduling context resizing involving the worker are on-going. Conversely these operations and other may query whether the worker is blocked on a parallel task entry with `starpu_worker_is_blocked_in_parallel()`. The `starpu_worker_is_blocked_in_parallel()` function is allowed to proceed while and only while `state_relax_refcnt > 0`. Due to the relaxed worker locking scheme, the `state_blocked_in_parallel` flag of the targeted worker may change after it has been observed by an observer thread. In consequence, flag `state_blocked_in_parallel_observed` of the targeted worker is set to 1 by the observer immediately after the observation to "taint" the targeted worker. The targeted worker will clear the `state_blocked_in_parallel_observed` flag tainting and defer the processing of parallel task related requests until a full scheduling operation shot completes without the `state_blocked_in_parallel_observed` flag being tainted again. The purpose of this tainting flag is to prevent parallel task operations to be started immediately after the observation of a transient scheduling state. Worker's management of parallel tasks is governed by the following set of state flags and counters:

- `state_blocked_in_parallel`: set to !0 while the worker is currently blocked on a parallel task;
- `state_blocked_in_parallel_observed`: set to !0 to taint the worker when a thread has observed the `state_blocked_in_parallel` flag of this worker while its `state_relax_refcnt` state counter was >0. Any pending request to add or remove the worker from a parallel task team will be deferred until a whole scheduling operation shot completes without being tainted again.
- `state_block_in_parallel_req`: set to !0 when a thread is waiting on a request for the worker to be added to a parallel task team. Must be protected by the worker's `sched_mutex`.
- `state_block_in_parallel_ack`: set to !0 by the worker when acknowledging a request for being added to a parallel task team. Must be protected by the worker's `sched_mutex`.
- `state_unblock_in_parallel_req`: set to !0 when a thread is waiting on a request for the worker to be removed from a parallel task team. Must be protected by the worker's `sched_mutex`.
- `state_unblock_in_parallel_ack`: set to !0 by the worker when acknowledging a request for being removed from a parallel task team. Must be protected by the worker's `sched_mutex`.
- `block_in_parallel_ref_count`: counts the number of consecutive pending requests to enter parallel task teams. Only the first of a train of requests for entering parallel task teams triggers the transition of the `state_block_in_parallel_req` flag from 0 to 1. Only the last of a train of requests to leave a parallel task team triggers the transition of flag `state_unblock_in_parallel_req` from 0 to 1. Must be protected by the worker's `sched_mutex`.

2.1.2.2 Operations

Entry point

All the operations of a worker are handled in an iterative fashion, either by the application code on a thread launched by the application, or automatically by StarPU on a device-dependent CPU thread launched by StarPU. Whether a worker's operation cycle is managed automatically or not is controlled per session by the field `not_launched_drivers` of the `starpu_conf` struct, and is decided in `_starpu_launch_drivers` function.

When managed automatically, cycles of operations for a worker are handled by the corresponding driver specific `starpu<DRV>_worker()` function, where DRV is a driver name such as `cpu` (`_starpu_cpu_worker`) or `cuda` (`_starpu_cuda_worker`), for instance. Otherwise, the application must supply a thread which will repeatedly call `starpu_driver_run_once()` for the corresponding worker.

In both cases, control is then transferred to `_starpu_cpu_driver_run_once` (or the corresponding driver specific func). The cycle of operations typically includes, at least, the following operations:

- **task scheduling**
- **parallel task team build-up**
- **task input processing**
- **data transfer processing**
- **task execution**

When the worker cycles are handled by StarPU automatically, the iterative operation processing ends when the running field of `_starpu_config` becomes false. This field should not be read directly, instead it should be read through the `_starpu_machine_is_running()` function.

Task scheduling

If the worker does not yet have a queued task, it calls `_starpu_get_worker_task()` to try and obtain a task. This may involve scheduling operations such as stealing a queued but not yet executed task from another worker. The operation may not necessarily succeed if no tasks are ready and/or suitable to run on the worker's computing unit.

Parallel task team build-up

If the worker has a task ready to run and the corresponding job has a size `>1`, then the task is a parallel job and the worker must synchronize with the other workers participating to the parallel execution of the job to assign a unique rank for each worker. The synchronization is done through the job's `sync_mutex` mutex.

Task input processing

Before the task can be executed, its input data must be made available on a memory node reachable by the worker's computing unit. To do so, the worker calls `_starpu_fetch_task_input()`

Data transfer processing

The worker makes pending data transfers (involving memory node(s) that it is driving) progress, with a call to `__starpu_datawizard_progress()`,

Task execution

Once the worker has a pending task assigned and the input data for that task are available in the memory node reachable by the worker's computing unit, the worker calls `_starpu_cpu_driver_execute_task` (or the corresponding driver specific function) to proceed to the execution of the task.

2.1.3 Scheduling Contexts

A scheduling context is a logical set of workers governed by an instance of a scheduling policy. Tasks submitted to a given scheduling context are confined to the computing units governed by the workers belonging to this scheduling context at the time they get scheduled.

A scheduling context is identified by an unsigned integer identifier between 0 and `STARPU_NMAX_SCHED_CTXS - 1`. The `STARPU_NMAX_SCHED_CTXS` identifier value is reserved to indicate an unallocated, invalid or deleted scheduling context.

Accesses to the scheduling context structure are governed by a multiple-readers/single-writers lock (`rwlock` field). Changes to the structure contents, additions or removals of workers, statistics updates, all must be done with proper exclusive write access.

2.1.4 Workers and Scheduling Contexts

A worker can be assigned to one or more **scheduling contexts**. It exclusively receives tasks submitted to the scheduling context(s) it is currently assigned at the time such tasks are scheduled. A worker may add itself to or remove itself from a scheduling context.

Locking and synchronization rules between workers and scheduling contexts

A thread currently holding a worker `sched_mutex` must not attempt to acquire a scheduling context `rwlock`, neither for writing nor for reading. Such an attempt constitutes a lock inversion and may result in a deadlock.

A worker currently in a scheduling operation must enter the relaxed state before attempting to acquire a scheduling context `rwlock`, either for reading or for writing.

When the set of workers assigned to a scheduling context is about to be modified, all the workers in the union between the workers belonging to the scheduling context before the change and the workers expected to belong to the scheduling context after the change must be notified using the `notify_workers_about_changing_ctx_pending` function prior to the update. After the update, all the workers in that same union must be notified for the update completion with a call to `notify_workers_about_changing_ctx_done`.

The function `notify_workers_about_changing_ctx_pending` places every worker passed in argument in a state compatible with changing the scheduling context assignment of that worker, possibly blocking until that worker leaves incompatible states such as a pending scheduling operation. If the caller of `notify_workers_about_changing_ctx_pending()` is itself a worker included in the set of workers passed in argument, it does not notify itself, with the assumption that the worker is already calling `notify_workers_about_changing_ctx_pending()` from a state compatible with a scheduling context assignment update. Once a worker has been notified about a scheduling context change pending, it cannot proceed with incompatible operations such as a scheduling operation until it receives a notification that the context update operation is complete.

2.1.5 Drivers

Each driver defines a set of routines depending on some specific hardware. These routines include hardware discovery/initialization, task execution, device memory management and data transfers.

While most hardware dependent routines are in source files located in the `/src/drivers` subdirectory of the StarPU tree, some can be found elsewhere in the tree such as `src/datawizd/malloc.c` for memory allocation routines or the subdirectories of `src/datawizd/interfaces/` for data transfer routines. The driver ABI defined in the `_starpu_driver_ops` structure includes the following operations:

- `.init`: initialize a driver instance for the calling worker managing a hardware computing unit compatible with this driver.
- `.run_once`: perform a single driver progress cycle for the calling worker (see [Operations](#)).
- `.deinit`: deinitialize the driver instance for the calling worker
- `.run`: executes the following sequence automatically: call `.init`, repeatedly call `.run_once` until the function `_starpu_machine_is_running()` returns false, call `.deinit`.

The source code common to all drivers is shared in `src/drivers/driver_↵common/driver_common.[ch]`. This file includes services such as grabbing a new task to execute on a worker, managing statistics accounting on job startup and completion and updating the worker status

2.1.5.1 Master/Slave Drivers

A subset of the drivers corresponds to drivers managing computing units in master/slave mode, that is, drivers involving a local master instance managing one or more remote slave instances on the targeted device(s). This includes devices such as discrete manycore accelerators (e.g. Intel's Knight Corners board, for instance), or pseudo devices such as a cluster of cpu nodes driver through StarPU's MPI master/slave mode. A driver instance on the master side is named the **source**, while a driver instances on the slave side is named the **sink**.

A significant part of the work realized on the source and sink sides of master/slave drivers is identical among all master/slave drivers, due to the similarities in the software pattern. Therefore, many routines are shared among all these drivers in the `src/drivers/mp_common` subdirectory. In particular, a set of default commands to be used between sources and sinks is defined, assuming the availability of some communication channel between them (see enum `_starpu_mp_command`)

TODO

2.1.6 Tasks and Jobs

TODO

2.1.7 Data

TODO

Chapter 3

Module Index

3.1 Modules

Here is a list of all modules:

Workers	13
-------------------	----

Chapter 4

Module Documentation

4.1 Workers

Chapter 5

File Index

5.1 File List

Here is a list of all documented files with brief descriptions:

starpu_config.h	??
config.h	31
starpu_driver.h	??
starpu_worker.h	??
data_movements_interface.h	144
load_balancer_policy.h	143
load_data_interface.h	143
starpu_mpi_comm.h	133
starpu_mpi_driver.h	129
starpu_mpi_early_data.h	131
starpu_mpi_early_request.h	133
starpu_mpi_mpi.h	132
starpu_mpi_mpi_backend.h	134
starpu_mpi_sync_data.h	133
starpu_mpi_tag.h	140
starpu_mpi_nmad.h	142
starpu_mpi_nmad_backend.h	130
starpu_mpi_nmad_unknown_datatype.h	132
starpu_mpi_cache.h	129
starpu_mpi_cache_stats.h	131
starpu_mpi_datatype.h	140
starpu_mpi_fxt.h	140
starpu_mpi_init.h	129
starpu_mpi_private.h	135
starpu_mpi_select_node.h	142
starpu_mpi_stats.h	130
starpu_mpi_task_insert.h	142
barrier.h	19
barrier_counter.h	19
fxt.h	58
graph.h	63
knobs.h	71
list.h	??
prio_list.h	88
rbtree.h	90
rbtree_i.h	94
rwlock.h	97
starpu_spinlock.h	110
thread.h	118
timing.h	118

uthash.h	125
utils.h	123
combined_workers.h	31
debug.h	43
cg.h	21
data_concurrency.h	40
implicit_data_deps.h	66
tags.h	111
detect_combined_workers.h	45
disk.h	45
disk_unistd_global.h	47
drivers.h	54
errorcheck.h	55
idle_hook.h	66
jobs.h	67
multiple_regression.h	80
perfmodel.h	86
regression.h	97
progress_hook.h	90
sched_ctx.h	99
sched_ctx_list.h	103
sched_policy.h	105
simgrid.h	106
task.h	113
task_bundle.h	115
topology.h	119
workers.h	??
coherency.h	23
copy_driver.h	38
data_request.h	41
datastats.h	42
datawizard.h	43
filters.h	57
footprint.h	57
data_interface.h	40
malloc.h	75
memalloc.h	75
memory_manager.h	76
memory_nodes.h	76
memstats.h	79
node_ops.h	80
sort_data_handles.h	108
write_back.h	127
starpu_debug_helpers.h	110
starpu_fxt.h	110
driver_cpu.h	49
driver_cuda.h	50
driver_disk.h	51
driver_common.h	48
mp_common.h	80
sink_common.h	108
source_common.h	109
driver_mpi_common.h	51
driver_mpi_sink.h	52
driver_mpi_source.h	52
driver_opengl.h	53
driver_opengl_utils.h	54
starpu_parallel_worker_create.h	109

bound.h	20
profiling.h	88
fifo_queues.h	56
helper_mct.h	66
prio_deque.h	88
sched_component.h	98
openmp_runtime_support.h	82
starp_datacpy.h	109
starp_task_insert_utils.h	111
starp_private.h	145

Chapter 6

StarPU File Documentation

6.1 barrier.h File Reference

```
#include <starpu_thread.h>
```

Data Structures

- [struct _starpu_barrier](#)

Functions

- `int _starpu_barrier_init` ([struct _starpu_barrier](#) *barrier, int count)
- `int _starpu_barrier_destroy` ([struct _starpu_barrier](#) *barrier)
- `int _starpu_barrier_wait` ([struct _starpu_barrier](#) *barrier)

6.1.1 Data Structure Documentation

6.1.1.1 struct _starpu_barrier

Data Fields

unsigned	count	
unsigned	reached_start	
unsigned	reached_exit	
double	reached_flops	
starpu_pthread_mutex_t	mutex	
starpu_pthread_mutex_t	mutex_exit	
starpu_pthread_cond_t	cond	

6.2 barrier_counter.h File Reference

```
#include <common/utils.h>
#include <common/barrier.h>
```

Data Structures

- [struct _starpu_barrier_counter](#)

Functions

- `int _starpu_barrier_counter_init (struct _starpu_barrier_counter *barrier_c, unsigned count)`
- `int _starpu_barrier_counter_destroy (struct _starpu_barrier_counter *barrier_c)`
- `int _starpu_barrier_counter_wait_for_empty_counter (struct _starpu_barrier_counter *barrier_c)`
- `int _starpu_barrier_counter_wait_until_counter_reaches_down_to_n (struct _starpu_barrier_counter *barrier_c, unsigned n)`
- `int _starpu_barrier_counter_wait_until_counter_reaches_up_to_n (struct _starpu_barrier_counter *barrier_c, unsigned n)`
- `int _starpu_barrier_counter_wait_for_full_counter (struct _starpu_barrier_counter *barrier_c)`
- `int _starpu_barrier_counter_decrement_until_empty_counter (struct _starpu_barrier_counter *barrier_c, double flops)`
- `int _starpu_barrier_counter_increment_until_full_counter (struct _starpu_barrier_counter *barrier_c, double flops)`
- `int _starpu_barrier_counter_increment (struct _starpu_barrier_counter *barrier_c, double flops)`
- `int _starpu_barrier_counter_check (struct _starpu_barrier_counter *barrier_c)`
- `int _starpu_barrier_counter_get_reached_start (struct _starpu_barrier_counter *barrier_c)`
- `int _starpu_barrier_counter_get_reached_exit (struct _starpu_barrier_counter *barrier_c)`
- `double _starpu_barrier_counter_get_reached_flops (struct _starpu_barrier_counter *barrier_c)`

6.2.1 Data Structure Documentation

6.2.1.1 struct _starpu_barrier_counter

Data Fields

<code>struct _starpu_barrier</code>	barrier	
unsigned	min_threshold	
unsigned	max_threshold	
starpu_pthread_cond_t	cond2	

6.3 bound.h File Reference

```
#include <starpu.h>
#include <starpu_bound.h>
#include <core/jobs.h>
```

Functions

- `void _starpu_bound_record (struct _starpu_job *j)`
- `void _starpu_bound_tag_dep (starpu_tag_t id, starpu_tag_t dep_id)`
- `void _starpu_bound_task_dep (struct _starpu_job *j, struct _starpu_job *dep_j)`
- `void _starpu_bound_job_id_dep (starpu_data_handle_t handle, struct _starpu_job *dep_j, unsigned long job_id)`
- `void starpu_bound_clear (void)`

Variables

- `int _starpu_bound_recording`

6.3.1 Function Documentation

6.3.1.1 _starpu_bound_record()

```
void _starpu_bound_record (
    struct _starpu_job * j )
```

Record task for bound computation

6.3.1.2 _starpu_bound_tag_dep()

```
void _starpu_bound_tag_dep (
    starpu_tag_t id,
    starpu_tag_t dep_id )
```

Record tag dependency: id depends on dep_id

6.3.1.3 _starpu_bound_task_dep()

```
void _starpu_bound_task_dep (
    struct _starpu_job * j,
    struct _starpu_job * dep_j )
```

Record task dependency: j depends on dep_j

6.3.1.4 _starpu_bound_job_id_dep()

```
void _starpu_bound_job_id_dep (
    starpu_data_handle_t handle,
    struct _starpu_job * dep_j,
    unsigned long job_id )
```

Record job id dependency: j depends on job_id

6.3.1.5 starpu_bound_clear()

```
void starpu_bound_clear (
    void )
```

Clear recording

6.3.2 Variable Documentation**6.3.2.1 _starpu_bound_recording**

```
int _starpu_bound_recording [extern]
```

Are we recording?

6.4 cg.h File Reference

```
#include <starpu.h>
#include <common/config.h>
```

Data Structures

- struct [_starpu_cg_list](#)
- struct [_starpu_cg](#)
- union [_starpu_cg.succ](#)
- struct [_starpu_cg.succ.succ_apps](#)

Macros

- #define [STARPU_DYNAMIC_DEPS_SIZE](#)

Typedefs

- typedef [struct](#) _starpu_notify_job_start_data **_starpu_notify_job_start_data**

Enumerations

- enum **_starpu_cg_type** { STARPU_CG_APPS , STARPU_CG_TAG , STARPU_CG_TASK }

Functions

- void **_starpu_notify_dependencies** ([struct](#) _starpu_job *j)
- void **_starpu_job_notify_start** ([struct](#) _starpu_job *j, [struct](#) starpu_perfmodel_arch *perf_arch)
- void **_starpu_job_notify_ready_soon** ([struct](#) _starpu_job *j, _starpu_notify_job_start_data *data)
- void **_starpu_cg_list_init0** ([struct](#) _starpu_cg_list *list)
- void **_starpu_cg_list_deinit** ([struct](#) _starpu_cg_list *list)
- int **_starpu_add_successor_to_cg_list** ([struct](#) _starpu_cg_list *successors, [struct](#) _starpu_cg *cg)
- int **_starpu_list_task_successors_in_cg_list** ([struct](#) _starpu_cg_list *successors, unsigned ndeps, [struct](#) starpu_task *task_array[])
- int **_starpu_list_task_scheduled_successors_in_cg_list** ([struct](#) _starpu_cg_list *successors, unsigned ndeps, [struct](#) starpu_task *task_array[])
- int **_starpu_list_tag_successors_in_cg_list** ([struct](#) _starpu_cg_list *successors, unsigned ndeps, starpu_tag_t tag_array[])
- void **_starpu_notify_cg** (void *pred, [struct](#) _starpu_cg *cg)
- void **_starpu_notify_cg_list** (void *pred, [struct](#) _starpu_cg_list *successors)
- void **_starpu_notify_job_start_cg_list** (void *pred, [struct](#) _starpu_cg_list *successors, _starpu_notify_job_start_data *data)
- void **_starpu_notify_task_dependencies** ([struct](#) _starpu_job *j)
- void **_starpu_notify_job_start_tasks** ([struct](#) _starpu_job *j, _starpu_notify_job_start_data *data)

6.4.1 Data Structure Documentation

6.4.1.1 [struct](#) _starpu_cg_list

Completion Group list, records both the number of expected notifications before the completion can start, and the list of successors when the completion is finished.

Data Fields

struct _starpu_spinlock	lock	Protects atomicity of the list and the terminated flag
unsigned	ndeps	Number of notifications to be waited for
unsigned	ndeps_completed	
unsigned	terminated	Whether the completion is finished. For restartable/restarted tasks, only the first iteration is taken into account here.
unsigned	nsuccs	List of successors
unsigned	succ_list_size	How many allocated items in succ
struct _starpu_cg **	succ	

6.4.1.2 [struct](#) _starpu_cg

Completion Group

Data Fields

unsigned	ntags	number of tags depended on
unsigned	remaining	number of remaining tags
enum _starpu_cg_type	cg_type	

Data Fields

union _starpu_cg.succ	succ	
---------------------------------------	------	--

6.4.1.3 union [_starpu_cg.succ](#)

Data Fields

struct _starpu_tag *	tag	STARPU_CG_TAG
struct _starpu_job *	job	STARPU_CG_TASK
struct _starpu_cg.succ.succ_apps	succ_apps	STARPU_CG_APPS in case this completion group is related to an application, we have to explicitly wake the waiting thread instead of reschedule the corresponding task

6.4.1.4 struct [_starpu_cg.succ.succ_apps](#)

STARPU_CG_APPS in case this completion group is related to an application, we have to explicitly wake the waiting thread instead of reschedule the corresponding task

Data Fields

unsigned	completed	
starpu_pthread_mutex_t	cg_mutex	
starpu_pthread_cond_t	cg_cond	

6.4.2 Macro Definition Documentation

6.4.2.1 STARPU_DYNAMIC_DEPS_SIZE

```
#define STARPU_DYNAMIC_DEPS_SIZE
```

we do not necessarily want to allocate room for 256 dependencies, but we want to handle the few situation where there are a lot of dependencies as well

6.5 coherency.h File Reference

```
#include <starpu.h>
#include <common/config.h>
#include <common/starpu_spinlock.h>
#include <common/rwlock.h>
#include <common/timing.h>
#include <common/fxt.h>
#include <common/list.h>
#include <datawizard/interfaces/data_interface.h>
#include <datawizard/datastats.h>
#include <datawizard/memstats.h>
#include <datawizard/data_request.h>
```

Data Structures

- [struct _starpu_data_replicate](#)

- [struct _starpu_jobid_list](#)
- [struct _starpu_task_wrapper_list](#)
- [struct _starpu_task_wrapper_dlist](#)
- [struct _starpu_data_state](#)

Macros

- `#define STARPU_UNMAPPED`

Typedefs

- `typedef void(* _starpu_data_handle_unregister_hook) (starpu_data_handle_t)`

Enumerations

- `enum _starpu_cache_state { STARPU_OWNER , STARPU_SHARED , STARPU_INVALID }`

Functions

- `int _starpu_fetch_data_on_node (starpu_data_handle_t handle, int node, struct _starpu_data_replicate *replicate, enum starpu_data_access_mode mode, unsigned detached, struct starpu_task *task, enum starpu_is_prefetch is_prefetch, unsigned async, void(*callback_func)(void *), void *callback_arg, int prio, const char *origin)`
- `void _starpu_release_data_on_node (struct _starpu_data_state *state, uint32_t default_wt_mask, enum starpu_data_access_mode down_to_mode, struct _starpu_data_replicate *replicate)`
- `void _starpu_update_data_state (starpu_data_handle_t handle, struct _starpu_data_replicate *requesting↵_replicate, enum starpu_data_access_mode mode)`
- `uint32_t _starpu_get_data_refcnt (struct _starpu_data_state *state, unsigned node)`
- `size_t _starpu_data_get_size (starpu_data_handle_t handle)`
- `size_t _starpu_data_get_alloc_size (starpu_data_handle_t handle)`
- `starpu_ssize_t _starpu_data_get_max_size (starpu_data_handle_t handle)`
- `uint32_t _starpu_data_get_footprint (starpu_data_handle_t handle)`
- `void __starpu_push_task_output (struct _starpu_job *j)`
- `void _starpu_push_task_output (struct _starpu_job *j)`
- `STARPU_ATTRIBUTE_WARN_UNUSED_RESULT int _starpu_fetch_task_input (struct starpu_task *task, struct _starpu_job *j, int async)`
- `void _starpu_fetch_task_input_tail (struct starpu_task *task, struct _starpu_job *j, struct _starpu_worker *worker)`
- `void _starpu_fetch_nowhere_task_input (struct _starpu_job *j)`
- `int _starpu_select_src_node (struct _starpu_data_state *state, unsigned destination)`
- `int _starpu_determine_request_path (starpu_data_handle_t handle, int src_node, int dst_node, enum starpu_data_access_mode mode, int max_len, unsigned *src_nodes, unsigned *dst_nodes, unsigned *handling_nodes, unsigned write_invalidation)`
- `struct _starpu_data_request * _starpu_create_request_to_fetch_data (starpu_data_handle_t handle, struct _starpu_data_replicate *dst_replicate, enum starpu_data_access_mode mode, struct starpu_task *task, enum starpu_is_prefetch is_prefetch, unsigned async, void(*callback_func)(void *), void *callback_arg, int prio, const char *origin)`
- `void _starpu_init_data_replicate (starpu_data_handle_t handle, struct _starpu_data_replicate *replicate, int workerid)`
- `void _starpu_data_start_reduction_mode (starpu_data_handle_t handle)`
- `void _starpu_data_end_reduction_mode (starpu_data_handle_t handle, int priority)`
- `void _starpu_data_end_reduction_mode_terminate (starpu_data_handle_t handle)`
- `void _starpu_data_unmap (starpu_data_handle_t handle, unsigned node)`
- `void _starpu_data_set_unregister_hook (starpu_data_handle_t handle, _starpu_data_handle_t↵_unregister_hook func) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT`

Variables

- `int _starpu_has_not_important_data`

6.5.1 Data Structure Documentation

6.5.1.1 `struct _starpu_data_replicate`

this should contain the information relative to a given data replicate

Data Fields

<code>starpu_data_handle_t</code>	<code>handle</code>	
<code>void *</code>	<code>data_interface</code>	describe the actual data layout, as manipulated by data interfaces in <code>*_interface.c</code>
<code>int</code>	<code>refcnt</code>	How many requests or tasks are currently working with this replicate
<code>char</code>	<code>memory_node</code>	
<code>enum _starpu_cache_state</code>	<code>state: 2</code>	describes the state of the local data in term of coherency
<code>unsigned</code>	<code>relaxed_coherency:2</code>	A buffer that is used for SCRATCH or reduction cannot be used with filters.
<code>unsigned</code>	<code>initialized:1</code>	We may need to initialize the replicate with some value before using it.
<code>unsigned</code>	<code>allocated:1</code>	is the data locally allocated ?
<code>unsigned</code>	<code>automatically_allocated:1</code>	was it automatically allocated ? (else it's the application-provided buffer, don't ever try to free it!) perhaps the allocation was perform higher in the hierarchy for now this is just translated into <code>!automatically_allocated</code>
<code>unsigned</code>	<code>map_write:1</code>	is the write side enabled on the mapping? This is important for drivers which may actually make a copy instead of a map. Only meaningful when mapped <code>!= STARPU_UNMAPPED</code>
<code>int</code>	<code>mapped</code>	<code>>= 0</code> when the data just a mapping of a replicate from that memory node, otherwise <code>STARPU_UNMAPPED</code>
<code>uint32_t</code>	<code>requested</code>	To help the scheduling policies to make some decision, we may keep a track of the tasks that are likely to request this data on the current node. It is the responsibility of the scheduling <i>policy</i> to set that flag when it assigns a task to a queue, policies which do not use this hint can simply ignore it.
<code>struct _starpu_data_request *</code>	<code>request[STARPU_MAXNODES]</code>	This tracks the list of requests to provide the value

Data Fields

struct _starpu_data_request *	last_request[STARPU_MAXNODES]	This points to the last entry of request, to easily append to the list
struct _starpu_data_request *	load_request	
unsigned	nb_tasks_prefetch	The number of prefetches that we made for this replicate for various tasks This is also the number of tasks that we will wait to see use the mc before we attempt to evict it.
struct _starpu_mem_chunk *	mc	Pointer to memchunk for LRU strategy

6.5.1.2 struct _starpu_jobid_list

Data Fields

unsigned long	id	
struct _starpu_jobid_list *	next	

6.5.1.3 struct _starpu_task_wrapper_list

This structure describes a simply-linked list of task

Data Fields

struct starpu_task *	task	
struct _starpu_task_wrapper_list *	next	

6.5.1.4 struct _starpu_task_wrapper_dlist

This structure describes a doubly-linked list of task

Data Fields

struct starpu_task *	task	
struct _starpu_task_wrapper_dlist *	next	
struct _starpu_task_wrapper_dlist *	prev	

6.5.1.5 struct _starpu_data_state

This is initialized in both _starpu_register_new_data and _starpu_data_partition

Data Fields

int	magic	
struct _starpu_data_requester_prio_list	req_list	
unsigned	refcnt	the number of requests currently in the scheduling engine (not in the req_list anymore), i.e. the number of holders of the current_mode rwlock

Data Fields

unsigned	unlocking_reqs	whether we are already unlocking data requests
enum starpu_data_access_mode	current_mode	Current access mode. Is always either STARPU_R, STARPU_W, STARPU_SCRATCH or STARPU_REDUX, but never a combination such as STARPU_RW.
struct _starpu_spinlock	header_lock	protect meta data
unsigned	busy_count	Condition to make application wait for all transfers before freeing handle busy_count is the number of handle->refcnt, handle->per_node[*]->refcnt, number of starpu_data_requesters, and number of tasks that have released it but are still registered on the implicit data dependency lists. Core code which releases busy_count has to call _starpu_data_check_not_busy to let starpu_data_unregister proceed
unsigned	busy_waiting	Is starpu_data_unregister waiting for busy_count?
starpu_pthread_mutex_t	busy_mutex	
starpu_pthread_cond_t	busy_cond	
struct _starpu_data_state *	root_handle	In case we use filters, the handle may describe a sub-data
struct _starpu_data_state *	father_handle	root of the tree
starpu_data_handle_t *	active_children	father of the node, NULL if the current node is the root
unsigned	active_nchildren	The currently active set of read-write children
starpu_data_handle_t **	active_readonly_children	
unsigned *	active_readonly_nchildren	The currently active set of read-only children
unsigned	nactive_readonly_children	Size of active_readonly_children[i] array
unsigned	nsiblings	Size of active_readonly_children and active_readonly_nchildren arrays. Actual use is given by 'partitioned' Our siblings in the father partitioning
starpu_data_handle_t *	siblings	How many siblings
unsigned	sibling_index	
unsigned	depth	indicate which child this node is from the father's perspective (if any)
starpu_pthread_mutex_t	unpartition_mutex	what's the depth of the tree ?
starpu_data_handle_t	children	Synchronous partitioning

Data Fields

unsigned	nchildren	
unsigned	nplans	How many partition plans this handle has
<code>struct starpu_codelet *</code>	switch_cl	Switch codelet for asynchronous partitioning
unsigned	switch_cl_nparts	size of dyn_nodes recorded in switch_cl
unsigned	partitioned	Whether a partition plan is currently submitted and the corresponding unpartition has not been yet Or the number of partition plans currently submitted in readonly mode.
unsigned	part_readonly:1	Whether a partition plan is currently submitted in readonly mode
unsigned	active:1	Whether our father is currently partitioned into ourself
unsigned	active_ro:1	
<code>struct _starpu_data_replicate</code>	per_node[STARPU_MAXNODES]	describe the state of the data in term of coherency This is execution-time state.
<code>struct _starpu_data_replicate *</code>	per_worker	
<code>struct starpu_data_interface_ops *</code>	ops	
uint32_t	footprint	Footprint which identifies data layout
unsigned	is_not_important:1	in some case, the application may explicitly tell StarPU that a piece of data is not likely to be used soon again
unsigned	ooc:1	Can the data be pushed to the disk?
unsigned	sequential_consistency:1	Does StarPU have to enforce some implicit data-dependencies ?
unsigned	readonly:1	Whether we shall not ever write to this handle, thus allowing various optimizations
int	home_node	where is the data home, i.e. which node it was registered from ? -1 if none yet
uint32_t	wt_mask	what is the default write-through mask for that data ?
unsigned	aliases	for a readonly handle, the number of times that we have returned again the same handle and thus the number of times we have to ignore unregistration requests
starpu_data_handle_t	readonly_dup	for a non-readonly handle, a readonly-only duplicate, that we can return from starpu_data_dup_ro

Data Fields

starpu_data_handle_t	readonly_dup_of	for a readonly handle, the non-readonly handle that is referencing is in its readonly_dup field.
unsigned	initialized:1	Is the data initialized, or a task is already submitted to initialize it This is submission-time initialization state.
unsigned	removed_from_context_hash:1	
unsigned char	lazy_unregister	Whether lazy unregistration was requested through starpu_data_unregister_submit
starpu_pthread_mutex_t	sequential_consistency_mutex	This lock should protect any operation to enforce sequential_consistency
enum starpu_data_access_mode	last_submitted_mode	The last submitted task (or application data request) that declared it would modify the piece of data ? Any task accessing the data in a read-only mode should depend on that task implicitly if the sequential_consistency flag is enabled.
struct starpu_task *	last_sync_task	
struct_starpu_task_wrapper_dlist	last_submitted_accessors	
unsigned	last_submitted_ghost_sync_id_is_valid	If FxT is enabled, we keep track of "ghost dependencies": that is to say the dependencies that are not needed anymore, but that should appear in the post-mortem DAG. For instance if we have the sequence f(Aw) g(Aw), and that g is submitted after the termination of f, we want to have f->g appear in the DAG even if StarPU does not need to enforce this dependency anymore.
unsigned long	last_submitted_ghost_sync_id	
struct_starpu_jobid_list *	last_submitted_ghost_accessors_id	
struct_starpu_task_wrapper_list *	post_sync_tasks	protected by sequential_consistency_mutex
unsigned	post_sync_tasks_cnt	
struct starpu_codelet *	redux_cl	During reduction we need some specific methods: redux_func performs the reduction of an interface into another one (eg. "+="), and init_func initializes the data interface to a default value that is stable by reduction (eg. 0 for +=).
struct starpu_codelet *	init_cl	
void *	redux_cl_arg	
void *	init_cl_arg	

Data Fields

unsigned	reduction_refcnt	Are we currently performing a reduction on that handle ? If so the reduction_refcnt should be non null until there are pending tasks that are performing the reduction.
struct _starpu_data_requester_prio_list	reduction_req_list	List of requesters that are specific to the pending reduction. This list is used when the requests in the req_list list are frozen until the end of the reduction.
starpu_data_handle_t *	reduction_tmp_handles	
struct _starpu_data_request *	write_invalidation_req	Final request for write invalidation
void *	mpi_data	Used for MPI
_starpu_memory_stats_t	memory_stats	
unsigned int	mf_node	
_starpu_data_handle_unregister_hook	unregister_hook	hook to be called when unregistering the data
struct starpu_arbiter *	arbiter	
struct _starpu_data_requester_prio_list	arbitered_req_list	This is protected by the arbiter mutex
int	last_locality	Data maintained by schedulers themselves Last worker that took this data in locality mode, or -1 if nobody took it yet
unsigned	dimensions	Application-provided coordinates. The maximum dimension (5) is relatively arbitrary.
int	coordinates[5]	
void *	user_data	A generic pointer to data in the user land (could be anything and this is not manage by StarPU)
void *	sched_data	A generic pointer to data in the scheduler (could be anything and this is managed by the scheduler)

6.5.2 Function Documentation

6.5.2.1 _starpu_fetch_data_on_node()

```
int _starpu_fetch_data_on_node (
    starpu_data_handle_t handle,
    int node,
    struct _starpu_data_replicate * replicate,
    enum starpu_data_access_mode mode,
    unsigned detached,
    struct starpu_task * task,
    enum starpu_is_prefetch is_prefetch,
    unsigned async,
    void(*) (void *) callback_func,
    void * callback_arg,
```

```
int prio,
const char * origin )
```

This does not take a reference on the handle, the caller has to do it, e.g. through `_starpu_attempt_to_submit_data`↔`_request_from_apps()` detached means that the core is allowed to drop the request. The caller should thus *not* take a reference since it can not know whether the request will complete async means that `_starpu_fetch_data_on_node` will wait for completion of the request

6.5.2.2 `_starpu_release_data_on_node()`

```
void _starpu_release_data_on_node (
    struct _starpu_data_state * state,
    uint32_t default_wt_mask,
    enum starpu_data_access_mode down_to_mode,
    struct _starpu_data_replicate * replicate )
```

This releases a reference on the handle

6.5.2.3 `_starpu_push_task_output()`

```
void _starpu_push_task_output (
    struct _starpu_job * j )
```

Version with driver trace

6.5.2.4 `_starpu_fetch_task_input()`

```
STARPU_ATTRIBUTE_WARN_UNUSED_RESULT int _starpu_fetch_task_input (
    struct starpu_task * task,
    struct _starpu_job * j,
    int async )
```

Fetch the data parameters for task `task` Setting `async` to 1 allows to only start the fetches, and call `_starpu`↔`_fetch_task_input_tail` later when the transfers are finished

6.5.2.5 `_starpu_create_request_to_fetch_data()`

```
struct _starpu_data_request * _starpu_create_request_to_fetch_data (
    starpu_data_handle_t handle,
    struct _starpu_data_replicate * dst_replicate,
    enum starpu_data_access_mode mode,
    struct starpu_task * task,
    enum starpu_is_prefetch is_prefetch,
    unsigned async,
    void(*) (void *) callback_func,
    void * callback_arg,
    int prio,
    const char * origin )
```

`is_prefetch` is whether the DSM may drop the request (when there is not enough memory for instance `async` is whether the caller wants a reference on the last request, to be able to wait for it (which will release that reference).

6.6 combined_workers.h File Reference

```
#include <starpu.h>
#include <common/config.h>
```

6.7 config.h File Reference

Macros

- `#define CONFIG_FUT`

- #define HAVE_AIO_H
- #define HAVE_AYUDAME_H
- #define HAVE_CBLAS_SGEMV
- #define HAVE_CLENQUEUEMARKERWITHWAITLIST
- #define HAVE_CLGETEXTENSIONFUNCTIONADDRESSFORPLATFORM
- #define HAVE_CLOCK_GETTIME
- #define HAVE_CL_CL_EXT_H
- #define HAVE_COPY_FILE_RANGE
- #define HAVE_CUDA_GL_INTEROP_H
- #define HAVE_CXX11
- #define HAVE_DECL_CUSPARSESETSTREAM
- #define HAVE_DECL_ENABLE_FUT_FLUSH
- #define HAVE_DECL_FUT_SETUP_FLUSH_CALLBACK
- #define HAVE_DECL_FUT_SET_FILENAME
- #define HAVE_DECL_HWLOC_CUDA_GET_DEVICE_OSDEV_BY_INDEX
- #define HAVE_DECL_HWLOC_DISTANCES_OBJ_PAIR_VALUES
- #define HAVE_DECL_HWLOC_HIP_GET_DEVICE_OSDEV_BY_INDEX
- #define HAVE_DECL_NVMLDEVICEGETTOTAENERGYCONSUMPTION
- #define HAVE_DECL_SMPI_PROCESS_SET_USER_DATA
- #define HAVE_DLB_H
- #define HAVE_DLFCN_H
- #define HAVE_DLOPEN
- #define HAVE_ENABLE_FUT_FLUSH
- #define HAVE_FUT_SETUP_FLUSH_CALLBACK
- #define HAVE_FUT_SET_FILENAME
- #define HAVE_FXT_BLOCKEV_LEAVE
- #define HAVE_FXT_CLOSE
- #define HAVE_GETPAGESIZE
- #define HAVE_GETRLIMIT
- #define HAVE_GLPK_H
- #define HAVE_HDF5_H
- #define HAVE_HIP_HIP_RUNTIME_API_H
- #define HAVE_HIP_HIP_RUNTIME_H
- #define HAVE_HWLOC_CPUKINDS_GET_NR
- #define HAVE_HWLOC_GET_AREA_MEMLOCATION
- #define HAVE_HWLOC_GLIBC_SCHED_H
- #define HAVE_HWLOC_TOPOLOGY_DUP
- #define HAVE_HWLOC_TOPOLOGY_SET_COMPONENTS
- #define HAVE_INTTYPES_H
- #define HAVE_LEVELDB_DB_H
- #define HAVE_LIBATLAS
- #define HAVE_LIBBLAS_OPENBLAS
- #define HAVE_LIBCBLAS
- #define HAVE_LIBDL
- #define HAVE_LIBDLB
- #define HAVE_LIBF77BLAS
- #define HAVE_LIBGFORTTRAN
- #define HAVE_LIBGL
- #define HAVE_LIBGLPK
- #define HAVE_LIBGLU
- #define HAVE_LIBGLUT
- #define HAVE_LIBGOTO
- #define HAVE_LIBGOTO2
- #define HAVE_LIBHDF5
- #define HAVE_LIBIFCORE

- #define **HAVE_LIBLEVELDB**
- #define **HAVE_LIBOPENBLAS**
- #define **HAVE_LIBRT**
- #define **HAVE_LIBSIMGRID**
- #define **HAVE_LIBWS2_32**
- #define **HAVE_MALLOC_H**
- #define **HAVE_MEMALIGN**
- #define **HAVE_MKDTEMP**
- #define **HAVE_MKOSTEMP**
- #define **HAVE_MMAP**
- #define **HAVE_MPI_COMM_F2C**
- #define **HAVE_MSG_ENVIRONMENT_GET_ROUTING_ROOT**
- #define **HAVE_MSG_GET_AS_BY_NAME**
- #define **HAVE_MSG_HOST_GET_SPEED**
- #define **HAVE_MSG_MSG_H**
- #define **HAVE_MSG_PROCESS_ATTACH**
- #define **HAVE_MSG_PROCESS_SELF_NAME**
- #define **HAVE_MSG_PROCESS_USERDATA_INIT**
- #define **HAVE_MSG_ZONE_GET_BY_NAME**
- #define **HAVE_MSG_ZONE_GET_HOSTS**
- #define **HAVE_NVMLDEVICEGETTOTAENERGYCONSUMPTION**
- #define **HAVE_PIOMAN**
- #define **HAVE_PIOM_LTASK_SET_BOUND_THREAD_OS_INDEXES**
- #define **HAVE_POSIX_MEMALIGN**
- #define **HAVE_POTI_INIT_CUSTOM**
- #define **HAVE_POTI_USER_NEWEVENT**
- #define **HAVE_PREAD**
- #define **HAVE_PTHREAD_SETAFFINITY_NP**
- #define **HAVE_PTHREAD_SPIN_LOCK**
- #define **HAVE_PWRITE**
- #define **HAVE_PYTHON_H**
- #define **HAVE_ROCBLAS_ROCBLAS_H**
- #define **HAVE_SCANDIR**
- #define **HAVE_SG_ACTOR_ATTACH**
- #define **HAVE_SG_ACTOR_DATA**
- #define **HAVE_SG_ACTOR_EXECUTE**
- #define **HAVE_SG_ACTOR_GET_DATA**
- #define **HAVE_SG_ACTOR_INIT**
- #define **HAVE_SG_ACTOR_ON_EXIT**
- #define **HAVE_SG_ACTOR_REF**
- #define **HAVE_SG_ACTOR_SELF**
- #define **HAVE_SG_ACTOR_SELF_EXECUTE**
- #define **HAVE_SG_ACTOR_SET_DATA**
- #define **HAVE_SG_ACTOR_SET_STACKSIZE**
- #define **HAVE_SG_ACTOR_SLEEP_FOR**
- #define **HAVE_SG_CFG_SET_INT**
- #define **HAVE_SG_CONFIG_CONTINUE_AFTER_HELP**
- #define **HAVE_SG_HOST_GET_PROPERTIES**
- #define **HAVE_SG_HOST_GET_ROUTE**
- #define **HAVE_SG_HOST_GET_SPEED**
- #define **HAVE_SG_HOST_LIST**
- #define **HAVE_SG_HOST_ROUTE**
- #define **HAVE_SG_HOST_SELF**
- #define **HAVE_SG_HOST_SENDTO**
- #define **HAVE_SG_HOST_SEND_TO**

- `#define HAVE_SG_HOST_SPEED`
- `#define HAVE_SG_LINK_BANDWIDTH_SET`
- `#define HAVE_SG_LINK_GET_NAME`
- `#define HAVE_SG_LINK_NAME`
- `#define HAVE_SG_LINK_SET_BANDWIDTH`
- `#define HAVE_SG_ZONE_GET_BY_NAME`
- `#define HAVE_SG_ZONE_GET_HOSTS`
- `#define HAVE_SIMCALL_PROCESS_CREATE`
- `#define HAVE_SIMGRID_ACTOR_H`
- `#define HAVE_SIMGRID_BARRIER_H`
- `#define HAVE_SIMGRID_COND_H`
- `#define HAVE_SIMGRID_ENGINE_H`
- `#define HAVE_SIMGRID_GET_CLOCK`
- `#define HAVE_SIMGRID_HOST_H`
- `#define HAVE_SIMGRID_INIT`
- `#define HAVE_SIMGRID_LINK_H`
- `#define HAVE_SIMGRID_MSG_H`
- `#define HAVE_SIMGRID_MUTEX_H`
- `#define HAVE_SIMGRID_SEMAPHORE_H`
- `#define HAVE_SIMGRID_SET_MAESTRO`
- `#define HAVE_SIMGRID_SIMDAG_H`
- `#define HAVE_SIMGRID_VERSION_H`
- `#define HAVE_SIMGRID_ZONE_H`
- `#define HAVE_SMPI_PROCESS_SET_USER_DATA`
- `#define HAVE_SMPI_THREAD_CREATE`
- `#define HAVE_SMX_ACTOR_T`
- `#define HAVE_STDINT_H`
- `#define HAVE_STDIO_H`
- `#define HAVE_STDLIB_H`
- `#define HAVE_STRINGS_H`
- `#define HAVE_STRING_H`
- `#define HAVE_SYSCONF`
- `#define HAVE_SYS_PARAM_H`
- `#define HAVE_SYS_STAT_H`
- `#define HAVE_SYS_TYPES_H`
- `#define HAVE_UNISTD_H`
- `#define HAVE_VALGRIND_HELGRIND_H`
- `#define HAVE_VALGRIND_MEMCHECK_H`
- `#define HAVE_VALGRIND_VALGRIND_H`
- `#define HAVE_XBT_BARRIER_INIT`
- `#define HAVE_XBT_BASE_H`
- `#define HAVE_XBT_CONFIG_H`
- `#define HAVE_XBT_MUTEX_TRY_ACQUIRE`
- `#define HAVE_XBT_SYNCHRO_H`
- `#define LT_OBJDIR`
- `#define PACKAGE`
- `#define PACKAGE_BUGREPORT`
- `#define PACKAGE_NAME`
- `#define PACKAGE_STRING`
- `#define PACKAGE_TARNAME`
- `#define PACKAGE_URL`
- `#define PACKAGE_VERSION`
- `#define SIZEOF_VOID_P`
- `#define STARPURM_DLB_VERBOSE`
- `#define STARPURM_HAVE_DLB`

- `#define STARPURM_HAVE_DLB_CALLBACK_ARG`
- `#define STARPURM_STARPU_HAVE_WORKER_CALLBACKS`
- `#define STARPURM_VERBOSE`
- `#define STARPU_ARMPL`
- `#define STARPU_ATLAS`
- `#define STARPU_BUBBLE`
- `#define STARPU_BUBBLE_VERBOSE`
- `#define STARPU_BUILD_DIR`
- `#define STARPU_BUILT_IN_MIN_DGELS`
- `#define STARPU_COVERITY`
- `#define STARPU_DATA_LOCALITY_ENFORCE`
- `#define STARPU_DEBUG`
- `#define STARPU_DEVEL`
- `#define STARPU_DISABLE_ASYNCHRONOUS_COPY`
- `#define STARPU_DISABLE_ASYNCHRONOUS_CUDA_COPY`
- `#define STARPU_DISABLE_ASYNCHRONOUS_MAX_FPGA_COPY`
- `#define STARPU_DISABLE_ASYNCHRONOUS_MPI_MS_COPY`
- `#define STARPU_DISABLE_ASYNCHRONOUS_OPENCL_COPY`
- `#define STARPU_DISABLE_ASYNCHRONOUS_TCPIP_MS_COPY`
- `#define STARPU_EXTRA_VERBOSE`
- `#define STARPU_FXT_LOCK_TRACES`
- `#define STARPU_FXT_MAX_FILES`
- `#define STARPU_GDB_PATH`
- `#define STARPU_GOTO`
- `#define STARPU_HAVE_ATOMIC_COMPARE_EXCHANGE_N`
- `#define STARPU_HAVE_ATOMIC_COMPARE_EXCHANGE_N_8`
- `#define STARPU_HAVE_ATOMIC_EXCHANGE_N`
- `#define STARPU_HAVE_ATOMIC_EXCHANGE_N_8`
- `#define STARPU_HAVE_ATOMIC_FETCH_ADD`
- `#define STARPU_HAVE_ATOMIC_FETCH_ADD_8`
- `#define STARPU_HAVE_ATOMIC_FETCH_OR`
- `#define STARPU_HAVE_ATOMIC_FETCH_OR_8`
- `#define STARPU_HAVE_ATOMIC_TEST_AND_SET`
- `#define STARPU_HAVE_BLAS`
- `#define STARPU_HAVE_BUSID`
- `#define STARPU_HAVE_CBLAS_H`
- `#define STARPU_HAVE_CUDA_CANMAPHOST`
- `#define STARPU_HAVE_CUDA_MEMCPY_PEER`
- `#define STARPU_HAVE_CUDA_MNGMEM`
- `#define STARPU_HAVE_CUDA_PAGEABLEMEM`
- `#define STARPU_HAVE_CUDA_POINTER_TYPE`
- `#define STARPU_HAVE_CUDA_UNIFIEDADDR`
- `#define STARPU_HAVE_CUFFTDOUBLECOMPLEX`
- `#define STARPU_HAVE_CURAND`
- `#define STARPU_HAVE_CXX11`
- `#define STARPU_HAVE_DARWIN`
- `#define STARPU_HAVE_DOMAINID`
- `#define STARPU_HAVE_F77_H`
- `#define STARPU_HAVE_FC`
- `#define STARPU_HAVE_FFTW`
- `#define STARPU_HAVE_FFTWF`
- `#define STARPU_HAVE_FFTWL`
- `#define STARPU_HAVE_GLPK_H`
- `#define STARPU_HAVE_HDF5`
- `#define STARPU_HAVE_HELGRIND_H`

- `#define STARPU_HAVE_HIP_MEMCPY_PEER`
- `#define STARPU_HAVE_HWLOC`
- `#define STARPU_HAVE_ICC`
- `#define STARPU_HAVE_LEVELDB`
- `#define STARPU_HAVE_LIBCUSOLVER`
- `#define STARPU_HAVE_LIBCUSPARSE`
- `#define STARPU_HAVE_LIBNUMA`
- `#define STARPU_HAVE_LIBNVIDIA_ML`
- `#define STARPU_HAVE_MAGMA`
- `#define STARPU_HAVE_MALLOC_H`
- `#define STARPU_HAVE_MEMALIGN`
- `#define STARPU_HAVE_MEMCHECK_H`
- `#define STARPU_HAVE_MPI_COMM_CREATE_GROUP`
- `#define STARPU_HAVE_MPI_EXT`
- `#define STARPU_HAVE_MPI_SYNC_CLOCKS`
- `#define STARPU_HAVE_MSG_MSG_H`
- `#define STARPU_HAVE_NEARBYINTF`
- `#define STARPU_HAVE_POSIX_MEMALIGN`
- `#define STARPU_HAVE_POTI`
- `#define STARPU_HAVE_PROGRAM_INVOCATION_SHORT_NAME`
- `#define STARPU_HAVE_PTHREAD_BARRIER`
- `#define STARPU_HAVE_PTHREAD_SETNAME_NP`
- `#define STARPU_HAVE_PTHREAD_SPIN_LOCK`
- `#define STARPU_HAVE_RINTF`
- `#define STARPU_HAVE_S4U_ON_TIME_ADVANCE_CB`
- `#define STARPU_HAVE_SCHED_YIELD`
- `#define STARPU_HAVE_SETENV`
- `#define STARPU_HAVE_SIMGRID_ACTOR_H`
- `#define STARPU_HAVE_SIMGRID_BARRIER_H`
- `#define STARPU_HAVE_SIMGRID_COND_H`
- `#define STARPU_HAVE_SIMGRID_ENGINE_H`
- `#define STARPU_HAVE_SIMGRID_HOST_H`
- `#define STARPU_HAVE_SIMGRID_LINK_H`
- `#define STARPU_HAVE_SIMGRID_MSG_H`
- `#define STARPU_HAVE_SIMGRID_MUTEX_H`
- `#define STARPU_HAVE_SIMGRID_SEMAPHORE_H`
- `#define STARPU_HAVE_SIMGRID_SIMDAG_H`
- `#define STARPU_HAVE_SIMGRID_VERSION_H`
- `#define STARPU_HAVE_SIMGRID_ZONE_H`
- `#define STARPU_HAVE_SMX_ACTOR_T`
- `#define STARPU_HAVE_STATEMENT_EXPRESSIONS`
- `#define STARPU_HAVE_STRERROR_R`
- `#define STARPU_HAVE_STRUCT_TIMESPEC`
- `#define STARPU_HAVE_SYNC_BOOL_COMPARE_AND_SWAP`
- `#define STARPU_HAVE_SYNC_BOOL_COMPARE_AND_SWAP_8`
- `#define STARPU_HAVE_SYNC_FETCH_AND_ADD`
- `#define STARPU_HAVE_SYNC_FETCH_AND_ADD_8`
- `#define STARPU_HAVE_SYNC_FETCH_AND_OR`
- `#define STARPU_HAVE_SYNC_FETCH_AND_OR_8`
- `#define STARPU_HAVE_SYNC_LOCK_TEST_AND_SET`
- `#define STARPU_HAVE_SYNC_SYNCHRONIZE`
- `#define STARPU_HAVE_SYNC_VAL_COMPARE_AND_SWAP`
- `#define STARPU_HAVE_SYNC_VAL_COMPARE_AND_SWAP_8`
- `#define STARPU_HAVE_UNISTD_H`
- `#define STARPU_HAVE_UNSETENV`

- `#define STARPU_HAVE_VALGRIND_H`
- `#define STARPU_HAVE_WINDOWS`
- `#define STARPU_HAVE_X11`
- `#define STARPU_HAVE_XBT_BASE_H`
- `#define STARPU_HAVE_XBT_CONFIG_H`
- `#define STARPU_HAVE_XBT_SYNCHRO_H`
- `#define STARPU_HISTORYMAXERROR`
- `#define STARPU_LINUX_SYS`
- `#define STARPU_LONG_CHECK`
- `#define STARPU_MAJOR_VERSION`
- `#define STARPU_MAXCPUS`
- `#define STARPU_MAXCUDADEVES`
- `#define STARPU_MAXHIPDEVES`
- `#define STARPU_MAXIMPLEMENTATIONS`
- `#define STARPU_MAXMAXFPGADEVS`
- `#define STARPU_MAXMPIDEVES`
- `#define STARPU_MAXNODES`
- `#define STARPU_MAXNUMANODES`
- `#define STARPU_MAXOPENCLDEVES`
- `#define STARPU_MAXTCPIPDEVES`
- `#define STARPU_MEMORY_STATS`
- `#define STARPU_MINOR_VERSION`
- `#define STARPU_MKL`
- `#define STARPU_MLR_MODEL`
- `#define STARPU_MODEL_DEBUG`
- `#define STARPU_MPI_EXTRA_VERBOSE`
- `#define STARPU_MPI_PEDANTIC_ISEND`
- `#define STARPU_MPI_VERBOSE`
- `#define STARPU_NATIVE_WINTHREADS`
- `#define STARPU_NEW_CHECK`
- `#define STARPU_NMAXBUFS`
- `#define STARPU_NMAXDEVES`
- `#define STARPU_NMAXWORKERS`
- `#define STARPU_NMAX_COMBINEDWORKERS`
- `#define STARPU_NMAX_SCHED_CTXS`
- `#define STARPU_NON_BLOCKING_DRIVERS`
- `#define STARPU_NO_ASSERT`
- `#define STARPU_OPENBLAS`
- `#define STARPU_OPENBSD_SYS`
- `#define STARPU_OPENCL_SIMULATOR`
- `#define STARPU_OPENGL_RENDER`
- `#define STARPU_OPENMP`
- `#define STARPU_OPENMP_LLVM`
- `#define STARPU_PAPI`
- `#define STARPU_PARALLEL_WORKER`
- `#define STARPU_PERF_DEBUG`
- `#define STARPU_PERF_MODEL_DIR`
- `#define STARPU_PROF_TOOL`
- `#define STARPU_PTHREAD_COND_INITIALIZER_ZERO`
- `#define STARPU_PTHREAD_MUTEX_INITIALIZER_ZERO`
- `#define STARPU_PTHREAD_RWLOCK_INITIALIZER_ZERO`
- `#define STARPU_PYTHON_HAVE_NUMPY`
- `#define STARPU_QUICK_CHECK`
- `#define STARPU_RELEASE_VERSION`
- `#define STARPU_SC_HYPERVISOR_DEBUG`

- `#define STARPU_SIMGRID`
- `#define STARPU_SIMGRID_HAVE_SIMGRID_INIT`
- `#define STARPU_SIMGRID_HAVE_XBT_BARRIER_INIT`
- `#define STARPU_SIMGRID_MC`
- `#define STARPU_SPINLOCK_CHECK`
- `#define STARPU_SRC_DIR`
- `#define STARPU_STATIC_ONLY`
- `#define STARPU_SYSTEM_BLAS`
- `#define STARPU_USE_ALLOCATION_CACHE`
- `#define STARPU_USE_AYUDAME1`
- `#define STARPU_USE_AYUDAME2`
- `#define STARPU_USE_CPU`
- `#define STARPU_USE_CUDA`
- `#define STARPU_USE_CUDA0`
- `#define STARPU_USE_CUDA1`
- `#define STARPU_USE_CUDA_MAP`
- `#define STARPU_USE_DRAND48`
- `#define STARPU_USE_ERAND48_R`
- `#define STARPU_USE_FXT`
- `#define STARPU_USE_HIP`
- `#define STARPU_USE_HIPBLAS`
- `#define STARPU_USE_MAX_FPGA`
- `#define STARPU_USE_MP`
- `#define STARPU_USE_MPI`
- `#define STARPU_USE_MPI_FT`
- `#define STARPU_USE_MPI_FT_STATS`
- `#define STARPU_USE_MPI_MASTER_SLAVE`
- `#define STARPU_USE_MPI_MPI`
- `#define STARPU_USE_MPI_NMAD`
- `#define STARPU_USE_OPENCL`
- `#define STARPU_USE_SC_HYPERVISOR`
- `#define STARPU_USE_TCPIP_MASTER_SLAVE`
- `#define STARPU_VALGRIND_FULL`
- `#define STARPU_VERBOSE`
- `#define STARPU_WORKER_CALLBACKS`
- `#define STDC_HEADERS`
- `#define VERSION`
- `#define X_DISPLAY_MISSING`
- `#define restrict`

6.8 copy_driver.h File Reference

```
#include <common/config.h>
#include <common/list.h>
```

Data Structures

- struct [_starpu_disk_backend_event](#)
- struct [_starpu_disk_event](#)
- union [_starpu_async_channel_event](#)
- struct [_starpu_async_channel](#)

Enumerations

- enum `_starpu_may_alloc` { `_STARPU_DATAWIZARD_DO_NOT_ALLOC` , `_STARPU_DATAWIZARD_DO_ALLOC` , `_STARPU_DATAWIZARD_ONLY_FAST_ALLOC` }

Functions

- void `_starpu_wake_all_blocked_workers_on_node` (unsigned nodeid)
- int `_starpu_driver_copy_data_1_to_1` (starpu_data_handle_t handle, [struct_starpu_data_replicate](#) *src, [struct_starpu_data_replicate](#) *dst_replicate, unsigned donotread, [struct_starpu_data_request](#) *req, enum `_starpu_may_alloc` may_alloc, enum `starpu_is_prefetch` prefetch)
- int `_starpu_copy_interface_any_to_any` (starpu_data_handle_t handle, void *src_interface, unsigned src_node, void *dst_interface, unsigned dst_node, [struct_starpu_data_request](#) *req)
- unsigned `_starpu_driver_test_request_completion` ([struct_starpu_async_channel](#) *async_channel)
- void `_starpu_driver_wait_request_completion` ([struct_starpu_async_channel](#) *async_channel)

6.8.1 Data Structure Documentation

6.8.1.1 struct_starpu_disk_backend_event

Data Fields

void *	backend_event	
--------	---------------	--

6.8.1.2 struct_starpu_disk_event

Data Fields

unsigned	memory_node	
unsigned	node	
struct_starpu_disk_backend_event_list *	requests	
void *	ptr	
size_t	size	
starpu_data_handle_t	handle	

6.8.1.3 union_starpu_async_channel_event

this is a structure that can be queried to see whether an asynchronous transfer has terminated or not

Data Fields

char	data[40]	
------	----------	--

6.8.1.4 struct_starpu_async_channel

Data Fields

union _starpu_async_channel_event	event	
const struct_starpu_node_ops *	node_ops	
struct_starpu_mp_node *	polling_node_sender	Which node to polling when needing ACK msg
struct_starpu_mp_node *	polling_node_receiver	

Data Fields

volatile int	starpu_mp_common_finished_sender	Used to know if the acknowledgment msg is arrived from sinks
volatile int	starpu_mp_common_finished_receiver	

6.9 data_concurrency.h File Reference

```
#include <core/jobs.h>
```

Functions

- void **_starpu_job_set_ordered_buffers** (struct _starpu_job *j)
- unsigned **_starpu_concurrent_data_access** (struct _starpu_job *j)
- void **_starpu_submit_job_enforce_arbitered_deps** (struct _starpu_job *j, unsigned buf, unsigned nbuffers)
- void **_starpu_submit_job_take_data_deps** (struct _starpu_job *j)
- void **_starpu_enforce_data_deps_notify_job_ready_soon** (struct _starpu_job *j, _starpu_notify_job_↵ start_data *data)
- int **_starpu_notify_data_dependencies** (starpu_data_handle_t handle, enum starpu_data_access_mode down_to_mode)
- void **_starpu_notify_arbitered_dependencies** (starpu_data_handle_t handle, enum starpu_data_↵ access_mode down_to_mode)
- unsigned **_starpu_attempt_to_submit_data_request_from_apps** (starpu_data_handle_t handle, enum starpu_data_access_mode mode, void(*callback)(void *), void *argcb)
- unsigned **_starpu_attempt_to_submit_arbitered_data_request** (unsigned request_from_codelet, starpu_data_handle_t handle, enum starpu_data_access_mode mode, void(*callback)(void *), void *argcb, struct _starpu_job *j, unsigned buffer_index)

6.10 data_interface.h File Reference

```
#include <starpu.h>
#include <common/config.h>
#include <common/uthash.h>
#include <util/openmp_runtime_support.h>
```

Data Structures

- union [_starpu_interface](#)

Macros

- #define **_starpu_data_check_not_busy**(handle)
- #define **_starpu_data_is_multiformat_handle**(handle)

Functions

- void **_starpu_data_free_interfaces** (starpu_data_handle_t handle)
- int **_starpu_data_handle_init** (starpu_data_handle_t handle, struct starpu_data_interface_ops *interface_↵ _ops, unsigned int mf_node)
- void **_starpu_data_initialize_per_worker** (starpu_data_handle_t handle)
- void **_starpu_data_interface_init** (void)

- `int __starpu_data_check_not_busy (starpu_data_handle_t handle) STARPU_ATTRIBUTE_WARN_UNUSED_RESULT`
- `void __starpu_data_interface_shutdown (void)`
- `struct starpu_data_interface_ops * __starpu_data_interface_get_ops (unsigned interface_id) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT`
- `void __starpu_data_invalidate_submit_noplan (starpu_data_handle_t handle)`

Variables

- `struct starpu_data_interface_ops starpu_interface_multiformat_ops`
- `struct starpu_arbiter * __starpu_global_arbiter`

6.10.1 Data Structure Documentation

6.10.1.1 union_starpu_interface

Generic type representing an interface, for now it's only used before execution on message-passing devices but it can be useful in other cases.

Data Fields

<code>struct starpu_variable_interface</code>	variable	
<code>struct starpu_vector_interface</code>	vector	
<code>struct starpu_matrix_interface</code>	matrix	
<code>struct starpu_block_interface</code>	block	
<code>struct starpu_tensor_interface</code>	tensor	
<code>struct starpu_csr_interface</code>	csr	
<code>struct starpu_bcsr_interface</code>	bcsr	
<code>struct starpu_coo_interface</code>	coo	

6.10.2 Variable Documentation

6.10.2.1 starpu_interface_multiformat_ops

```
struct starpu_data_interface_ops starpu_interface_multiformat_ops [extern]
```

Some data interfaces or filters use this interface internally

6.11 data_request.h File Reference

```
#include <datawizard/coherency.h>
#include <semaphore.h>
#include <datawizard/copy_driver.h>
#include <common/list.h>
#include <common/prio_list.h>
#include <common/starpu_spinlock.h>
```

Data Structures

- `struct __starpu_callback_list`

Macros

- `#define MAX_PENDING_REQUESTS_PER_NODE`
- `#define MAX_PENDING_PREFETCH_REQUESTS_PER_NODE`
- `#define MAX_PENDING_IDLE_REQUESTS_PER_NODE`
- `#define MAX_PUSH_TIME`

Enumerations

- `enum _starpu_data_request_inout { _STARPU_DATA_REQUEST_IN , _STARPU_DATA_REQUEST_OUT }`

6.11.1 Macro Definition Documentation

6.11.1.1 MAX_PUSH_TIME

```
#define MAX_PUSH_TIME
```

Maximum time in us that we can afford pushing requests before going back to the driver loop, e.g. for checking GPU task termination

6.12 datastats.h File Reference

```
#include <starpu.h>
#include <common/config.h>
#include <stdint.h>
#include <stdlib.h>
```

Macros

- `#define _starpu_msi_cache_hit(node)`
- `#define _starpu_msi_cache_miss(node)`
- `#define _starpu_allocation_cache_hit(node)`
- `#define _starpu_data_allocation_inc_stats(node)`

Functions

- `void _starpu_datastats_init ()`
- `static int starpu_enable_stats (void)`
- `void __starpu_msi_cache_hit (unsigned node)`
- `void __starpu_msi_cache_miss (unsigned node)`
- `void _starpu_display_msi_stats (FILE *stream)`
- `void __starpu_allocation_cache_hit (unsigned node STARPU_ATTRIBUTE_UNUSED)`
- `void __starpu_data_allocation_inc_stats (unsigned node STARPU_ATTRIBUTE_UNUSED)`
- `void _starpu_display_alloc_cache_stats (FILE *stream)`

Variables

- `int _starpu_enable_stats`

6.13 datawizard.h File Reference

```
#include <starp.h>
#include <common/config.h>
#include <common/utils.h>
#include <datawizard/coherency.h>
#include <datawizard/filters.h>
#include <datawizard/copy_driver.h>
#include <datawizard/footprint.h>
#include <datawizard/data_request.h>
#include <datawizard/interfaces/data_interface.h>
#include <core/dependencies/implicit_data_deps.h>
```

Functions

- [int __starp_datawizard_progress](#) (enum _starp_may_alloc may_alloc, unsigned push_requests)
- [void __starp_datawizard_progress](#) (enum _starp_may_alloc may_alloc)
- [void __starp_datawizard_handle_all_pending_node_data_requests](#) (unsigned memnode)

6.13.1 Function Documentation

6.13.1.1 __starp_datawizard_progress()

```
int __starp_datawizard_progress (
    enum _starp_may_alloc may_alloc,
    unsigned push_requests )
```

Make data transfers progress on all memory nodes driven by the current worker.

If push_requests is 1, it can start new transfers

If may_alloc is _STARPU_DATAWIZARD_DO_ALLOC, it can allocate destination data for transfers (this is not possible e.g. when spinning for a handle lock)

6.13.1.2 _starp_datawizard_progress()

```
void _starp_datawizard_progress (
    enum _starp_may_alloc may_alloc )
```

Call __starp_datawizard_progress with push_requests = 1

6.13.1.3 __starp_datawizard_handle_all_pending_node_data_requests()

```
void __starp_datawizard_handle_all_pending_node_data_requests (
    unsigned memnode )
```

Check for all pending data request progress on node memory_node

6.14 debug.h File Reference

```
#include <stdio.h>
#include <stdlib.h>
#include <stdarg.h>
#include <common/config.h>
#include <core/workers.h>
```

Macros

- `#define STARPU_AYU_EVENT`
- `#define STARPU_AYU_PREINIT()`
- `#define STARPU_AYU_INIT()`
- `#define STARPU_AYU_FINISH()`
- `#define STARPU_AYU_ADDDEPENDENCY(previous, handle, next_job)`
- `#define STARPU_AYU_REMOVETASK(job_id)`
- `#define STARPU_AYU_ADDTASK(job_id, task)`
- `#define STARPU_AYU_PRERUNTASK(job_id, workerid)`
- `#define STARPU_AYU_RUNTASK(job_id)`
- `#define STARPU_AYU_POSTRUNTASK(job_id)`
- `#define STARPU_AYU_ADDTOTASKQUEUE(job_id, worker_id)`
- `#define STARPU_AYU_BARRIER()`

Functions

- `void _starpus_open_debug_logfile (void)`
- `void _starpus_close_debug_logfile (void)`
- `void _starpus_print_to_logfile (const char *format,...) STARPU_ATTRIBUTE_FORMAT(printf)`
- `void _starpus_watchdog_init (void)`
- `void _starpus_watchdog_shutdown (void)`

Variables

- `void int _starpus_use_fxt`

6.14.1 Function Documentation

6.14.1.1 `_starpus_open_debug_logfile()`

```
void _starpus_open_debug_logfile (
    void )
```

Create a file that will contain StarPU's log

6.14.1.2 `_starpus_close_debug_logfile()`

```
void _starpus_close_debug_logfile (
    void )
```

Close StarPU's log file

6.14.1.3 `_starpus_print_to_logfile()`

```
void _starpus_print_to_logfile (
    const char * format,
    ... )
```

Write into StarPU's log file

6.14.2 Variable Documentation

6.14.2.1 `_starpus_use_fxt`

```
void int _starpus_use_fxt [extern]
```

Tell gdb whether FXT is compiled in or not

6.15 detect_combined_workers.h File Reference

```
#include <starpu.h>
```

Functions

- void [_starpu_sched_find_worker_combinations](#) (int *workerids, int nworkers)

Variables

- int [_starpu_initialized_combined_workers](#)

6.15.1 Function Documentation

6.15.1.1 _starpu_sched_find_worker_combinations()

```
void _starpu_sched_find_worker_combinations (
    int * workerids,
    int nworkers )
```

Initialize combined workers

6.16 disk.h File Reference

```
#include <datawizard/copy_driver.h>
#include <datawizard/malloc.h>
```

Macros

- #define **STARPU_DISK_ALL**
- #define **STARPU_DISK_NO_RECLAIM**

Functions

- void * [_starpu_disk_alloc](#) (unsigned node, size_t size) STARPU_ATTRIBUTE_MALLOC
- void [_starpu_disk_free](#) (unsigned node, void *obj, size_t size)
- int [_starpu_disk_read](#) (unsigned src_node, unsigned dst_node, void *obj, void *buf, off_t offset, size_t size, [struct_starpu_async_channel](#) *async_channel)
- int [_starpu_disk_write](#) (unsigned src_node, unsigned dst_node, void *obj, void *buf, off_t offset, size_t size, [struct_starpu_async_channel](#) *async_channel)
- int [_starpu_disk_full_read](#) (unsigned src_node, unsigned dst_node, void *obj, void **ptr, size_t *size, [struct_starpu_async_channel](#) *async_channel)
- int [_starpu_disk_full_write](#) (unsigned src_node, unsigned dst_node, void *obj, void *ptr, size_t size, [struct_starpu_async_channel](#) *async_channel)
- int [_starpu_disk_copy](#) (unsigned node_src, void *obj_src, off_t offset_src, unsigned node_dst, void *obj_dst, off_t offset_dst, size_t size, [struct_starpu_async_channel](#) *async_channel)
- void [starpu_disk_wait_request](#) ([struct_starpu_async_channel](#) *async_channel)
- int [starpu_disk_test_request](#) ([struct_starpu_async_channel](#) *async_channel)
- void [starpu_disk_free_request](#) ([struct_starpu_async_channel](#) *async_channel)
- int [_starpu_disk_can_copy](#) (unsigned node1, unsigned node2)
- void [_starpu_set_disk_flag](#) (unsigned node, int flag)
- int [_starpu_get_disk_flag](#) (unsigned node)
- void [_starpu_disk_unregister](#) (void)
- void [_starpu_swap_init](#) (void)
- static [struct_starpu_disk_event](#) * [_starpu_disk_get_event](#) (union [_starpu_async_channel_event](#) *_event)

6.16.1 Function Documentation

6.16.1.1 `_starpu_disk_alloc()`

```
void * _starpu_disk_alloc (
    unsigned node,
    size_t size )
```

interface to manipulate memory disk

6.16.1.2 `_starpu_disk_read()`

```
int _starpu_disk_read (
    unsigned src_node,
    unsigned dst_node,
    void * obj,
    void * buf,
    off_t offset,
    size_t size,
    struct _starpu_async_channel * async_channel )
```

`src_node` is a disk node, `dst_node` is for the moment the STARPU_MAIN_RAM

6.16.1.3 `_starpu_disk_write()`

```
int _starpu_disk_write (
    unsigned src_node,
    unsigned dst_node,
    void * obj,
    void * buf,
    off_t offset,
    size_t size,
    struct _starpu_async_channel * async_channel )
```

`src_node` is for the moment the STARU_MAIN_RAM, `dst_node` is a disk node

6.16.1.4 `starpu_disk_wait_request()`

```
void starpu_disk_wait_request (
    struct _starpu_async_channel * async_channel )
```

force the request to compute

6.16.1.5 `starpu_disk_test_request()`

```
int starpu_disk_test_request (
    struct _starpu_async_channel * async_channel )
```

return 1 if the request is finished, 0 if not finished

6.16.1.6 `_starpu_disk_can_copy()`

```
int _starpu_disk_can_copy (
    unsigned node1,
    unsigned node2 )
```

interface to compare memory disk

6.16.1.7 `_starpu_set_disk_flag()`

```
void _starpu_set_disk_flag (
    unsigned node,
    int flag )
```

change disk flag

6.16.1.8 __starpu_disk_unregister()

```
void __starpu_disk_unregister (
    void )
unregister disk
```

6.17 disk_unistd_global.h File Reference

```
#include <fcntl.h>
```

Data Structures

- struct [starpu_unistd_global_obj](#)

Macros

- #define **O_BINARY**
- #define **STARPU_UNISTD_USE_COPY**

Typedefs

- typedef off_t **starpu_loff_t**

Functions

- void * **starpu_unistd_global_alloc** (struct [starpu_unistd_global_obj](#) *obj, void *base, size_t size)
- void **starpu_unistd_global_free** (void *base, void *obj, size_t size)
- void * **starpu_unistd_global_open** (struct [starpu_unistd_global_obj](#) *obj, void *base, void *pos, size_t size)
- void **starpu_unistd_global_close** (void *base, void *obj, size_t size)
- int **starpu_unistd_global_read** (void *base, void *obj, void *buf, off_t offset, size_t size)
- int **starpu_unistd_global_write** (void *base, void *obj, const void *buf, off_t offset, size_t size)
- void * **starpu_unistd_global_plug** (void *parameter, starpu_ssize_t size)
- void **starpu_unistd_global_unplug** (void *base)
- int **__starpu_get_unistd_global_bandwidth_between_disk_and_main_ram** (unsigned node, void *base)
- void * **starpu_unistd_global_async_read** (void *base, void *obj, void *buf, off_t offset, size_t size)
- void * **starpu_unistd_global_async_write** (void *base, void *obj, void *buf, off_t offset, size_t size)
- void * **starpu_unistd_global_async_full_write** (void *base, void *obj, void *ptr, size_t size)
- void * **starpu_unistd_global_async_full_read** (void *base, void *obj, void **ptr, size_t *size, unsigned dst_node)
- void **starpu_unistd_global_wait_request** (void *async_channel)
- int **starpu_unistd_global_test_request** (void *async_channel)
- void **starpu_unistd_global_free_request** (void *async_channel)
- int **starpu_unistd_global_full_read** (void *base, void *obj, void **ptr, size_t *size, unsigned dst_node)
- int **starpu_unistd_global_full_write** (void *base, void *obj, void *ptr, size_t size)

6.17.1 Data Structure Documentation

6.17.1.1 struct starpu_unistd_global_obj

Data Fields

int	descriptor	
char *	path	
size_t	size	

Data Fields

	int	flags	
starpu_pthread_mutex_t		mutex	

6.18 driver_common.h File Reference

```
#include <starpu.h>
#include <starpu_util.h>
#include <core/jobs.h>
#include <common/utils.h>
```

Functions

- void [__starpu_driver_start_job](#) (struct [_starpu_worker](#) *args, struct [_starpu_job](#) *j, struct [starpu_perfmodel_arch](#) *perf_arch, int rank, int profiling)
- void [__starpu_driver_end_job](#) (struct [_starpu_worker](#) *args, struct [_starpu_job](#) *j, struct [starpu_perfmodel_arch](#) *perf_arch, int rank, int profiling)
- void [__starpu_driver_update_job_feedback](#) (struct [_starpu_job](#) *j, struct [_starpu_worker](#) *worker_args, struct [starpu_perfmodel_arch](#) *perf_arch, int profiling)
- struct [starpu_task](#) * [__starpu_get_worker_task](#) (struct [_starpu_worker](#) *args, int workerid, unsigned memnode)
- int [__starpu_get_multi_worker_task](#) (struct [_starpu_worker](#) *workers, struct [starpu_task](#) **tasks, int nworker, unsigned memnode)
- void * [__starpu_map_allocate](#) (size_t length, unsigned node)
- int [__starpu_map_deallocate](#) (void *map_addr, size_t length)
- char * [__starpu_get_fdname_from_mapaddr](#) (uintptr_t map_addr, size_t *offset, size_t length)
- void * [__starpu_sink_map](#) (char *fd_name, size_t offset, size_t length)
- int [__starpu_sink_unmap](#) (uintptr_t map_addr, size_t length)

6.18.1 Function Documentation

6.18.1.1 __starpu_driver_start_job()

```
void __starpu_driver_start_job (
    struct _starpu_worker * args,
    struct _starpu_job * j,
    struct starpu_perfmodel_arch * perf_arch,
    int rank,
    int profiling )
```

The task job is about to start (or has already started when kernels are queued in a pipeline), record profiling and trace information.

6.18.1.2 __starpu_driver_end_job()

```
void __starpu_driver_end_job (
    struct _starpu_worker * args,
    struct _starpu_job * j,
    struct starpu_perfmodel_arch * perf_arch,
    int rank,
    int profiling )
```

The task job has ended, record profiling and trace information.

6.18.1.3 `_starpu_driver_update_job_feedback()`

```
void _starpu_driver_update_job_feedback (
    struct _starpu_job * j,
    struct _starpu_worker * worker_args,
    struct starpu_perfmodel_arch * perf_arch,
    int profiling )
```

Feed performance model with the terminated job statistics

6.18.1.4 `_starpu_get_worker_task()`

```
struct starpu_task * _starpu_get_worker_task (
    struct _starpu_worker * args,
    int workerid,
    unsigned memnode )
```

Get from the scheduler a task to be executed on the worker `workerid`

6.18.1.5 `_starpu_get_multi_worker_task()`

```
int _starpu_get_multi_worker_task (
    struct _starpu_worker * workers,
    struct starpu_task ** tasks,
    int nworker,
    unsigned memnode )
```

Get from the scheduler tasks to be executed on the workers `workers`

6.19 driver_cpu.h File Reference

```
#include <core/workers.h>
#include <common/config.h>
#include <datawizard/node_ops.h>
```

Functions

- `void _starpu_cpu_preinit (void)`
- `void _starpu_cpu_busy_cpu (unsigned num)`
- `void _starpu_init_cpu_config (struct _starpu_machine_topology *topology, struct _starpu_machine_config *config)`
- `void _starpu_cpu_init_worker_binding (struct _starpu_machine_config *config, int no_mp_config STARPU_ATTRIBUTE_UNUSED, struct _starpu_worker *workerarg)`
- `void _starpu_cpu_init_worker_memory (struct _starpu_machine_config *config, int no_mp_config STARPU_ATTRIBUTE_UNUSED, struct _starpu_worker *workerarg)`
- `void * _starpu_cpu_worker (void *)`
- `int _starpu_cpu_copy_interface (starpu_data_handle_t handle, void *src_interface, unsigned src_node, void *dst_interface, unsigned dst_node, struct _starpu_data_request *req)`
- `int _starpu_cpu_copy_data (uintptr_t src_ptr, size_t src_offset, unsigned src_node, uintptr_t dst_ptr, size_t dst_offset, unsigned dst_node, size_t ssize, struct _starpu_async_channel *async_channel)`
- `int _starpu_cpu_is_direct_access_supported (unsigned node, unsigned handling_node)`
- `uintptr_t _starpu_cpu_malloc_on_node (unsigned dst_node, size_t size, int flags)`
- `void _starpu_cpu_free_on_node (unsigned dst_node, uintptr_t addr, size_t size, int flags)`

Variables

- `struct _starpu_driver_ops _starpu_driver_cpu_ops`
- `struct _starpu_node_ops _starpu_driver_cpu_node_ops`

6.20 driver_cuda.h File Reference

```
#include <common/config.h>
#include <cuda.h>
#include <cuda_runtime_api.h>
#include <nvml.h>
#include <starpu.h>
#include <core/workers.h>
#include <datawizard/node_ops.h>
```

Functions

- void **_starpu_cuda_preinit** (void)
- void **_starpu_cuda_init** (void)
- unsigned **_starpu_get_cuda_device_count** (void)
- hwloc_obj_t **_starpu_cuda_get_hwloc_obj** (hwloc_topology_t topology, int devid)
- void **_starpu_cuda_discover_devices** (struct_starpu_machine_config *)
- void **_starpu_init_cuda_config** (struct_starpu_machine_topology *topology, struct_starpu_machine_config *)
- void **_starpu_cuda_init_worker_binding** (struct_starpu_machine_config *config, int no_mp_config, struct_starpu_worker *workerarg)
- void **_starpu_cuda_init_worker_memory** (struct_starpu_machine_config *config, int no_mp_config, struct_starpu_worker *workerarg)
- void **_starpu_init_cuda** (void)
- void **_starpu_init_cublas_v2_func** (void)
- void **_starpu_shutdown_cublas_v2_func** (void)
- void **_starpu_cublas_v2_init** (void)
- void **_starpu_cublas_v2_shutdown** (void)
- void * **_starpu_cuda_worker** (void *)
- nvmlDevice_t **_starpu_cuda_get_nvmldev** (struct_cudaDeviceProp *props)
- unsigned **_starpu_cuda_test_request_completion** (struct_starpu_async_channel *async_channel)
- void **_starpu_cuda_wait_request_completion** (struct_starpu_async_channel *async_channel)
- int **_starpu_cuda_copy_interface_from_cpu_to_cuda** (starpu_data_handle_t handle, void *src_interface, unsigned src_node, void *dst_interface, unsigned dst_node, struct_starpu_data_request *req)
- int **_starpu_cuda_copy_interface_from_cuda_to_cuda** (starpu_data_handle_t handle, void *src_interface, unsigned src_node, void *dst_interface, unsigned dst_node, struct_starpu_data_request *req)
- int **_starpu_cuda_copy_interface_from_cuda_to_cpu** (starpu_data_handle_t handle, void *src_interface, unsigned src_node, void *dst_interface, unsigned dst_node, struct_starpu_data_request *req)
- int **_starpu_cuda_copy_data_from_cuda_to_cuda** (uintptr_t src, size_t src_offset, unsigned src_node, uintptr_t dst, size_t dst_offset, unsigned dst_node, size_t size, struct_starpu_async_channel *async_channel)
- int **_starpu_cuda_copy_data_from_cuda_to_cpu** (uintptr_t src, size_t src_offset, unsigned src_node, uintptr_t dst, size_t dst_offset, unsigned dst_node, size_t size, struct_starpu_async_channel *async_channel)
- int **_starpu_cuda_copy_data_from_cpu_to_cuda** (uintptr_t src, size_t src_offset, unsigned src_node, uintptr_t dst, size_t dst_offset, unsigned dst_node, size_t size, struct_starpu_async_channel *async_channel)
- int **_starpu_cuda_copy2d_data_from_cuda_to_cuda** (uintptr_t src, size_t src_offset, unsigned src_node, uintptr_t dst, size_t dst_offset, unsigned dst_node, size_t blocksize, size_t numblocks, size_t ld_src, size_t ld_dst, struct_starpu_async_channel *async_channel)
- int **_starpu_cuda_copy2d_data_from_cuda_to_cpu** (uintptr_t src, size_t src_offset, unsigned src_node, uintptr_t dst, size_t dst_offset, unsigned dst_node, size_t blocksize, size_t numblocks, size_t ld_src, size_t ld_dst, struct_starpu_async_channel *async_channel)
- int **_starpu_cuda_copy2d_data_from_cpu_to_cuda** (uintptr_t src, size_t src_offset, unsigned src_node, uintptr_t dst, size_t dst_offset, unsigned dst_node, size_t blocksize, size_t numblocks, size_t ld_src, size_t ld_dst, struct_starpu_async_channel *async_channel)

- `int _starpu_cuda_is_direct_access_supported` (unsigned node, unsigned handling_node)
- `uintptr_t _starpu_cuda_malloc_on_node` (unsigned dst_node, size_t size, int flags)
- `void _starpu_cuda_free_on_node` (unsigned dst_node, uintptr_t addr, size_t size, int flags)

Variables

- `struct _starpu_driver_ops _starpu_driver_cuda_ops`
- `struct _starpu_node_ops _starpu_driver_cuda_node_ops`
- `int _starpu_nworker_per_cuda`
- `int _starpu_cuda_bus_ids` [STARPU_MAXCUDADEVS+STARPU_MAXNUMANODES][STARPU_MAXCUDADEVS+STARPU_MAXNUMANODES]

6.21 driver_disk.h File Reference

```
#include <datawizard/node_ops.h>
```

Functions

- `void _starpu_disk_preinit` (void)
- `int _starpu_disk_copy_src_to_disk` (void *src, unsigned src_node, void *dst, size_t dst_offset, unsigned dst_node, size_t size, void *async_channel)
- `int _starpu_disk_copy_disk_to_src` (void *src, size_t src_offset, unsigned src_node, void *dst, unsigned dst_node, size_t size, void *async_channel)
- `int _starpu_disk_copy_disk_to_disk` (void *src, size_t src_offset, unsigned src_node, void *dst, size_t dst_offset, unsigned dst_node, size_t size, void *async_channel)
- `unsigned _starpu_disk_test_request_completion` (struct _starpu_async_channel *async_channel)
- `void _starpu_disk_wait_request_completion` (struct _starpu_async_channel *async_channel)
- `int _starpu_disk_copy_interface_from_disk_to_cpu` (starpu_data_handle_t handle, void *src_interface, unsigned src_node, void *dst_interface, unsigned dst_node, struct _starpu_data_request *req)
- `int _starpu_disk_copy_interface_from_disk_to_disk` (starpu_data_handle_t handle, void *src_interface, unsigned src_node, void *dst_interface, unsigned dst_node, struct _starpu_data_request *req)
- `int _starpu_disk_copy_interface_from_cpu_to_disk` (starpu_data_handle_t handle, void *src_interface, unsigned src_node, void *dst_interface, unsigned dst_node, struct _starpu_data_request *req)
- `int _starpu_disk_copy_data_from_disk_to_cpu` (uintptr_t src, size_t src_offset, unsigned src_node, uintptr_t dst, size_t dst_offset, unsigned dst_node, size_t size, struct _starpu_async_channel *async_channel)
- `int _starpu_disk_copy_data_from_disk_to_disk` (uintptr_t src, size_t src_offset, unsigned src_node, uintptr_t dst, size_t dst_offset, unsigned dst_node, size_t size, struct _starpu_async_channel *async_channel)
- `int _starpu_disk_copy_data_from_cpu_to_disk` (uintptr_t src, size_t src_offset, unsigned src_node, uintptr_t dst, size_t dst_offset, unsigned dst_node, size_t size, struct _starpu_async_channel *async_channel)
- `int _starpu_disk_is_direct_access_supported` (unsigned node, unsigned handling_node)
- `uintptr_t _starpu_disk_malloc_on_node` (unsigned dst_node, size_t size, int flags)
- `void _starpu_disk_free_on_node` (unsigned dst_node, uintptr_t addr, size_t size, int flags)

Variables

- `struct _starpu_node_ops _starpu_driver_disk_node_ops`

6.22 driver_mpi_common.h File Reference

```
#include <drivers/mp_common/mp_common.h>
#include <drivers/mpi/driver_mpi_source.h>
```

Macros

- `#define SYNC_TAG`
- `#define ASYNC_TAG`
- `#define NOTIF_TAG`

Functions

- `int _starpu_mpi_common_mp_init ()`
- `void _starpu_mpi_common_mp_deinit ()`
- `int _starpu_mpi_common_is_src_node ()`
- `int _starpu_mpi_common_get_src_node ()`
- `int _starpu_mpi_common_is_mp_initialized ()`
- `int _starpu_mpi_common_recv_is_ready (const struct _starpu_mp_node *mp_node)`
- `int _starpu_mpi_common_notif_recv_is_ready (const struct _starpu_mp_node *mp_node)`
- `int _starpu_mpi_common_notif_send_is_ready (const struct _starpu_mp_node *mp_node)`
- `void _starpu_mpi_common_mp_initialize_src_sink (struct _starpu_mp_node *node)`
- `void _starpu_mpi_common_send (const struct _starpu_mp_node *node, void *msg, int len, void *event)`
- `void _starpu_mpi_common_recv (const struct _starpu_mp_node *node, void *msg, int len, void *event)`
- `void _starpu_mpi_common_mp_send (const struct _starpu_mp_node *node, void *msg, int len)`
- `void _starpu_mpi_common_mp_recv (const struct _starpu_mp_node *node, void *msg, int len)`
- `void _starpu_mpi_common_nt_send (const struct _starpu_mp_node *node, void *msg, int len)`
- `void _starpu_mpi_common_nt_recv (const struct _starpu_mp_node *node, void *msg, int len)`
- `void _starpu_mpi_common_recv_from_device (const struct _starpu_mp_node *node, int src_devid, void *msg, int len, void *event)`
- `void _starpu_mpi_common_send_to_device (const struct _starpu_mp_node *node, int dst_devid, void *msg, int len, void *event)`
- `unsigned int _starpu_mpi_common_test_event (struct _starpu_async_channel *event)`
- `void _starpu_mpi_common_wait_request_completion (struct _starpu_async_channel *event)`
- `void _starpu_mpi_common_barrier (void)`
- `void _starpu_mpi_common_measure_bandwidth_latency (double bandwidth_dtod[STARPU_MAXMPIDEVS][STARPU_MAXMPIDEVS], double latency_dtod[STARPU_MAXMPIDEVS][STARPU_MAXMPIDEVS])`

Variables

- `int _starpu_mpi_common_multiple_thread`

6.23 driver_mpi_sink.h File Reference

```
#include <drivers/mp_common/sink_common.h>
```

Functions

- `void _starpu_mpi_sink_init (struct _starpu_mp_node *node)`
- `void _starpu_mpi_sink_bind_thread (const struct _starpu_mp_node *mp_node STARPU_ATTRIBUTE_UNUSED, int coreid, int *core_table, int nb_core)`

6.24 driver_mpi_source.h File Reference

```
#include <core/workers.h>
#include <drivers/mp_common/mp_common.h>
#include <datawizard/node_ops.h>
```

Functions

- void `_starpu_mpi_ms_preinit` (void)
- [struct](#) `_starpu_mp_node` * `_starpu_mpi_ms_src_get_actual_thread_mp_node` ()
- unsigned `_starpu_mpi_src_get_device_count` ()
- void * `_starpu_mpi_src_worker` (void *arg)
- void `_starpu_init_mpi_config` ([struct](#) `_starpu_machine_topology` *topology, [struct](#) `_starpu_machine_config` *config, [struct](#) `starpu_conf` *user_conf, int no_mp_config)
- void `_starpu_mpi_init_worker_binding` ([struct](#) `_starpu_machine_config` *config, int no_mp_config STARPU_ATTRIBUTE_UNUSED, [struct](#) `_starpu_worker` *workerarg)
- void `_starpu_mpi_init_worker_memory` ([struct](#) `_starpu_machine_config` *config, int no_mp_config STARPU_ATTRIBUTE_UNUSED, [struct](#) `_starpu_worker` *workerarg)
- void `_starpu_deinit_mpi_config` ([struct](#) `_starpu_machine_config` *config)
- void `_starpu_mpi_source_init` ([struct](#) `_starpu_mp_node` *node)
- void `_starpu_mpi_source_deinit` ([struct](#) `_starpu_mp_node` *node)
- int `_starpu_mpi_is_direct_access_supported` (unsigned node, unsigned handling_node)

Variables

- [struct](#) `_starpu_node_ops` `_starpu_driver_mpi_ms_node_ops`

6.24.1 Function Documentation

6.24.1.1 `_starpu_mpi_ms_src_get_actual_thread_mp_node()`

[struct](#) `_starpu_mp_node` * `_starpu_mpi_ms_src_get_actual_thread_mp_node` ()

Array of structures containing all the information useful to send and receive information with devices

6.25 driver_opencl.h File Reference

```
#include <CL/cl.h>
#include <core/workers.h>
#include <datawizard/node_ops.h>
```

Macros

- `#define` `_GNU_SOURCE`
- `#define` `CL_TARGET_OPENCL_VERSION`

Functions

- void `_starpu_opencl_preinit` (void)
- void `_starpu_opencl_discover_devices` ([struct](#) `_starpu_machine_config` *config)
- void `_starpu_opencl_init` (void)
- unsigned `_starpu_opencl_get_device_count` (void)
- `hwloc_obj_t` `_starpu_opencl_get_hwloc_obj` (`hwloc_topology_t` topology, int devid)
- void `_starpu_init_opencl_config` ([struct](#) `_starpu_machine_topology` *topology, [struct](#) `_starpu_machine_config` *)
- void `_starpu_opencl_init_worker_binding` ([struct](#) `_starpu_machine_config` *config, int no_mp_config STARPU_ATTRIBUTE_UNUSED, [struct](#) `_starpu_worker` *workerarg)
- void `_starpu_opencl_init_worker_memory` ([struct](#) `_starpu_machine_config` *config, int no_mp_config STARPU_ATTRIBUTE_UNUSED, [struct](#) `_starpu_worker` *workerarg)
- void * `_starpu_opencl_worker` (void *)
- int `_starpu_run_opencl` ([struct](#) `_starpu_worker` *)

- `int _starpu_opencil_driver_init (struct _starpu_worker *)`
- `int _starpu_opencil_driver_run_once (struct _starpu_worker *)`
- `int _starpu_opencil_driver_deinit (struct _starpu_worker *)`
- `int _starpu_opencil_init_context (int devid)`
- `int _starpu_opencil_deinit_context (int devid)`
- `cl_device_type _starpu_opencil_get_device_type (int devid)`
- `uintptr_t _starpu_opencil_map_ram (uintptr_t src_ptr, size_t src_offset, unsigned src_node, unsigned dst_node, size_t size, int *ret)`
- `int _starpu_opencil_unmap_ram (uintptr_t src_ptr, size_t src_offset, unsigned src_node, uintptr_t dst_ptr, unsigned dst_node, size_t size)`
- `int _starpu_opencil_update_opencil_map (uintptr_t src, size_t src_offset, unsigned src_node, uintptr_t dst, size_t dst_offset, unsigned dst_node, size_t size)`
- `int _starpu_opencil_update_cpu_map (uintptr_t src, size_t src_offset, unsigned src_node, uintptr_t dst, size_t dst_offset, unsigned dst_node, size_t size)`
- `unsigned _starpu_opencil_test_request_completion (struct _starpu_async_channel *async_channel)`
- `void _starpu_opencil_wait_request_completion (struct _starpu_async_channel *async_channel)`
- `int _starpu_opencil_copy_interface_from_opencil_to_opencil (starpu_data_handle_t handle, void *src_interface, unsigned src_node, void *dst_interface, unsigned dst_node, struct _starpu_data_request *req)`
- `int _starpu_opencil_copy_interface_from_opencil_to_cpu (starpu_data_handle_t handle, void *src_interface, unsigned src_node, void *dst_interface, unsigned dst_node, struct _starpu_data_request *req)`
- `int _starpu_opencil_copy_interface_from_cpu_to_opencil (starpu_data_handle_t handle, void *src_interface, unsigned src_node, void *dst_interface, unsigned dst_node, struct _starpu_data_request *req)`
- `int _starpu_opencil_copy_data_from_opencil_to_cpu (uintptr_t src, size_t src_offset, unsigned src_node, uintptr_t dst, size_t dst_offset, unsigned dst_node, size_t size, struct _starpu_async_channel *async_channel)`
- `int _starpu_opencil_copy_data_from_opencil_to_opencil (uintptr_t src, size_t src_offset, unsigned src_node, uintptr_t dst, size_t dst_offset, unsigned dst_node, size_t size, struct _starpu_async_channel *async_channel)`
- `int _starpu_opencil_copy_data_from_cpu_to_opencil (uintptr_t src, size_t src_offset, unsigned src_node, uintptr_t dst, size_t dst_offset, unsigned dst_node, size_t size, struct _starpu_async_channel *async_channel)`
- `int _starpu_opencil_is_direct_access_supported (unsigned node, unsigned handling_node)`
- `uintptr_t _starpu_opencil_malloc_on_node (unsigned dst_node, size_t size, int flags)`
- `void _starpu_opencil_free_on_node (unsigned dst_node, uintptr_t addr, size_t size, int flags)`

Variables

- `struct _starpu_node_ops _starpu_driver_opencil_node_ops`
- `struct _starpu_driver_ops _starpu_driver_opencil_ops`
- `char * _starpu_opencil_program_dir`

6.26 driver_opencil_utils.h File Reference

Macros

- `#define _STARPU_OPENCIL_PLATFORM_MAX`

Functions

- `char * _starpu_opencil_get_device_type_as_string (int id)`

6.27 drivers.h File Reference

Data Structures

- `struct _starpu_driver_ops`

6.28 errorcheck.h File Reference

```
#include <starpu.h>
```

Enumerations

- enum [_starpu_worker_status_index](#) {
STATUS_INDEX_INITIALIZING , **STATUS_INDEX_EXECUTING** , **STATUS_INDEX_CALLBACK** ,
STATUS_INDEX_WAITING ,
STATUS_INDEX_SLEEPING , **STATUS_INDEX_SCHEDULING** , **STATUS_INDEX_NR** }
- enum [_starpu_worker_status](#) {
STATUS_INVALID , **STATUS_UNKNOWN** , **STATUS_INITIALIZING** , **STATUS_EXECUTING** ,
STATUS_CALLBACK , **STATUS_WAITING** , **STATUS_SLEEPING** , **STATUS_SCHEDULING** }

Functions

- void [_starpu_add_worker_status](#) (struct [_starpu_worker](#) *worker, enum [_starpu_worker_status_index](#) st, struct timespec *time)
- void [_starpu_add_local_worker_status](#) (enum [_starpu_worker_status_index](#) st, struct timespec *time)
- void [_starpu_clear_worker_status](#) (struct [_starpu_worker](#) *worker, enum [_starpu_worker_status_index](#) st, struct timespec *time)
- void [_starpu_clear_local_worker_status](#) (enum [_starpu_worker_status_index](#) st, struct timespec *time)
- enum [_starpu_worker_status](#) [_starpu_get_local_worker_status](#) (void)
- unsigned [_starpu_worker_may_perform_blocking_calls](#) (void)

6.28.1 Enumeration Type Documentation

6.28.1.1 [_starpu_worker_status_index](#)

```
enum \_starpu\_worker\_status\_index
```

This type enumerates the actions that can be done by a worker. Some can be happening during others, that is why enum [_starpu_worker_status](#) is a bitset indexed by the values of enum [_starpu_worker_status_index](#).

6.28.1.2 [_starpu_worker_status](#)

```
enum \_starpu\_worker\_status
```

This type describes in which state a worker may be.

Enumerator

STATUS_INVALID	invalid status (for instance if we request the status of some thread that is not controlled by StarPU)
STATUS_UNKNOWN	Nothing particular, thus just overhead
STATUS_INITIALIZING	during the initialization
STATUS_EXECUTING	during the execution of a codelet
STATUS_CALLBACK	during the execution of the callback
STATUS_WAITING	while waiting for a data transfer
STATUS_SLEEPING	while sleeping because there is no task to do
STATUS_SCHEDULING	while executing the scheduler code

6.28.2 Function Documentation

6.28.2.1 `_starpu_add_worker_status()`

```
void _starpu_add_worker_status (
    struct _starpu_worker * worker,
    enum _starpu_worker_status_index st,
    struct timespec * time )
```

Specify what the local worker is currently doing (eg. executing a callback). This permits to detect if this is legal to do a blocking call for instance.

6.28.2.2 `_starpu_clear_worker_status()`

```
void _starpu_clear_worker_status (
    struct _starpu_worker * worker,
    enum _starpu_worker_status_index st,
    struct timespec * time )
```

Clear the fact that the local worker was currently doing something(eg. executing a callback).

6.28.2.3 `_starpu_get_local_worker_status()`

```
enum _starpu_worker_status _starpu_get_local_worker_status (
    void )
```

Indicate what type of operation the worker is currently doing.

6.28.2.4 `_starpu_worker_may_perform_blocking_calls()`

```
unsigned _starpu_worker_may_perform_blocking_calls (
    void )
```

It is forbidden to do blocking calls during some operations such as callback or during the execution of a task. This function indicates whether it is legal to call a blocking operation in the current context.

6.29 `fifo_queues.h` File Reference

```
#include <core/task.h>
```

Data Structures

- struct [starpu_st_fifo_taskq](#)

6.29.1 Data Structure Documentation

6.29.1.1 struct `starpu_st_fifo_taskq`

Data Fields

struct <code>starpu_task_list</code>	<code>taskq</code>	the actual list
<code>unsigned</code>	<code>ntasks</code>	the number of tasks currently in the queue
<code>unsigned</code>	<code>pipeline_ntasks</code>	the number of tasks already pushed to the worker
<code>unsigned *</code>	<code>ntasks_per_priority</code>	the number of tasks currently in the queue corresponding to each priority
<code>unsigned</code>	<code>nprocessed</code>	the number of tasks that were processed
<code>double</code>	<code>exp_start</code>	only meaningful if the queue is only used by a single worker

Data Fields

double	exp_end	Expected start date of next item to do in the queue (i.e. not started yet). This is thus updated when we start it.
double	exp_len	Expected end date of last task in the queue
double *	exp_len_per_priority	Expected duration of the set of tasks in the queue
double	pipeline_len	Expected duration of the set of tasks in the queue corresponding to each priority

6.30 filters.h File Reference

```
#include <stdarg.h>
#include <datawizard/coherency.h>
#include <datawizard/memalloc.h>
#include <starpu.h>
#include <common/config.h>
```

Functions

- void [_starpu_data_partition_access_submit](#) (starpu_data_handle_t target, int write)

6.30.1 Function Documentation

6.30.1.1 _starpu_data_partition_access_submit()

```
void _starpu_data_partition_access_submit (
    starpu_data_handle_t target,
    int write )
```

submit asynchronous unpartitioning / partitioning to make target active read-only or read-write

6.31 footprint.h File Reference

```
#include <starpu.h>
#include <common/config.h>
#include <core/jobs.h>
```

Functions

- uint32_t [_starpu_compute_buffers_footprint](#) (struct starpu_perfmodel *model, struct starpu_perfmodel_arch *arch, unsigned nimpl, struct _starpu_job *j)
- uint32_t [_starpu_compute_data_footprint](#) (starpu_data_handle_t handle)
- uint32_t [_starpu_compute_data_alloc_footprint](#) (starpu_data_handle_t handle)

6.31.1 Function Documentation

6.31.1.1 _starpu_compute_buffers_footprint()

```
uint32_t _starpu_compute_buffers_footprint (
    struct starpu_perfmodel * model,
    struct starpu_perfmodel_arch * arch,
```

```
    unsigned nimpl,
    struct _starpus_job * j )
```

Compute the footprint that characterizes the job and cache it into the job structure.

6.31.1.2 `_starpus_compute_data_footprint()`

```
uint32_t _starpus_compute_data_footprint (
    starpu_data_handle_t handle )
```

Compute the footprint that characterizes the layout of the data handle.

6.31.1.3 `_starpus_compute_data_alloc_footprint()`

```
uint32_t _starpus_compute_data_alloc_footprint (
    starpu_data_handle_t handle )
```

Compute the footprint that characterizes the allocation of the data handle.

6.32 `fxt.h` File Reference

```
#include <string.h>
#include <sys/types.h>
#include <stdlib.h>
#include <common/config.h>
#include <common/utills.h>
#include <starpus.h>
```

Macros

- `#define _GNU_SOURCE`
- `#define _STARPU_FUT_WORKER_KEY(kind)`
- `#define _STARPU_FUT_KEY_WORKER(key)`
- `#define _STARPU_FUT_WORKER_INIT_START`
- `#define _STARPU_FUT_WORKER_INIT_END`
- `#define _STARPU_FUT_START_CODELET_BODY`
- `#define _STARPU_FUT_END_CODELET_BODY`
- `#define _STARPU_FUT_JOB_PUSH`
- `#define _STARPU_FUT_JOB_POP`
- `#define _STARPU_FUT_UPDATE_TASK_CNT`
- `#define _STARPU_FUT_START_FETCH_INPUT_ON_TID`
- `#define _STARPU_FUT_END_FETCH_INPUT_ON_TID`
- `#define _STARPU_FUT_START_PUSH_OUTPUT_ON_TID`
- `#define _STARPU_FUT_END_PUSH_OUTPUT_ON_TID`
- `#define _STARPU_FUT_TAG`
- `#define _STARPU_FUT_TAG_DEPS`
- `#define _STARPU_FUT_TASK_DEPS`
- `#define _STARPU_FUT_DATA_COPY`
- `#define _STARPU_FUT_WORK_STEALING`
- `#define _STARPU_FUT_WORKER_DEINIT_START`
- `#define _STARPU_FUT_WORKER_DEINIT_END`
- `#define _STARPU_FUT_WORKER_SLEEP_START`
- `#define _STARPU_FUT_WORKER_SLEEP_END`
- `#define _STARPU_FUT_TASK_SUBMIT`
- `#define _STARPU_FUT_CODELET_DATA_HANDLE`
- `#define _STARPU_FUT_MODEL_NAME`
- `#define _STARPU_FUT_DATA_NAME`
- `#define _STARPU_FUT_DATA_COORDINATES`

- `#define _STARPU_FUT_HANDLE_DATA_UNREGISTER`
- `#define _STARPU_FUT_CODELET_DATA_HANDLE_NUMA_ACCESS`
- `#define _STARPU_FUT_NEW_MEM_NODE`
- `#define _STARPU_FUT_START_CALLBACK`
- `#define _STARPU_FUT_END_CALLBACK`
- `#define _STARPU_FUT_TASK_DONE`
- `#define _STARPU_FUT_TAG_DONE`
- `#define _STARPU_FUT_START_ALLOC`
- `#define _STARPU_FUT_END_ALLOC`
- `#define _STARPU_FUT_START_ALLOC_REUSE`
- `#define _STARPU_FUT_END_ALLOC_REUSE`
- `#define _STARPU_FUT_USED_MEM`
- `#define _STARPU_FUT_TASK_NAME`
- `#define _STARPU_FUT_DATA_WONT_USE`
- `#define _STARPU_FUT_TASK_COLOR`
- `#define _STARPU_FUT_DATA_DOING_WONT_USE`
- `#define _STARPU_FUT_TASK_LINE`
- `#define _STARPU_FUT_START_MEMRECLAIM`
- `#define _STARPU_FUT_END_MEMRECLAIM`
- `#define _STARPU_FUT_START_DRIVER_COPY`
- `#define _STARPU_FUT_END_DRIVER_COPY`
- `#define _STARPU_FUT_START_DRIVER_COPY_ASYNC`
- `#define _STARPU_FUT_END_DRIVER_COPY_ASYNC`
- `#define _STARPU_FUT_START_PROGRESS_ON_TID`
- `#define _STARPU_FUT_END_PROGRESS_ON_TID`
- `#define _STARPU_FUT_USER_EVENT`
- `#define _STARPU_FUT_SET_PROFILING`
- `#define _STARPU_FUT_TASK_WAIT_FOR_ALL`
- `#define _STARPU_FUT_EVENT`
- `#define _STARPU_FUT_THREAD_EVENT`
- `#define _STARPU_FUT_CODELET_DETAILS`
- `#define _STARPU_FUT_CODELET_DATA`
- `#define _STARPU_FUT_LOCKING_MUTEX`
- `#define _STARPU_FUT_MUTEX_LOCKED`
- `#define _STARPU_FUT_UNLOCKING_MUTEX`
- `#define _STARPU_FUT_MUTEX_UNLOCKED`
- `#define _STARPU_FUT_TRYLOCK_MUTEX`
- `#define _STARPU_FUT_RDLOCKING_RWLOCK`
- `#define _STARPU_FUT_RWLOCK_RDLOCKED`
- `#define _STARPU_FUT_WRLOCKING_RWLOCK`
- `#define _STARPU_FUT_RWLOCK_WRLOCKED`
- `#define _STARPU_FUT_UNLOCKING_RWLOCK`
- `#define _STARPU_FUT_RWLOCK_UNLOCKED`
- `#define _STARPU_FUT_LOCKING_SPINLOCK`
- `#define _STARPU_FUT_SPINLOCK_LOCKED`
- `#define _STARPU_FUT_UNLOCKING_SPINLOCK`
- `#define _STARPU_FUT_SPINLOCK_UNLOCKED`
- `#define _STARPU_FUT_TRYLOCK_SPINLOCK`
- `#define _STARPU_FUT_COND_WAIT_BEGIN`
- `#define _STARPU_FUT_COND_WAIT_END`
- `#define _STARPU_FUT_MEMORY_FULL`
- `#define _STARPU_FUT_DATA_LOAD`
- `#define _STARPU_FUT_START_UNPARTITION_ON_TID`
- `#define _STARPU_FUT_END_UNPARTITION_ON_TID`
- `#define _STARPU_FUT_START_FREE`

- #define _STARPU_FUT_END_FREE
- #define _STARPU_FUT_START_WRITEBACK
- #define _STARPU_FUT_END_WRITEBACK
- #define _STARPU_FUT_SCHED_COMPONENT_PUSH_PRIO
- #define _STARPU_FUT_SCHED_COMPONENT_POP_PRIO
- #define _STARPU_FUT_START_WRITEBACK_ASYNC
- #define _STARPU_FUT_END_WRITEBACK_ASYNC
- #define _STARPU_FUT_HYPERVISOR_BEGIN
- #define _STARPU_FUT_HYPERVISOR_END
- #define _STARPU_FUT_BARRIER_WAIT_BEGIN
- #define _STARPU_FUT_BARRIER_WAIT_END
- #define _STARPU_FUT_WORKER_SCHEDULING_START
- #define _STARPU_FUT_WORKER_SCHEDULING_END
- #define _STARPU_FUT_WORKER_SCHEDULING_PUSH
- #define _STARPU_FUT_WORKER_SCHEDULING_POP
- #define _STARPU_FUT_START_EXECUTING
- #define _STARPU_FUT_END_EXECUTING
- #define _STARPU_FUT_SCHED_COMPONENT_NEW
- #define _STARPU_FUT_SCHED_COMPONENT_CONNECT
- #define _STARPU_FUT_SCHED_COMPONENT_PUSH
- #define _STARPU_FUT_SCHED_COMPONENT_PULL
- #define _STARPU_FUT_TASK_SUBMIT_START
- #define _STARPU_FUT_TASK_SUBMIT_END
- #define _STARPU_FUT_TASK_BUILD_START
- #define _STARPU_FUT_TASK_BUILD_END
- #define _STARPU_FUT_TASK_MPI_DECODE_START
- #define _STARPU_FUT_TASK_MPI_DECODE_END
- #define _STARPU_FUT_TASK_MPI_PRE_START
- #define _STARPU_FUT_TASK_MPI_PRE_END
- #define _STARPU_FUT_TASK_MPI_POST_START
- #define _STARPU_FUT_TASK_MPI_POST_END
- #define _STARPU_FUT_TASK_WAIT_START
- #define _STARPU_FUT_TASK_WAIT_END
- #define _STARPU_FUT_TASK_WAIT_FOR_ALL_START
- #define _STARPU_FUT_TASK_WAIT_FOR_ALL_END
- #define _STARPU_FUT_HANDLE_DATA_REGISTER
- #define _STARPU_FUT_START_FETCH_INPUT
- #define _STARPU_FUT_END_FETCH_INPUT
- #define _STARPU_FUT_TASK_THROTTLE_START
- #define _STARPU_FUT_TASK_THROTTLE_END
- #define _STARPU_FUT_DATA_STATE_INVALID
- #define _STARPU_FUT_DATA_STATE_OWNER
- #define _STARPU_FUT_DATA_STATE_SHARED
- #define _STARPU_FUT_DATA_REQUEST_CREATED
- #define _STARPU_FUT_PAPI_TASK_EVENT_VALUE
- #define _STARPU_FUT_TASK_EXCLUDE_FROM_DAG
- #define _STARPU_FUT_TASK_END_DEP
- #define _STARPU_FUT_TASK_BUBBLE
- #define _STARPU_FUT_START_PARALLEL_SYNC
- #define _STARPU_FUT_END_PARALLEL_SYNC
- #define _STARPU_FUT_KEYMASK_META
- #define _STARPU_FUT_KEYMASK_USER
- #define _STARPU_FUT_KEYMASK_TASK
- #define _STARPU_FUT_KEYMASK_TASK_VERBOSE
- #define _STARPU_FUT_KEYMASK_DATA

- #define _STARPU_FUT_KEYMASK_DATA_VERBOSE
- #define _STARPU_FUT_KEYMASK_WORKER
- #define _STARPU_FUT_KEYMASK_WORKER_VERBOSE
- #define _STARPU_FUT_KEYMASK_DSM
- #define _STARPU_FUT_KEYMASK_DSM_VERBOSE
- #define _STARPU_FUT_KEYMASK_SCHED
- #define _STARPU_FUT_KEYMASK_SCHED_VERBOSE
- #define _STARPU_FUT_KEYMASK_LOCK
- #define _STARPU_FUT_KEYMASK_LOCK_VERBOSE
- #define _STARPU_FUT_KEYMASK_EVENT
- #define _STARPU_FUT_KEYMASK_EVENT_VERBOSE
- #define _STARPU_FUT_KEYMASK_MPI
- #define _STARPU_FUT_KEYMASK_MPI_VERBOSE
- #define _STARPU_FUT_KEYMASK_HYP
- #define _STARPU_FUT_KEYMASK_HYP_VERBOSE
- #define _STARPU_FUT_KEYMASK_TASK_VERBOSE_EXTRA
- #define _STARPU_FUT_KEYMASK_MPI_VERBOSE_EXTRA
- #define _STARPU_TRACE_NEW_MEM_NODE(nodeid)
- #define _STARPU_TRACE_REGISTER_THREAD(cpuid)
- #define _STARPU_TRACE_WORKER_INIT_START(a, b, c, d, e, f)
- #define _STARPU_TRACE_WORKER_INIT_END(workerid)
- #define _STARPU_TRACE_START_CODELET_BODY(job, nimpl, perf_arch, workerid)
- #define _STARPU_TRACE_END_CODELET_BODY(job, nimpl, perf_arch, workerid)
- #define _STARPU_TRACE_START_EXECUTING(job)
- #define _STARPU_TRACE_END_EXECUTING(job)
- #define _STARPU_TRACE_START_PARALLEL_SYNC(job)
- #define _STARPU_TRACE_END_PARALLEL_SYNC(job)
- #define _STARPU_TRACE_START_CALLBACK(job)
- #define _STARPU_TRACE_END_CALLBACK(job)
- #define _STARPU_TRACE_JOB_PUSH(task, prio)
- #define _STARPU_TRACE_JOB_POP(task, prio)
- #define _STARPU_TRACE_UPDATE_TASK_CNT(counter)
- #define _STARPU_TRACE_START_FETCH_INPUT(job)
- #define _STARPU_TRACE_END_FETCH_INPUT(job)
- #define _STARPU_TRACE_START_PUSH_OUTPUT(job)
- #define _STARPU_TRACE_END_PUSH_OUTPUT(job)
- #define _STARPU_TRACE_TAG(tag, job)
- #define _STARPU_TRACE_TAG_DEPS(a, b)
- #define _STARPU_TRACE_TASK_DEPS(a, b)
- #define _STARPU_TRACE_TASK_END_DEP(a, b)
- #define _STARPU_TRACE_GHOST_TASK_DEPS(a, b)
- #define _STARPU_TRACE_TASK_EXCLUDE_FROM_DAG(a)
- #define _STARPU_TRACE_TASK_NAME_LINE_COLOR(a)
- #define _STARPU_TRACE_TASK_NAME(a)
- #define _STARPU_TRACE_TASK_LINE(a)
- #define _STARPU_TRACE_TASK_COLOR(a)
- #define _STARPU_TRACE_TASK_DONE(a)
- #define _STARPU_TRACE_TAG_DONE(a)
- #define _STARPU_TRACE_DATA_NAME(a, b)
- #define _STARPU_TRACE_DATA_COORDINATES(a, b, c)
- #define _STARPU_TRACE_DATA_COPY(a, b, c)
- #define _STARPU_TRACE_DATA_WONT_USE(a)
- #define _STARPU_TRACE_DATA_DOING_WONT_USE(a)
- #define _STARPU_TRACE_START_DRIVER_COPY(a, b, c, d, e, f)
- #define _STARPU_TRACE_END_DRIVER_COPY(a, b, c, d, e)

- #define _STARPU_TRACE_START_DRIVER_COPY_ASYNC(a, b)
- #define _STARPU_TRACE_END_DRIVER_COPY_ASYNC(a, b)
- #define _STARPU_TRACE_WORK_STEALING(a, b)
- #define _STARPU_TRACE_WORKER_DEINIT_START
- #define _STARPU_TRACE_WORKER_DEINIT_END(a)
- #define _STARPU_TRACE_WORKER_SCHEDULING_START
- #define _STARPU_TRACE_WORKER_SCHEDULING_END
- #define _STARPU_TRACE_WORKER_SCHEDULING_PUSH
- #define _STARPU_TRACE_WORKER_SCHEDULING_POP
- #define _STARPU_TRACE_WORKER_SLEEP_START
- #define _STARPU_TRACE_WORKER_SLEEP_END
- #define _STARPU_TRACE_TASK_SUBMIT(job, a, b)
- #define _STARPU_TRACE_TASK_SUBMIT_START()
- #define _STARPU_TRACE_TASK_SUBMIT_END()
- #define _STARPU_TRACE_TASK_THROTTLE_START()
- #define _STARPU_TRACE_TASK_THROTTLE_END()
- #define _STARPU_TRACE_TASK_BUILD_START()
- #define _STARPU_TRACE_TASK_BUILD_END()
- #define _STARPU_TRACE_TASK_MPI_DECODE_START()
- #define _STARPU_TRACE_TASK_MPI_DECODE_END()
- #define _STARPU_TRACE_TASK_MPI_PRE_START()
- #define _STARPU_TRACE_TASK_MPI_PRE_END()
- #define _STARPU_TRACE_TASK_MPI_POST_START()
- #define _STARPU_TRACE_TASK_MPI_POST_END()
- #define _STARPU_TRACE_TASK_WAIT_START(job)
- #define _STARPU_TRACE_TASK_WAIT_END()
- #define _STARPU_TRACE_TASK_WAIT_FOR_ALL_START()
- #define _STARPU_TRACE_TASK_WAIT_FOR_ALL_END()
- #define _STARPU_TRACE_START_ALLOC(memnode, size, handle, is_prefetch)
- #define _STARPU_TRACE_END_ALLOC(memnode, handle, r)
- #define _STARPU_TRACE_START_ALLOC_REUSE(a, size, handle, is_prefetch)
- #define _STARPU_TRACE_END_ALLOC_REUSE(a, handle, r)
- #define _STARPU_TRACE_START_FREE(memnode, size, handle)
- #define _STARPU_TRACE_END_FREE(memnode, handle)
- #define _STARPU_TRACE_START_WRITEBACK(memnode, handle)
- #define _STARPU_TRACE_END_WRITEBACK(memnode, handle)
- #define _STARPU_TRACE_USED_MEM(memnode, used)
- #define _STARPU_TRACE_START_MEMRECLAIM(memnode, is_prefetch)
- #define _STARPU_TRACE_END_MEMRECLAIM(memnode, is_prefetch)
- #define _STARPU_TRACE_START_WRITEBACK_ASYNC(memnode)
- #define _STARPU_TRACE_END_WRITEBACK_ASYNC(memnode)
- #define _STARPU_TRACE_START_PROGRESS(memnode)
- #define _STARPU_TRACE_END_PROGRESS(memnode)
- #define _STARPU_TRACE_USER_EVENT(code)
- #define _STARPU_TRACE_SET_PROFILING(status)
- #define _STARPU_TRACE_TASK_WAIT_FOR_ALL()
- #define _STARPU_TRACE_EVENT_ALWAYS(S)
- #define _STARPU_TRACE_EVENT(S)
- #define _STARPU_TRACE_EVENT_VERBOSE(S)
- #define _STARPU_TRACE_THREAD_EVENT(S)
- #define _STARPU_TRACE_LOCKING_MUTEX()
- #define _STARPU_TRACE_MUTEX_LOCKED()
- #define _STARPU_TRACE_UNLOCKING_MUTEX()
- #define _STARPU_TRACE_MUTEX_UNLOCKED()
- #define _STARPU_TRACE_TRYLOCK_MUTEX()

- `#define _STARPU_TRACE_RDLOCKING_RWLOCK()`
- `#define _STARPU_TRACE_RWLOCK_RDLOCKED()`
- `#define _STARPU_TRACE_WRLOCKING_RWLOCK()`
- `#define _STARPU_TRACE_RWLOCK_WRLOCKED()`
- `#define _STARPU_TRACE_UNLOCKING_RWLOCK()`
- `#define _STARPU_TRACE_RWLOCK_UNLOCKED()`
- `#define _STARPU_TRACE_LOCKING_SPINLOCK(file, line)`
- `#define _STARPU_TRACE_SPINLOCK_LOCKED(file, line)`
- `#define _STARPU_TRACE_UNLOCKING_SPINLOCK(file, line)`
- `#define _STARPU_TRACE_SPINLOCK_UNLOCKED(file, line)`
- `#define _STARPU_TRACE_TRYLOCK_SPINLOCK(file, line)`
- `#define _STARPU_TRACE_COND_WAIT_BEGIN()`
- `#define _STARPU_TRACE_COND_WAIT_END()`
- `#define _STARPU_TRACE_BARRIER_WAIT_BEGIN()`
- `#define _STARPU_TRACE_BARRIER_WAIT_END()`
- `#define _STARPU_TRACE_MEMORY_FULL(size)`
- `#define _STARPU_TRACE_DATA_LOAD(workerid, size)`
- `#define _STARPU_TRACE_START_UNPARTITION(handle, memnode)`
- `#define _STARPU_TRACE_END_UNPARTITION(handle, memnode)`
- `#define _STARPU_TRACE_SCHED_COMPONENT_PUSH_PRIO(workerid, ntasks, exp_len)`
- `#define _STARPU_TRACE_SCHED_COMPONENT_POP_PRIO(workerid, ntasks, exp_len)`
- `#define _STARPU_TRACE_HYPERVISOR_BEGIN()`
- `#define _STARPU_TRACE_HYPERVISOR_END()`
- `#define _STARPU_TRACE_SCHED_COMPONENT_NEW(component)`
- `#define _STARPU_TRACE_SCHED_COMPONENT_CONNECT(parent, child)`
- `#define _STARPU_TRACE_SCHED_COMPONENT_PUSH(from, to, task, prio)`
- `#define _STARPU_TRACE_SCHED_COMPONENT_PULL(from, to, task)`
- `#define _STARPU_TRACE_HANDLE_DATA_REGISTER(handle)`
- `#define _STARPU_TRACE_HANDLE_DATA_UNREGISTER(handle)`
- `#define _STARPU_TRACE_WORKER_START_FETCH_INPUT(job, id)`
- `#define _STARPU_TRACE_WORKER_END_FETCH_INPUT(job, id)`
- `#define _STARPU_TRACE_DATA_STATE_INVALID(handle, node)`
- `#define _STARPU_TRACE_DATA_STATE_OWNER(handle, node)`
- `#define _STARPU_TRACE_DATA_STATE_SHARED(handle, node)`
- `#define _STARPU_TRACE_DATA_REQUEST_CREATED(handle, orig, dest, prio, is_pre, req)`
- `#define _STARPU_TRACE_PAPI_TASK_EVENT(event_id, task, value)`
- `#define _STARPU_TRACE_BUBBLE_TASK_DEPS(a, b)`
- `#define _STARPU_TRACE_BUBBLE(a)`

Functions

- static unsigned long `_starpu_fxt_get_job_id` (void)

Variables

- unsigned long `_starpu_job_cnt`

6.33 graph.h File Reference

```
#include <core/task.h>
#include <common/list.h>
```

Data Structures

- struct `_starpu_graph_node`

Functions

- void `_starpu_graph_init` (void)
- void `_starpu_graph_wrlock` (void)
- void `_starpu_graph_rdlock` (void)
- void `_starpu_graph_wrunlock` (void)
- void `_starpu_graph_rdlunlock` (void)
- void `_starpu_graph_add_job` (struct `_starpu_job` *job)
- void `_starpu_graph_add_job_dep` (struct `_starpu_job` *job, struct `_starpu_job` *prev_job)
- void `_starpu_graph_drop_job` (struct `_starpu_job` *job)
- void `_starpu_graph_drop_dropped_nodes` (void)
- void `_starpu_graph_compute_depths` (void)
- void `_starpu_graph_compute_descendants` (void)
- void `_starpu_graph_foreach` (void(*func)(void *data, struct `_starpu_graph_node` *node), void *data)
- struct `_starpu_graph_node` * `_starpu_graph_task_node` (struct `_starpu_task` *task)
- struct `_starpu_task` * `_starpu_graph_node_task` (struct `_starpu_graph_node` *node)
- void `_starpu_graph_node_outgoing` (struct `_starpu_graph_node` *node, unsigned *n_outgoing, struct `_starpu_graph_node` ***outgoing)

Variables

- int `_starpu_graph_record`

6.33.1 Data Structure Documentation

6.33.1.1 struct `_starpu_graph_node`

Data Fields

<code>starpu_pthread_mutex_t</code>	mutex	protects access to the job
<code>struct _starpu_job *</code>	job	pointer to the job, if it is still alive, NULL otherwise
<code>struct _starpu_graph_node_multilist_top</code>	top	Fields for graph analysis for scheduling heuristics Member of list of all jobs without incoming dependency
<code>struct _starpu_graph_node_multilist_bottom</code>	bottom	Member of list of all jobs without outgoing dependency
<code>struct _starpu_graph_node_multilist_all</code>	all	Member of list of all jobs
<code>struct _starpu_graph_node_multilist_dropped</code>	dropped	Member of list of dropped jobs
<code>struct _starpu_graph_node **</code>	incoming	set of incoming dependencies May contain NULLs for terminated jobs
<code>unsigned *</code>	incoming_slot	Index within corresponding outgoing array
<code>unsigned</code>	n_incoming	Number of slots used
<code>unsigned</code>	alloc_incoming	Size of incoming
<code>struct _starpu_graph_node **</code>	outgoing	set of outgoing dependencies
<code>unsigned</code>	total_incoming	Total number of incoming dependencies, including those who completed
<code>unsigned *</code>	outgoing_slot	Index within corresponding incoming array
<code>unsigned</code>	n_outgoing	Number of slots used
<code>unsigned</code>	alloc_outgoing	Size of outgoing
<code>unsigned</code>	depth	Rank from bottom, in number of jobs Only available if <code>_starpu_graph_compute_depths</code> was called

Data Fields

unsigned	descendants	Number of children, grand-children, etc. Only available if _starpup_graph_compute_descendants was called
int	graph_n	Variable available for graph flow

6.33.2 Function Documentation

6.33.2.1 _starpup_graph_add_job()

```
void _starpup_graph_add_job (
    struct _starpup_job * job )
```

Add a job to the graph, called before any _starpup_graph_add_job_dep call

6.33.2.2 _starpup_graph_add_job_dep()

```
void _starpup_graph_add_job_dep (
    struct _starpup_job * job,
    struct _starpup_job * prev_job )
```

Add a dependency between jobs

6.33.2.3 _starpup_graph_drop_job()

```
void _starpup_graph_drop_job (
    struct _starpup_job * job )
```

Remove a job from the graph

6.33.2.4 _starpup_graph_drop_dropped_nodes()

```
void _starpup_graph_drop_dropped_nodes (
    void )
```

Really drop the nodes from the graph now

6.33.2.5 _starpup_graph_compute_depths()

```
void _starpup_graph_compute_depths (
    void )
```

This make StarPU compute for each task the depth, i.e. the length of the longest path to a task without outgoing dependencies. This does not take job duration into account, just the number

6.33.2.6 _starpup_graph_compute_descendants()

```
void _starpup_graph_compute_descendants (
    void )
```

Compute the descendants of jobs in the graph

6.33.2.7 _starpup_graph_foreach()

```
void _starpup_graph_foreach (
    void(*) (void *data, struct _starpup_graph_node *node) func,
    void * data )
```

This calls *func* for each node of the task graph, passing also *data* as it Apply func on each job of the graph

6.34 helper_mct.h File Reference

Data Structures

- struct [_starpu_mct_data](#)

Functions

- [struct _starpu_mct_data](#) * **starpu_mct_init_parameters** ([struct](#) starpu_sched_component_mct_data *params)
- unsigned **starpu_mct_compute_execution_times** ([struct](#) starpu_sched_component *component, [struct](#) starpu_task *task, double *estimated_lengths, double *estimated_transfer_length, unsigned *suitable_components)
- void **starpu_mct_compute_expected_times** ([struct](#) starpu_sched_component *component, [struct](#) starpu_task *task, double *estimated_lengths, double *estimated_transfer_length, double *estimated_ends_with_task, double *min_exp_end_of_task, double *max_exp_end_of_workers, unsigned *suitable_components, unsigned nsuitable_components)
- double **starpu_mct_compute_fitness** ([struct _starpu_mct_data](#) *d, double exp_end, double min_exp_end, double max_exp_end, double transfer_len, double local_energy)
- int **starpu_mct_get_best_component** ([struct _starpu_mct_data](#) *d, [struct](#) starpu_task *task, double *estimated_lengths, double *estimated_transfer_length, double *estimated_ends_with_task, double *local_energy, double min_exp_end_of_task, double max_exp_end_of_workers, unsigned *suitable_components, unsigned nsuitable_components)
- void **starpu_mct_compute_energy** ([struct](#) starpu_sched_component *component, [struct](#) starpu_task *task, double *local_energy, unsigned *suitable_components, unsigned nsuitable_components)
- int **eager_calibration_push_task** ([struct](#) starpu_sched_component *component, [struct](#) starpu_task *task)

6.34.1 Data Structure Documentation

6.34.1.1 struct _starpu_mct_data

Data Fields

double	alpha	
double	beta	
double	_gamma	
double	idle_power	
starpu_pthread_mutex_t	scheduling_mutex	

6.35 idle_hook.h File Reference

Functions

- void **_starpu_init_idle_hooks** (void)
- unsigned **_starpu_execute_registered_idle_hooks** (void)

6.36 implicit_data_deps.h File Reference

```
#include <starpu.h>
#include <common/config.h>
```

Functions

- [struct](#) starpu_task * **_starpu_detect_implicit_data_deps_with_handle** ([struct](#) starpu_task *pre_sync_task, int *submit_pre_sync, [struct](#) starpu_task *post_sync_task, [struct](#) _starpu_task_wrapper_dlist *post_sync_tasks)

- `_sync_task_dependency_slot`, `starpu_data_handle_t` `handle`, `enum starpu_data_access_mode` `mode`, unsigned `task_handle_sequential_consistency`)
- `int _starpu_test_implicit_data_deps_with_handle` (`starpu_data_handle_t` `handle`, `enum starpu_data_access_mode` `mode`)
- `void _starpu_detect_implicit_data_deps` (`struct starpu_task` `*task`)
- `void _starpu_release_data_enforce_sequential_consistency` (`struct starpu_task` `*task`, `struct _starpu_task_wrapper_dlist` `*task_dependency_slot`, `starpu_data_handle_t` `handle`)
- `void _starpu_release_task_enforce_sequential_consistency` (`struct _starpu_job` `*j`)
- `void _starpu_add_post_sync_tasks` (`struct starpu_task` `*post_sync_task`, `starpu_data_handle_t` `handle`)
- `void _starpu_unlock_post_sync_tasks` (`starpu_data_handle_t` `handle`, `enum starpu_data_access_mode` `mode`)
- `void _starpu_implicit_data_deps_write_hook` (`void(*func)(starpu_data_handle_t)`) `STARPU_ATTRIBUTE_VISIBILITY_DEFAULT`
- `int _starpu_data_wait_until_available` (`starpu_data_handle_t` `handle`, `enum starpu_data_access_mode` `mode`, `const char` `*sync_name`)
- `void _starpu_data_clear_implicit` (`starpu_data_handle_t` `handle`)

6.36.1 Function Documentation

6.36.1.1 `_starpu_implicit_data_deps_write_hook()`

```
void _starpu_implicit_data_deps_write_hook (
    void(*) (starpu_data_handle_t) func )
```

Register a hook to be called when a write is submitted

6.36.1.2 `_starpu_data_wait_until_available()`

```
int _starpu_data_wait_until_available (
    starpu_data_handle_t handle,
    enum starpu_data_access_mode mode,
    const char * sync_name )
```

This function blocks until the handle is available in the requested mode

6.37 jobs.h File Reference

```
#include <starpu.h>
#include <semaphore.h>
#include <stdio.h>
#include <stdlib.h>
#include <stdint.h>
#include <string.h>
#include <stdarg.h>
#include <common/config.h>
#include <common/timing.h>
#include <common/list.h>
#include <common/fxt.h>
#include <core/dependencies/tags.h>
#include <datawizard/datawizard.h>
#include <core/perfmodel/perfmodel.h>
#include <core/errorcheck.h>
#include <common/barrier.h>
#include <common/utils.h>
```

Data Structures

- struct [_starpu_data_descr](#)
- struct [_starpu_job](#)

Macros

- `#define _STARPU_MAY_PERFORM(j, arch)`
- `#define _STARPU_JOB_GET_ORDERED_BUFFER_INDEX(job, i)`
- `#define _STARPU_JOB_GET_ORDERED_BUFFER_HANDLE(job, i)`
- `#define _STARPU_JOB_GET_ORDERED_BUFFER_MODE(job, i)`
- `#define _STARPU_JOB_GET_ORDERED_BUFFER_NODE(job, i)`
- `#define _STARPU_JOB_SET_ORDERED_BUFFER_INDEX(job, __index, i)`
- `#define _STARPU_JOB_SET_ORDERED_BUFFER_HANDLE(job, __handle, i)`
- `#define _STARPU_JOB_SET_ORDERED_BUFFER_MODE(job, __mode, i)`
- `#define _STARPU_JOB_SET_ORDERED_BUFFER_NODE(job, __node, i)`
- `#define _STARPU_JOB_SET_ORDERED_BUFFER(job, buffer, i)`
- `#define _STARPU_JOB_GET_ORDERED_BUFFERS(job)`
- `#define _STARPU_JOB_GET_DEP_SLOTS(job)`

Typedefs

- typedef void(* [_starpu_cl_func_t](#)) (void **, void *)

Functions

- void [_starpu_job_init](#) (void)
- void [_starpu_job_fini](#) (void)
- struct [_starpu_job](#) * [_starpu_job_create](#) (struct [starpu_task](#) *task) STARPU_ATTRIBUTE_MALLOC
- void [_starpu_job_destroy](#) (struct [_starpu_job](#) *j)
- int [_starpu_job_finished](#) (struct [_starpu_job](#) *j)
- void [_starpu_wait_job](#) (struct [_starpu_job](#) *j)
- int [_starpu_test_job_termination](#) (struct [_starpu_job](#) *j)
- void [_starpu_job_prepare_for_continuation_ext](#) (struct [_starpu_job](#) *j, unsigned continuation_resubmit, void(*continuation_callback_on_sleep)(void *arg), void *continuation_callback_on_sleep_arg)
- void [_starpu_job_prepare_for_continuation](#) (struct [_starpu_job](#) *j)
- void [_starpu_job_set_omp_cleanup_callback](#) (struct [_starpu_job](#) *j, void(*omp_cleanup_callback)(void *arg), void *omp_cleanup_callback_arg)
- void [_starpu_exclude_task_from_dag](#) (struct [starpu_task](#) *task)
- unsigned [_starpu_enforce_deps_and_schedule](#) (struct [_starpu_job](#) *j)
- unsigned [_starpu_enforce_deps_starting_from_task](#) (struct [_starpu_job](#) *j)
- unsigned [_starpu_reenforce_task_deps_and_schedule](#) (struct [_starpu_job](#) *j)
- unsigned [_starpu_take_deps_and_schedule](#) (struct [_starpu_job](#) *j)
- void [_starpu_enforce_deps_notify_job_ready_soon](#) (struct [_starpu_job](#) *j, [_starpu_notify_job_start_data](#) *data, int tag)
- void [_starpu_handle_job_submission](#) (struct [_starpu_job](#) *j)
- void [_starpu_handle_job_termination](#) (struct [_starpu_job](#) *j)
- size_t [_starpu_job_get_data_size](#) (struct [starpu_perfmodel](#) *model, struct [starpu_perfmodel_arch](#) *arch, unsigned nimpl, struct [_starpu_job](#) *j)
- struct [starpu_task](#) * [_starpu_pop_local_task](#) (struct [_starpu_worker](#) *worker)
- int [_starpu_push_local_task](#) (struct [_starpu_worker](#) *worker, struct [starpu_task](#) *task)

6.37.1 Data Structure Documentation

6.37.1.1 struct [_starpu_data_descr](#)

Data Fields

starpu_data_handle_t	handle	
enum starpu_data_access_mode	mode	
int	node	
int	index	This is the value actually chosen, only set by __starpu_fetch_task_input for coherency with __starpu_push_task_output
int	orderedindex	

6.37.2 Typedef Documentation

6.37.2.1 __starpu_cl_func_t

```
typedef void(* __starpu_cl_func_t) (void **, void *)
codelet function
```

6.37.3 Function Documentation

6.37.3.1 __starpu_job_create()

```
struct __starpu_job * __starpu_job_create (
    struct starpu_task * task )
```

Create an internal struct `__starpu_job` *structure to encapsulate the task.

6.37.3.2 __starpu_job_destroy()

```
void __starpu_job_destroy (
    struct __starpu_job * j )
```

Destroy the data structure associated to the job structure

6.37.3.3 __starpu_job_finished()

```
int __starpu_job_finished (
    struct __starpu_job * j )
```

Test for the termination of the job

6.37.3.4 __starpu_wait_job()

```
void __starpu_wait_job (
    struct __starpu_job * j )
```

Wait for the termination of the job

6.37.3.5 __starpu_test_job_termination()

```
int __starpu_test_job_termination (
    struct __starpu_job * j )
```

Test for the termination of the job

6.37.3.6 __starpu_job_prepare_for_continuation_ext()

```
void __starpu_job_prepare_for_continuation_ext (
    struct __starpu_job * j,
    unsigned continuation_resubmit,
```



```
void(*) (void *arg) continuation_callback_on_sleep,
void * continuation_callback_on_sleep_arg )
```

Prepare the job for accepting new dependencies before becoming a continuation.

6.37.3.7 `_starpu_exclude_task_from_dag()`

```
void _starpu_exclude_task_from_dag (
    struct starpu_task * task )
```

Specify that the task should not appear in the DAG generated by debug tools.

6.37.3.8 `_starpu_enforce_deps_and_schedule()`

```
unsigned _starpu_enforce_deps_and_schedule (
    struct _starpu_job * j )
```

try to submit job j, enqueue it if it's not schedulable yet. The job's sync mutex is supposed to be held already

6.37.3.9 `_starpu_reenforce_task_deps_and_schedule()`

```
unsigned _starpu_reenforce_task_deps_and_schedule (
    struct _starpu_job * j )
```

When waking up a continuation, we only enforce new task dependencies

6.37.3.10 `_starpu_handle_job_submission()`

```
void _starpu_handle_job_submission (
    struct _starpu_job * j )
```

Called at the submission of the job

6.37.3.11 `_starpu_handle_job_termination()`

```
void _starpu_handle_job_termination (
    struct _starpu_job * j )
```

This function must be called after the execution of a job, this triggers all job's dependencies and perform the callback function if any.

6.37.3.12 `_starpu_job_get_data_size()`

```
size_t _starpu_job_get_data_size (
    struct starpu_perfmodel * model,
    struct starpu_perfmodel_arch * arch,
    unsigned nimpl,
    struct _starpu_job * j )
```

Get the sum of the size of the data accessed by the job.

6.37.3.13 `_starpu_pop_local_task()`

```
struct starpu_task * _starpu_pop_local_task (
    struct _starpu_worker * worker )
```

Get a task from the local pool of tasks that were explicitly attributed to that worker.

6.37.3.14 `_starpu_push_local_task()`

```
int _starpu_push_local_task (
    struct _starpu_worker * worker,
    struct starpu_task * task )
```

Put a task into the pool of tasks that are explicitly attributed to the specified worker.

6.38 knobs.h File Reference

```
#include <stdint.h>
#include <starpu.h>
#include <common/config.h>
```

Data Structures

- struct [starpu_perf_counter](#)
- struct [starpu_perf_counter_set](#)
- union [starpu_perf_counter_value](#)
- struct [starpu_perf_counter_listener](#)
- struct [starpu_perf_counter_sample](#)
- struct [starpu_perf_counter_sample_cl_values](#)
- struct [starpu_perf_knob_value](#)
- struct [starpu_perf_knob_group](#)
- struct [starpu_perf_knob](#)
- struct [starpu_perf_counter_sample_cl_values.task](#)
- union [starpu_perf_knob_value.__unnamed3__](#)

Macros

- #define [STARPU_ASSERT_PERF_COUNTER_SCOPE_DEFINED](#)(t)
- #define [STARPU_ASSERT_PERF_COUNTER_TYPE_DEFINED](#)(t)
- #define [__STARPU_PERF_COUNTER_ID_SCOPE_BITS](#)
- #define [__STARPU_PERF_COUNTER_UPDATE_32BIT](#)(OPNAME, OP, TYPENAME, TYPE)
- #define [__STARPU_PERF_COUNTER_UPDATE_64BIT](#)(OPNAME, OP, TYPENAME, TYPE)
- #define [__STARPU_PERF_COUNTER_UPDATE_ACC_FLOAT](#)(TYPENAME, TYPE)
- #define [STARPU_PERF_COUNTER_ADD64](#)(ptr, val)
- #define [__STARPU_PERF_COUNTER_SAMPLE_SET_TYPED_VALUE](#)(STRING, TYPE)
- #define [__STARPU_PERF_COUNTER_REG](#)(PREFIX, SCOPE, CTR, TYPESTRING, HELP)
- #define [STARPU_ASSERT_PERF_KNOB_SCOPE_DEFINED](#)(t)
- #define [STARPU_ASSERT_PERF_KNOB_TYPE_DEFINED](#)(t)
- #define [__STARPU_PERF_KNOBS_ID_SCOPE_BITS](#)
- #define [__STARPU_PERF_KNOB_REG](#)(PREFIX, SCOPE, CTR, TYPESTRING, HELP)

Typedefs

- typedef int32_t [starpu_perf_counter_int64_t](#)
- typedef float [starpu_perf_counter_double](#)
- typedef void(* [starpu_perf_counter_sample_updater](#)) ([struct starpu_perf_counter_sample](#) *sample, void *context)

Functions

- [__STARPU_PERF_COUNTER_UPDATE_32BIT](#) (max,>=, int32, int32_t)
- [__STARPU_PERF_COUNTER_UPDATE_32BIT](#) (max,>=, float, float)
- [__STARPU_PERF_COUNTER_UPDATE_64BIT](#) (max,>=, int64, starpu_perf_counter_int64_t)
- [__STARPU_PERF_COUNTER_UPDATE_64BIT](#) (max,>=, double, starpu_perf_counter_double)
- [__STARPU_PERF_COUNTER_UPDATE_32BIT](#) (min,<=, int32, int32_t)
- [__STARPU_PERF_COUNTER_UPDATE_32BIT](#) (min,<=, float, float)
- [__STARPU_PERF_COUNTER_UPDATE_64BIT](#) (min,<=, int64, starpu_perf_counter_int64_t)
- [__STARPU_PERF_COUNTER_UPDATE_64BIT](#) (min,<=, double, starpu_perf_counter_double)
- [__STARPU_PERF_COUNTER_UPDATE_ACC_FLOAT](#) (float, float)
- [__STARPU_PERF_COUNTER_UPDATE_ACC_FLOAT](#) (double, starpu_perf_counter_double)

- static enum starpu_perf_counter_scope **_starpu_perf_counter_id_get_scope** (const int counter_id)
- static int **_starpu_perf_counter_id_get_index** (const int counter_id)
- static int **_starpu_perf_counter_id_build** (const enum starpu_perf_counter_scope scope, const int index)
- void **_starpu_perf_counter_sample_init** (struct starpu_perf_counter_sample *sample, enum starpu_perf_counter_scope scope)
- void **_starpu_perf_counter_sample_exit** (struct starpu_perf_counter_sample *sample)
- void **_starpu_perf_counter_init** (struct starpu_machine_config *pconfig)
- void **_starpu_perf_counter_exit** (void)
- int **_starpu_perf_counter_register** (enum starpu_perf_counter_scope scope, const char *name, enum starpu_perf_counter_type type, const char *help)
- void **_starpu_perf_counter_unregister_all_scopes** (void)
- void **_starpu_perf_counter_register_updater** (enum starpu_perf_counter_scope scope, void(*updater)(struct starpu_perf_counter_sample *sample, void *context))
- void **_starpu_perf_counter_update_global_sample** (void)
- void **_starpu_perf_counter_update_per_worker_sample** (unsigned workerid)
- void **_starpu_perf_counter_update_per_codelet_sample** (struct starpu_codelet *cl)
- **__STARPU_PERF_COUNTER_SAMPLE_SET_TYPED_VALUE** (int32, int32_t)
- **__STARPU_PERF_COUNTER_SAMPLE_SET_TYPED_VALUE** (int64, starpu_perf_counter_int64_t)
- **__STARPU_PERF_COUNTER_SAMPLE_SET_TYPED_VALUE** (float, float)
- **__STARPU_PERF_COUNTER_SAMPLE_SET_TYPED_VALUE** (double, starpu_perf_counter_double)
- void **_starpu_task_c_register_counters** (void)
- static int **_starpu_perf_knob_id_get_scope** (const int knob_id)
- static int **_starpu_perf_knob_id_get_index** (const int knob_id)
- static int **_starpu_perf_knob_id_build** (const enum starpu_perf_knob_scope scope, const int index)
- void **_starpu_perf_knob_init** (void)
- void **_starpu_perf_knob_exit** (void)
- struct starpu_perf_knob_group * **_starpu_perf_knob_group_register** (enum starpu_perf_knob_scope scope, void(*set_func)(const struct starpu_perf_knob *const knob, void *context, const struct starpu_perf_knob_value *const value), void(*get_func)(const struct starpu_perf_knob *const knob, void *context, struct starpu_perf_knob_value *const value))
- void **_starpu_perf_knob_group_unregister** (struct starpu_perf_knob_group *group)
- int **_starpu_perf_knob_register** (struct starpu_perf_knob_group *group, const char *name, enum starpu_perf_knob_type type, const char *help)
- void **_starpu_perf_knob_unregister_all_scopes** (void)
- void **_starpu_workers_c_register_knobs** (void)
- void **_starpu_task_c_register_knobs** (void)
- void **_starpu_dmda_c_register_knobs** (void)
- void **_starpu_workers_c_unregister_knobs** (void)
- void **_starpu_task_c_unregister_knobs** (void)
- void **_starpu_dmda_c_unregister_knobs** (void)

Variables

- starpu_perf_counter_int64_t **_starpu_task_g_total_submitted_value**
- starpu_perf_counter_int64_t **_starpu_task_g_peak_submitted_value**
- starpu_perf_counter_int64_t **_starpu_task_g_current_submitted_value**
- starpu_perf_counter_int64_t **_starpu_task_g_peak_ready_value**
- starpu_perf_counter_int64_t **_starpu_task_g_current_ready_value**

Data Fields

6.38.1 Data Structure Documentation**6.38.1.1 struct starpu_perf_counter**

Data Fields

int	id	
const char *	name	
const char *	help	
enum starpu_perf_counter_type	type	

6.38.1.2 struct starpu_perf_counter_set

Data Fields

enum starpu_perf_counter_scope	scope	
int	size	
int *	index_array	

6.38.1.3 union starpu_perf_counter_value

Data Fields

int32_t	int32_val	
starpu_perf_counter_int64_t	int64_val	
float	float_val	
starpu_perf_counter_double	double_val	

6.38.1.4 struct starpu_perf_counter_sample

Data Fields

enum starpu_perf_counter_scope	scope	
struct starpu_perf_counter_listener *	listener	
union starpu_perf_counter_value *	value_array	
struct _starpu_spinlock	lock	

6.38.1.5 struct starpu_perf_counter_sample_cl_values

Data Fields

struct starpu_perf_counter_sample_cl_values.task	task	
--	------	--

6.38.1.6 struct starpu_perf_knob_value

Data Fields

enum starpu_perf_knob_type	type	
union starpu_perf_knob_value.__unnamed3__	__unnamed__	

6.38.1.7 struct starpu_perf_knob

Data Fields

int	id	
int	id_in_group	
const char *	name	
const char *	help	
enum starpu_perf_knob_type	type	
struct starpu_perf_knob_group *	group	

6.38.1.8 struct starpu_perf_counter_sample_cl_values.task

Data Fields

starpu_perf_counter_int64_t	total_submitted	
starpu_perf_counter_int64_t	peak_submitted	
starpu_perf_counter_int64_t	current_submitted	
starpu_perf_counter_int64_t	peak_ready	
starpu_perf_counter_int64_t	current_ready	
starpu_perf_counter_int64_t	total_executed	
starpu_perf_counter_double	cumul_execution_time	

6.38.1.9 union starpu_perf_knob_value.__unnamed3__

Data Fields

int32_t	val_int32_t	
starpu_perf_counter_int64_t	val_int64_t	
float	val_float	
starpu_perf_counter_double	val_double	

6.38.2 Macro Definition Documentation

6.38.2.1 STARPU_ASSERT_PERF_COUNTER_SCOPE_DEFINED

```
#define STARPU_ASSERT_PERF_COUNTER_SCOPE_DEFINED(  
    t )
```

Performance Monitoring

6.38.2.2 __STARPU_PERF_COUNTER_UPDATE_ACC_FLOAT

```
#define __STARPU_PERF_COUNTER_UPDATE_ACC_FLOAT(  
    TYPENAME,  
    TYPE )
```

Floating point atomic accumulate

6.39 malloc.h File Reference

Data Structures

- struct [block](#)

Macros

- #define [CHUNK_SIZE](#)
- #define [CHUNK_ALLOC_MAX](#)
- #define [CHUNK_ALLOC_MIN](#)
- #define [CHUNKS_NFREE](#)
- #define [CHUNK_NBLOCKS](#)

Functions

- void [_starpu_malloc_init](#) (unsigned dst_node)
- void [_starpu_malloc_shutdown](#) (unsigned dst_node)
- int [_starpu_malloc_flags_on_node](#) (unsigned dst_node, void **A, size_t dim, int flags)
- int [_starpu_free_flags_on_node](#) (unsigned dst_node, void *A, size_t dim, int flags)
- int [_starpu_malloc_willpin_on_node](#) (unsigned dst_node)

6.39.1 Data Structure Documentation

6.39.1.1 struct block

Data Fields

int	length	
int	next	

6.39.2 Macro Definition Documentation

6.39.2.1 CHUNK_SIZE

```
#define CHUNK_SIZE
```

On CUDA which has very expensive malloc, for small sizes, allocate big chunks divided in blocks, and we actually allocate segments of consecutive blocks.

We try to keep the list of chunks with increasing occupancy, so we can quickly find free segments to allocate.

6.39.3 Function Documentation

6.39.3.1 _starpu_malloc_willpin_on_node()

```
int _starpu_malloc_willpin_on_node (
    unsigned dst_node )
```

Returns whether when allocating data on `dst_node`, we will do pinning, i.e. the allocation will be very expensive, and should thus be moved out from the critical path

6.40 memalloc.h File Reference

```
#include <starpu.h>
#include <common/config.h>
```

```
#include <common/list.h>
#include <datawizard/interfaces/data_interface.h>
#include <datawizard/coherency.h>
#include <datawizard/copy_driver.h>
#include <datawizard/data_request.h>
```

6.41 memory_manager.h File Reference

```
#include <starpu.h>
```

Functions

- [int _starpu_memory_manager_init\(\)](#)
- [void _starpu_memory_manager_set_global_memory_size](#) (unsigned node, size_t size)
- [size_t _starpu_memory_manager_get_global_memory_size](#) (unsigned node)
- [int _starpu_memory_manager_test_allocate_size](#) (unsigned node, size_t size)

6.41.1 Function Documentation

6.41.1.1 _starpu_memory_manager_init()

```
int _starpu_memory_manager_init ( )
```

Initialises the memory manager

6.41.1.2 _starpu_memory_manager_set_global_memory_size()

```
void _starpu_memory_manager_set_global_memory_size (
    unsigned node,
    size_t size )
```

Initialises the global memory size for the given node

6.41.1.3 _starpu_memory_manager_get_global_memory_size()

```
size_t _starpu_memory_manager_get_global_memory_size (
    unsigned node )
```

Gets the global memory size for the given node

6.42 memory_nodes.h File Reference

```
#include <starpu.h>
#include <common/config.h>
#include <datawizard/coherency.h>
#include <datawizard/memalloc.h>
#include <datawizard/node_ops.h>
#include <common/utils.h>
#include <core/workers.h>
#include <core/simgrid.h>
```

Data Structures

- [struct _starpu_cond_and_worker](#)
- [struct _starpu_memory_node_descr](#)

Macros

- `#define _starpu_node_needs_map_update(node)`
- `#define starpu_node_get_kind`
- `#define starpu_memory_nodes_get_count`
- `#define starpu_worker_get_memory_node`
- `#define starpu_worker_get_local_memory_node`

Functions

- `void _starpu_memory_nodes_init (void)`
- `void _starpu_memory_nodes_deinit (void)`
- `static void _starpu_memory_node_add_nworkers (unsigned node)`
- `void _starpu_worker_drives_memory_node (struct _starpu_worker *worker, unsigned memnode)`
- `static const struct _starpu_node_ops * _starpu_memory_node_get_node_ops (unsigned node)`
- `static unsigned _starpu_memory_node_get_nworkers (unsigned node)`
- `static void _starpu_simgrid_memory_node_set_host (unsigned node, starpu_sg_host_t host)`
- `static starpu_sg_host_t _starpu_simgrid_memory_node_get_host (unsigned node)`
- `void _starpu_memory_node_set_mapped (unsigned node)`
- `unsigned _starpu_memory_node_get_mapped (unsigned node)`
- `unsigned _starpu_memory_node_register (enum starpu_node_kind kind, int devid)`
- `void _starpu_memory_node_register_condition (struct _starpu_worker *worker, starpu_pthread_cond_t *cond, unsigned nodeid)`
- `static struct _starpu_memory_node_descr * _starpu_memory_node_get_description (void)`
- `static enum starpu_node_kind _starpu_node_get_kind (unsigned node)`
- `static unsigned _starpu_memory_nodes_get_count (void)`
- `static unsigned _starpu_worker_get_memory_node (unsigned workerid)`
- `static unsigned _starpu_worker_get_local_memory_node (void)`

Variables

- `char _starpu_worker_drives_memory [STARPU_NMAXWORKERS][STARPU_MAXNODES]`
- `struct _starpu_memory_node_descr _starpu_descr`

6.42.1 Data Structure Documentation

6.42.1.1 struct _starpu_cond_and_worker

Data Fields

<code>starpu_pthread_cond_t *</code>	<code>cond</code>	
<code>struct _starpu_worker *</code>	<code>worker</code>	

6.42.1.2 struct _starpu_memory_node_descr

Data Fields

<code>unsigned</code>	<code>nnodes</code>	
<code>enum starpu_node_kind</code>	<code>nodes[STARPU_MAXNODES]</code>	
<code>const struct _starpu_node_ops *</code>	<code>node_ops[STARPU_MAXNODES]</code>	
<code>int</code>	<code>devid[STARPU_MAXNODES]</code>	Get the device id associated to this node, or -1 if not applicable
<code>unsigned</code>	<code>nworkers[STARPU_MAXNODES]</code>	
<code>starpu_sg_host_t</code>	<code>host[STARPU_MAXNODES]</code>	

Data Fields

<code>starpu_pthread_rwlock_t</code>	<code>conditions_rwlock</code>	Every worker is associated to a condition variable on which the worker waits when there is task available. It is possible that multiple worker share the same condition variable, so we maintain a list of all these condition variables so that we can wake up all worker attached to a memory node that are waiting on a task.
<code>struct _starpu_cond_and_worker</code>	<code>conditions_attached_to_node[STARPU_MAXNODES][STARPU_NMAXWORKERS]</code>	
<code>struct _starpu_cond_and_worker</code>	<code>conditions_all[STARPU_MAXNODES * STARPU_NMAXWORKERS]</code>	
<code>unsigned</code>	<code>total_condition_count</code>	the number of queues attached to each node
<code>unsigned</code>	<code>condition_count[STARPU_MAXNODES]</code>	
<code>unsigned</code>	<code>mapped[STARPU_MAXNODES]</code>	

6.42.2 Function Documentation

6.42.2.1 `_starpu_memory_node_add_nworkers()`

```
static void _starpu_memory_node_add_nworkers (
    unsigned node ) [inline], [static]
```

Record that there is an additional worker that uses this memory node

6.42.2.2 `_starpu_worker_drives_memory_node()`

```
void _starpu_worker_drives_memory_node (
    struct _starpu_worker * worker,
    unsigned memnode )
```

Record that this worker will driver data transfers for this memory node.

6.42.2.3 `_starpu_memory_node_get_nworkers()`

```
static unsigned _starpu_memory_node_get_nworkers (
    unsigned node ) [inline], [static]
```

Get the number of workers that use this memory node

6.42.2.4 `_starpu_memory_node_set_mapped()`

```
void _starpu_memory_node_set_mapped (
    unsigned node )
```

Note that this memory node can map CPU data

6.42.2.5 `_starpu_memory_node_get_mapped()`

```
unsigned _starpu_memory_node_get_mapped (
    unsigned node )
```

Returns whether this memory node can map CPU data

6.42.2.6 `_starpu_memory_node_register()`

```
unsigned _starpu_memory_node_register (
    enum starpu\_node\_kind kind,
    int dev )
```

Registers a memory node. Returns the memory node number

6.42.2.7 `_starpu_memory_node_register_condition()`

```
void _starpu_memory_node_register_condition (
    struct \_starpu\_worker * worker,
    starpu\_pthread\_cond\_t * cond,
    unsigned nodeid )
```

Register a condition variable associated to worker which is associated to a memory node itself.

6.42.2.8 `_starpu_memory_node_get_description()`

```
static struct \_starpu\_memory\_node\_descr * _starpu_memory_node_get_description (
    void ) [inline], [static]
```

See [starpu_memory_node_get_description\(\)](#)

6.42.2.9 `_starpu_node_get_kind()`

```
static enum starpu\_node\_kind _starpu_node_get_kind (
    unsigned node ) [inline], [static]
```

See [starpu_node_get_kind\(\)](#)

6.42.2.10 `_starpu_memory_nodes_get_count()`

```
static unsigned _starpu_memory_nodes_get_count (
    void ) [inline], [static]
```

See [starpu_memory_nodes_get_count\(\)](#)

6.42.2.11 `_starpu_worker_get_memory_node()`

```
static unsigned _starpu_worker_get_memory_node (
    unsigned workerid ) [inline], [static]
```

See [starpu_worker_get_memory_node\(\)](#) This workerid may either be a basic worker or a combined worker
We have a combined worker

6.42.2.12 `_starpu_worker_get_local_memory_node()`

```
static unsigned _starpu_worker_get_local_memory_node (
    void ) [inline], [static]
```

See [starpu_worker_get_local_memory_node](#)

6.43 memstats.h File Reference

```
#include <starpu.h>
#include <common/config.h>
```

Typedefs

- typedef void * [_starpu_memory_stats_t](#)

Functions

- void `_starpu_memory_stats_init` (starpu_data_handle_t handle)
- void `_starpu_memory_stats_init_per_node` (starpu_data_handle_t handle, unsigned node)
- void `_starpu_memory_stats_free` (starpu_data_handle_t handle)
- void `_starpu_memory_display_handle_stats` (FILE *stream, starpu_data_handle_t handle)
- void `_starpu_memory_handle_stats_cache_hit` (starpu_data_handle_t handle, unsigned node)
- void `_starpu_memory_handle_stats_loaded_shared` (starpu_data_handle_t handle, unsigned node)
- void `_starpu_memory_handle_stats_loaded_owner` (starpu_data_handle_t handle, unsigned node)
- void `_starpu_memory_handle_stats_shared_to_owner` (starpu_data_handle_t handle, unsigned node)
- void `_starpu_memory_handle_stats_invalidated` (starpu_data_handle_t handle, unsigned node)

6.44 mp_common.h File Reference

```
#include <semaphore.h>
#include <starpu.h>
#include <common/config.h>
#include <common/list.h>
#include <common/barrier.h>
#include <common/thread.h>
#include <datawizard/interfaces/data_interface.h>
#include <datawizard/copy_driver.h>
```

6.45 multiple_regression.h File Reference

```
#include <math.h>
#include <stdio.h>
#include <stdlib.h>
#include <core/perfmodel/perfmodel.h>
#include <starpu.h>
```

Functions

- int `_starpu_multiple_regression` (struct starpu_perfmodel_history_list *ptr, double *coeff, unsigned ncoeff, unsigned nparameters, const char **parameters_names, unsigned **combinations, const char *codelet_name)

6.46 node_ops.h File Reference

```
#include <starpu.h>
#include <common/config.h>
#include <datawizard/copy_driver.h>
```

Data Structures

- struct `_starpu_node_ops`

Typedefs

- typedef int(* `copy_interface_func_t`) (starpu_data_handle_t handle, void *src_interface, unsigned src_node, void *dst_interface, unsigned dst_node, struct starpu_data_request *req)
- typedef int(* `copy_data_t`) (uintptr_t src_ptr, size_t src_offset, unsigned src_node, uintptr_t dst_ptr, size_t dst_offset, unsigned dst_node, size_t ssize, struct starpu_async_channel *async_channel)

- typedef int(* [copy2d_data_t](#)) (uintptr_t src_ptr, size_t src_offset, unsigned src_node, uintptr_t dst_ptr, size_t dst_offset, unsigned dst_node, size_t blocksize, size_t numblocks, size_t ld_src, size_t ld_dst, [struct _starpu_async_channel](#) *async_channel)
- typedef int(* [copy3d_data_t](#)) (uintptr_t src_ptr, size_t src_offset, unsigned src_node, uintptr_t dst_ptr, size_t dst_offset, unsigned dst_node, size_t blocksize, size_t numblocks_1, size_t ld1_src, size_t ld1_dst, size_t numblocks_2, size_t ld2_src, size_t ld2_dst, [struct _starpu_async_channel](#) *async_channel)
- typedef uintptr_t(* [map_t](#)) (uintptr_t src, size_t src_offset, unsigned src_node, unsigned dst_node, size_t size, int *ret)
- typedef int(* [unmap_t](#)) (uintptr_t src, size_t src_offset, unsigned src_node, uintptr_t dst, unsigned dst_node, size_t size)
- typedef int(* [update_map_t](#)) (uintptr_t src, size_t src_offset, unsigned src_node, uintptr_t dst, size_t dst_offset, unsigned dst_node, size_t size)

Functions

- const char * [_starpu_node_get_prefix](#) (enum [starpu_node_kind](#) kind)

6.46.1 Typedef Documentation

6.46.1.1 copy_interface_func_t

```
typedef int(* copy_interface_func_t) (starpu_data_handle_t handle, void *src_interface, unsigned src_node, void *dst_interface, unsigned dst_node, struct \_starpu\_data\_request *req)
```

Request copying some data interface for handle handle: from interface src_interface that exists on node src_node to interface dst_interface that exists on node dst_node.

If req is non-NULL, this can be used to start an asynchronous copy, in which case -EAGAIN should be returned. Otherwise, 0 should be returned.

[_starpu_copy_interface_any_to_any](#) can be used as a generic version, that assumes that the data_interface implements the any_to_any method, and [copy_data_t](#) will be used to queue the actual transfers.

6.46.1.2 copy_data_t

```
typedef int(* copy_data_t) (uintptr_t src_ptr, size_t src_offset, unsigned src_node, uintptr_t dst_ptr, size_t dst_offset, unsigned dst_node, size_t ssize, struct \_starpu\_async\_channel *async_channel)
```

Request copying ssize bytes of data from src_ptr (plus offset src_offset) in node src_node to dst_ptr (plus offset dst_offset) in node dst_node.

If async_channel is non-NULL, this can be used to start an asynchronous copy, in which case -EAGAIN should be returned. Otherwise, 0 should be returned.

6.46.1.3 copy2d_data_t

```
typedef int(* copy2d_data_t) (uintptr_t src_ptr, size_t src_offset, unsigned src_node, uintptr_t dst_ptr, size_t dst_offset, unsigned dst_node, size_t blocksize, size_t numblocks, size_t ld_src, size_t ld_dst, struct \_starpu\_async\_channel *async_channel)
```

This is like [copy_data_t](#), except that there are numblocks blocks of size blocksize bytes to be transferred. On the source, their respective starts are ld_src bytes apart, and on the destination their respective starts have to be ld_dst bytes apart. (leading dimension)

6.46.1.4 copy3d_data_t

```
typedef int(* copy3d_data_t) (uintptr_t src_ptr, size_t src_offset, unsigned src_node, uintptr_t dst_ptr, size_t dst_offset, unsigned dst_node, size_t blocksize, size_t numblocks_1, size_t ld1_src, size_t ld1_dst, size_t numblocks_2, size_t ld2_src, size_t ld2_dst, struct \_starpu\_async\_channel *async_channel)
```

This is like `copy_data_t`, except that there are `numblocks_2` metablocks to be transferred. On the source, their respective starts are `ld2_src` bytes apart, and on the destination their respective starts have to be `ld2_dst` bytes apart.

The metablocks are composed of `numblocks_1` blocks of size `blocksize` bytes. On the source, their respective starts are `ld1_src` bytes apart, and on the destination their respective starts have to be `ld1_dst` bytes apart.

6.46.1.5 `map_t`

```
typedef uintptr_t(* map_t) (uintptr_t src, size_t src_offset, unsigned src_node, unsigned dst_node, size_t size, int *ret)
```

Map `size` bytes of data from `src` (plus offset `src_offset`) in node `src_node` on node `dst_node`. If successful, return the resulting pointer, otherwise fill `*ret`

6.46.1.6 `unmap_t`

```
typedef int(* unmap_t) (uintptr_t src, size_t src_offset, unsigned src_node, uintptr_t dst, unsigned dst_node, size_t size)
```

Unmap `size` bytes of data from `src` (plus offset `src_offset`) in node `src_node` on node `dst_node`.

6.46.1.7 `update_map_t`

```
typedef int(* update_map_t) (uintptr_t src, size_t src_offset, unsigned src_node, uintptr_t dst, size_t dst_offset, unsigned dst_node, size_t size)
```

Update cache coherency for the mapping of `size` bytes of data from `src` (plus offset `src_offset`) in node `src_node` on node `dst_node`.

6.47 `openmp_runtime_support.h` File Reference

```
#include <starpu.h>
#include <common/list.h>
#include <common/starpu_spinlock.h>
#include <common/uthash.h>
#include <ucontext.h>
```

Data Structures

- struct [starpu_omp_numeric_place](#)
- struct [starpu_omp_place](#)
- struct [starpu_omp_data_environment_icvs](#)
- struct [starpu_omp_device_icvs](#)
- struct [starpu_omp_implicit_task_icvs](#)
- struct [starpu_omp_global_icvs](#)
- struct [starpu_omp_initial_icv_values](#)
- struct [starpu_omp_task_group](#)
- struct [starpu_omp_task_link](#)
- struct [starpu_omp_condition](#)
- struct [starpu_omp_critical](#)

Macros

- `#define` [_XOPEN_SOURCE](#)
- `#define` [STARPU_OMP_MAX_ACTIVE_LEVELS](#)

Enumerations

- enum [starpu_omp_place_name](#) {
[starpu_omp_place_undefined](#) , [starpu_omp_place_threads](#) , [starpu_omp_place_cores](#) , [starpu_omp_place_sockets](#) ,
[starpu_omp_place_numerical](#) }
- enum [starpu_omp_task_state](#) {
[starpu_omp_task_state_clear](#) , [starpu_omp_task_state_preempted](#) , [starpu_omp_task_state_terminated](#) , [starpu_omp_task_state_zombie](#) ,
[starpu_omp_task_state_target](#) }
- enum [starpu_omp_task_wait_on](#) {
[starpu_omp_task_wait_on_task_childs](#) , [starpu_omp_task_wait_on_region_tasks](#) , [starpu_omp_task_wait_on_barrier](#) , [starpu_omp_task_wait_on_group](#) ,
[starpu_omp_task_wait_on_critical](#) , [starpu_omp_task_wait_on_ordered](#) , [starpu_omp_task_wait_on_lock](#) , [starpu_omp_task_wait_on_nest_lock](#) }
- enum [starpu_omp_task_flags](#) { [STARPU_OMP_TASK_FLAGS_IMPLICIT](#) , [STARPU_OMP_TASK_FLAGS_UNDEFERRED](#) , [STARPU_OMP_TASK_FLAGS_FINAL](#) , [STARPU_OMP_TASK_FLAGS_UNTIED](#) }

Variables

- [starpu_pthread_key_t omp_thread_key](#)
- [starpu_pthread_key_t omp_task_key](#)

6.47.1 Data Structure Documentation

6.47.1.1 struct starpu_omp_numeric_place

Data Fields

int	excluded_place	
int *	included_numeric_items	
int	nb_included_numeric_items	
int *	excluded_numeric_items	
int	nb_excluded_numeric_items	

6.47.1.2 struct starpu_omp_place

OpenMP place for thread affinity, defined by the OpenMP spec

Data Fields

	int	abstract_name	
	int	abstract_excluded	
	int	abstract_length	
	struct starpu_omp_numeric_place *	numeric_places	
	int	nb_numeric_places	

6.47.1.3 struct starpu_omp_data_environment_icvs

Internal Control Variables (ICVs) declared following OpenMP 4.0.0 spec section 2.3.1

Data Fields

	int	dyn_var	parallel region icvs
	int	nest_var	

Data Fields

int *	nthreads_var	
int	thread_limit_var	nthreads_var ICV is a list
int	active_levels_var	
int	levels_var	
int *	bind_var	
int	run_sched_var	bind_var ICV is a list loop region icvs
unsigned long long	run_sched_chunk_var	
int	default_device_var	program execution icvs
int	max_task_priority_var	

6.47.1.4 struct starpu_omp_device_icvs

Data Fields

int	max_active_levels_var	parallel region icvs
int	def_sched_var	loop region icvs
unsigned long long	def_sched_chunk_var	
int	stacksize_var	program execution icvs
int	wait_policy_var	

6.47.1.5 struct starpu_omp_implicit_task_icvs

Data Fields

int	place_partition_var	parallel region icvs
-----	---------------------	----------------------

6.47.1.6 struct starpu_omp_global_icvs

Data Fields

int	cancel_var	program execution icvs
-----	------------	------------------------

6.47.1.7 struct starpu_omp_initial_icv_values

Data Fields

int	dyn_var	
int	nest_var	
int *	nthreads_var	
int	run_sched_var	
unsigned long long	run_sched_chunk_var	
int	def_sched_var	
unsigned long long	def_sched_chunk_var	
int *	bind_var	
int	stacksize_var	
int	wait_policy_var	
int	thread_limit_var	
int	max_active_levels_var	

Data Fields

	int	active_levels_var	
	int	levels_var	
	int	place_partition_var	
	int	cancel_var	
	int	default_device_var	
	int	max_task_priority_var	
struct starpu_omp_place		places	not a real ICV, but needed to store the contents of OMP_PLACES

6.47.1.8 struct starpu_omp_task_group

Data Fields

	int	descendent_task_count	
struct starpu_omp_task *		leader_task	
struct starpu_omp_task_group *		p_previous_task_group	

6.47.1.9 struct starpu_omp_task_link

Data Fields

struct starpu_omp_task *	task	
struct starpu_omp_task_link *	next	

6.47.1.10 struct starpu_omp_condition

Data Fields

struct starpu_omp_task_link *	contention_list_head	
---	----------------------	--

6.47.1.11 struct starpu_omp_critical

Data Fields

UT_hash_handle	hh	
struct _starpu_spinlock	lock	
unsigned	state	
struct starpu_omp_task_link *	contention_list_head	
const char *	name	

6.47.2 Macro Definition Documentation

6.47.2.1 _XOPEN_SOURCE

```
#define _XOPEN_SOURCE
```

ucontexts have been deprecated as of POSIX 1-2004 _XOPEN_SOURCE required at least on OS/X

TODO: add detection in configure.ac

6.47.2.2 STARPU_OMP_MAX_ACTIVE_LEVELS

```
#define STARPU_OMP_MAX_ACTIVE_LEVELS
```

Arbitrary limit on the number of nested parallel sections

6.47.3 Enumeration Type Documentation

6.47.3.1 starpu_omp_place_name

```
enum starpu_omp_place_name
```

Possible abstract names for OpenMP places

6.47.3.2 starpu_omp_task_state

```
enum starpu_omp_task_state
```

Enumerator

starpu_omp_task_state_target	target tasks are non-preemptible tasks, without dedicated stack and OpenMP Runtime Support context
------------------------------	--

6.48 perfmodel.h File Reference

```
#include <common/config.h>
#include <starpu.h>
#include <core/task_bundle.h>
#include <stdio.h>
```

Data Structures

- struct [_starpu_perfmodel_state](#)

Macros

- [#define _STARPU_PERFMODEL_VERSION](#)
- [#define PATH_LENGTH](#)
- [#define STR_SHORT_LENGTH](#)
- [#define STR_LONG_LENGTH](#)
- [#define STR_VERY_LONG_LENGTH](#)

Functions

- void [_starpu_init_perfmodel](#) (void)
- void [_starpu_find_perf_model_codelet](#) (const char *symbol, const char *hostname, char *path, size_t maxlen)
- void [_starpu_find_perf_model_codelet_debug](#) (const char *symbol, const char *hostname, const char *arch, char *path, size_t maxlen)
- void [_starpu_set_default_perf_model_codelet](#) (const char *symbol, const char *hostname, char *path, size_t maxlen)
- char * [_starpu_get_perf_model_dir_default](#) ()
- char ** [_starpu_get_perf_model_dirs_codelet](#) () STARPU_ATTRIBUTE_VISIBILITY_DEFAULT
- char * [_starpu_get_perf_model_dir_bus](#) ()

- double **_starpu_history_based_job_expected_perf** ([struct](#) starpu_perfmodel *model, [struct](#) starpu_perfm↵
model_arch *arch, [struct](#) _starpu_job *j, unsigned nimpl)
- double **_starpu_history_based_job_expected_deviation** ([struct](#) starpu_perfmodel *model, [struct](#) starpu_perfm↵
model_arch *arch, [struct](#) _starpu_job *j, unsigned nimpl)
- void **_starpu_load_history_based_model** ([struct](#) starpu_perfmodel *model, unsigned scan_history)
- void **_starpu_init_and_load_perfmodel** ([struct](#) starpu_perfmodel *model)
- void **_starpu_initialize_registered_performance_models** (void)
- void **_starpu_deinitialize_registered_performance_models** (void)
- void **_starpu_deinitialize_performance_model** ([struct](#) starpu_perfmodel *model)
- double **_starpu_regression_based_job_expected_perf** ([struct](#) starpu_perfmodel *model, [struct](#) starpu_perfm↵
model_arch *arch, [struct](#) _starpu_job *j, unsigned nimpl)
- double **_starpu_non_linear_regression_based_job_expected_perf** ([struct](#) starpu_perfmodel *model, [struct](#) starpu_perfm↵
model_arch *arch, [struct](#) _starpu_job *j, unsigned nimpl)
- double **_starpu_multiple_regression_based_job_expected_perf** ([struct](#) starpu_perfmodel *model, [struct](#) starpu_perfm↵
model_arch *arch, [struct](#) _starpu_job *j, unsigned nimpl)
- void **_starpu_update_perfmodel_history** ([struct](#) _starpu_job *j, [struct](#) starpu_perfmodel *model, [struct](#) starpu_perfm↵
model_arch *arch, unsigned cpuid, double measured, unsigned nimpl, unsigned number)
- int **_starpu_perfmodel_create_comb_if_needed** ([struct](#) starpu_perfmodel_arch *arch)
- int **_starpu_create_bus_sampling_directory_if_needed** (int location)
- void **_starpu_create_codelet_sampling_directory_if_needed** (int location)
- void **_starpu_load_bus_performance_files** (void)
- int **_starpu_get_perf_model_bus** ()
- int **_starpu_set_default_perf_model_bus** ()
- void **_starpu_set_calibrate_flag** (unsigned val)
- unsigned **_starpu_get_calibrate_flag** (void)
- unsigned * **_starpu_get_cuda_affinity_vector** (unsigned gpuid)
- unsigned * **_starpu_get_opengl_affinity_vector** (unsigned gpuid)
- void **_starpu_save_bandwidth_and_latency_disk** (double bandwidth_write, double bandwidth_read, double latency_write, double latency_read, unsigned node, const char *name)
- void **_starpu_write_double** (FILE *f, const char *format, double val) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT
- int **_starpu_read_double** (FILE *f, char *format, double *val) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT
- void **_starpu_simgrid_get_platform_path** (int version, char *path, size_t maxlen)
- void **_starpu_perfmodel_realloc** ([struct](#) starpu_perfmodel *model, int nb)
- void **_starpu_free_arch_combs** (void)
- hwloc_topology_t **_starpu_perfmodel_get_hwtopology** ()

Variables

- unsigned **_starpu_calibration_minimum**

6.48.1 Data Structure Documentation

6.48.1.1 struct _starpu_perfmodel_state

Data Fields

struct starpu_perfmodel_per_arch **	per_arch	
int **	per_arch_is_set	
starpu_pthread_rwlock_t	model_rwlock	
int *	nimpls	
int *	nimpls_set	
int	ncombs	The number of combinations currently used by the model
int	ncombs_set	The number of combinations allocated in the array nimpls and ncombs
int *	combs	

6.48.2 Macro Definition Documentation

6.48.2.1 `_STARPU_PERFMODEL_VERSION`

```
#define _STARPU_PERFMODEL_VERSION
```

Performance models files are stored in a directory whose name include the version of the performance model format. The version number is also written in the file itself. When updating the format, the variable `_STARPU_PERFMODEL_VERSION` should be updated. It is then possible to switch easily between different versions of StarPU having different performance model formats.

6.49 `prio_deque.h` File Reference

```
#include <core/task.h>
```

Data Structures

- struct [starpu_st_prio_deque](#)

6.49.1 Data Structure Documentation

6.49.1.1 struct `starpu_st_prio_deque`

Data Fields

struct <code>starpu_task_prio_list</code>	<code>list</code>	
<code>unsigned</code>	<code>ntasks</code>	
<code>unsigned</code>	<code>nprocessed</code>	
<code>double</code>	<code>exp_start</code>	
<code>double</code>	<code>exp_end</code>	
<code>double</code>	<code>exp_len</code>	

6.50 `prio_list.h` File Reference

```
#include <common/rbtree.h>
```

Macros

- `#define PRIO_LIST_INLINE`
- `#define PRIO_struct`
- `#define PRIO_LIST_CREATE_TYPE(ENAME, PRIOFIELD)`

6.51 `profiling.h` File Reference

```
#include <starpu.h>
#include <starpu_profiling.h>
#include <starpu_util.h>
#include <common/config.h>
```

Functions

- `struct starpu_profiling_task_info * _starpu_allocate_profiling_info_if_needed (struct starpu_task *task)`
- `void _starpu_worker_update_profiling_info_executing (int workerid, int executed_tasks, uint64_t used_cycles, uint64_t stall_cycles, double consumed_energy, double flops)`
- `void _starpu_worker_start_state (int workerid, enum _starpu_worker_status_index index, struct timespec *start_time)`
- `void _starpu_worker_stop_state (int workerid, enum _starpu_worker_status_index index, struct timespec *stop_time)`
- `void _starpu_initialize_busid_matrix (void)`
- `int _starpu_register_bus (int src_node, int dst_node)`
- `void _starpu_bus_update_profiling_info (int src_node, int dst_node, size_t size)`
- `void _starpu_profiling_set_task_push_start_time (struct starpu_task *task)`
- `void _starpu_profiling_set_task_push_end_time (struct starpu_task *task)`
- `void _starpu_profiling_init (void)`
- `void _starpu_profiling_start (void)`
- `void _starpu_profiling_terminate (void)`

Variables

- `int _starpu_codelet_profiling`

6.51.1 Function Documentation

6.51.1.1 _starpu_allocate_profiling_info_if_needed()

```
struct starpu_profiling_task_info * _starpu_allocate_profiling_info_if_needed (
    struct starpu_task * task )
```

Create a task profiling info structure (with the proper time stamps) in case profiling is enabled.

6.51.1.2 _starpu_worker_update_profiling_info_executing()

```
void _starpu_worker_update_profiling_info_executing (
    int workerid,
    int executed_tasks,
    uint64_t used_cycles,
    uint64_t stall_cycles,
    double consumed_energy,
    double flops )
```

Update the per-worker profiling info after a task (or more) was executed. This tells StarPU how much time was spent doing computation.

6.51.1.3 _starpu_worker_start_state()

```
void _starpu_worker_start_state (
    int workerid,
    enum _starpu_worker_status_index index,
    struct timespec * start_time )
```

Record the date when the worker entered this state. This permits to measure how much time was spent in this state. `start_time` is optional, if unspecified, `_starpu_worker_start_state` will just take the current time.

6.51.1.4 _starpu_initialize_busid_matrix()

```
void _starpu_initialize_busid_matrix (
    void )
```

When StarPU is initialized, a matrix describing all the bus between memory nodes is created: it indicates whether there is a physical link between two memory nodes or not. This matrix should contain the identifier of the bus between two nodes or -1 in case there is no link.

6.51.1.5 `_starpu_register_bus()`

```
int _starpu_register_bus (
    int src_node,
    int dst_node )
```

Tell StarPU that there exists a link between the two memory nodes. This function returns the identifier associated to the bus which can be used to retrieve profiling information about the bus activity later on.

6.51.1.6 `_starpu_bus_update_profiling_info()`

```
void _starpu_bus_update_profiling_info (
    int src_node,
    int dst_node,
    size_t size )
```

Tell StarPU that "size" bytes were transferred between the two specified memory nodes.

6.51.1.7 `_starpu_profiling_init()`

```
void _starpu_profiling_init (
    void )
```

This function needs to be called before other `starpu_profile_*` functions

6.51.1.8 `_starpu_profiling_start()`

```
void _starpu_profiling_start (
    void )
```

This function starts profiling if the `STARPU_PROFILING` environment variable was set

6.52 `progress_hook.h` File Reference

Functions

- `void _starpu_init_progression_hooks (void)`
- `unsigned _starpu_execute_registered_progression_hooks (void)`

6.53 `rbtree.h` File Reference

```
#include <stddef.h>
#include <assert.h>
#include <stdint.h>
#include <sys/types.h>
#include <starpu_util.h>
#include "rbtree_i.h"
```

Macros

- `#define MACRO_BEGIN`
- `#define MACRO_END`
- `#define STARPU_RBTREE_LEFT`
- `#define STARPU_RBTREE_RIGHT`
- `#define STARPU_RBTREE_INITIALIZER`
- `#define starpu_rbtree_entry(node, type, member)`
- `#define starpu_rbtree_lookup(tree, key, cmp_fn)`
- `#define starpu_rbtree_lookup_nearest(tree, key, cmp_fn, dir)`
- `#define starpu_rbtree_insert(tree, node, cmp_fn)`
- `#define starpu_rbtree_lookup_slot(tree, key, cmp_fn, slot)`

- `#define starpu_rbtrees_first(tree)`
- `#define starpu_rbtrees_last(tree)`
- `#define starpu_rbtrees_prev(node)`
- `#define starpu_rbtrees_next(node)`
- `#define starpu_rbtrees_for_each_remove(tree, node, tmp)`

Functions

- static void `starpu_rbtrees_init` (`struct starpu_rbtrees *tree`)
- static void `starpu_rbtrees_init0` (`struct starpu_rbtrees *tree` `STARPU_ATTRIBUTE_UNUSED`)
- static void `starpu_rbtrees_node_init` (`struct starpu_rbtrees_node *node`)
- static void `starpu_rbtrees_node_init0` (`struct starpu_rbtrees_node *node`)
- static int `starpu_rbtrees_node_unlinked` (`const struct starpu_rbtrees_node *node`)
- static int `starpu_rbtrees_empty` (`const struct starpu_rbtrees *tree`)
- static void `starpu_rbtrees_insert_slot` (`struct starpu_rbtrees *tree`, `uintptr_t slot`, `struct starpu_rbtrees_node *node`)
- void `starpu_rbtrees_remove` (`struct starpu_rbtrees *tree`, `struct starpu_rbtrees_node *node`)

6.53.1 Macro Definition Documentation

6.53.1.1 STARPU_RBTREE_INITIALIZER

```
#define STARPU_RBTREE_INITIALIZER
```

Static tree initializer.

6.53.1.2 starpu_rbtrees_entry

```
#define starpu_rbtrees_entry(  
    node,  
    type,  
    member )
```

Macro that evaluates to the address of the structure containing the given node based on the given type and member.

6.53.1.3 starpu_rbtrees_lookup

```
#define starpu_rbtrees_lookup(  
    tree,  
    key,  
    cmp_fn )
```

Look up a node in a tree.

Note that implementing the lookup algorithm as a macro gives two benefits: First, it avoids the overhead of a callback function. Next, the type of the `cmp_fn` parameter isn't rigid. The only guarantee offered by this implementation is that the key parameter is the first parameter given to `cmp_fn`. This way, users can pass only the value they need for comparison instead of e.g. allocating a full structure on the stack.

See `starpu_rbtrees_insert()`.

6.53.1.4 starpu_rbtrees_lookup_nearest

```
#define starpu_rbtrees_lookup_nearest(  
    tree,  
    key,  
    cmp_fn,  
    dir )
```

Look up a node or one of its nearest nodes in a tree.

This macro essentially acts as [starpu_rbtrees_lookup\(\)](#) but if no entry matched the key, an additional step is performed to obtain the next or previous node, depending on the direction (left or right). The constraints that apply to the key parameter are the same as for [starpu_rbtrees_lookup\(\)](#).

6.53.1.5 starpu_rbtrees_insert

```
#define starpu_rbtrees_insert(  
    tree,  
    node,  
    cmp_fn )
```

Insert a node in a tree.

This macro performs a standard lookup to obtain the insertion point of the given node in the tree (it is assumed that the inserted node never compares equal to any other entry in the tree) and links the node. It then checks red-black rules violations, and rebalances the tree if necessary.

Unlike [starpu_rbtrees_lookup\(\)](#), the `cmp_fn` parameter must compare two complete entries, so it is suggested to use two different comparison inline functions, such as `myobj_cmp_lookup()` and `myobj_cmp_insert()`. There is no guarantee about the order of the nodes given to the comparison function.

See [starpu_rbtrees_lookup\(\)](#).

6.53.1.6 starpu_rbtrees_lookup_slot

```
#define starpu_rbtrees_lookup_slot(  
    tree,  
    key,  
    cmp_fn,  
    slot )
```

Look up a node/slot pair in a tree.

This macro essentially acts as [starpu_rbtrees_lookup\(\)](#) but in addition to a node, it also returns a slot, which identifies an insertion point in the tree. If the returned node is null, the slot can be used by [starpu_rbtrees_insert_slot\(\)](#) to insert without the overhead of an additional lookup. The slot is a simple `uintptr_t` integer.

The constraints that apply to the key parameter are the same as for [starpu_rbtrees_lookup\(\)](#).

6.53.1.7 starpu_rbtrees_first

```
#define starpu_rbtrees_first(  
    tree )
```

Return the first node of a tree.

6.53.1.8 starpu_rbtrees_last

```
#define starpu_rbtrees_last(  
    tree )
```

Return the last node of a tree.

6.53.1.9 starpu_rbtrees_prev

```
#define starpu_rbtrees_prev(  
    node )
```

Return the node previous to the given node.

6.53.1.10 starpu_rbtrees_next

```
#define starpu_rbtrees_next(  
    node )
```

Return the node next to the given node.

6.53.1.11 starpu_rbtrees_for_each_remove

```
#define starpu_rbtrees_for_each_remove(  
    tree,
```

```

    node,
    tmp )

```

Forge a loop to process all nodes of a tree, removing them when visited.

This macro can only be used to destroy a tree, so that the resources used by the entries can be released by the user. It basically removes all nodes without doing any color checking.

After completion, all nodes and the tree root member are stale.

6.53.2 Function Documentation

6.53.2.1 starpu_rbtree_init()

```

static void starpu_rbtree_init (
    struct starpu_rbtree * tree ) [inline], [static]

```

Initialize a tree.

6.53.2.2 starpu_rbtree_init0()

```

static void starpu_rbtree_init0 (
    struct starpu_rbtree *tree STARPU_ATTRIBUTE_UNUSED ) [inline], [static]

```

This version assumes that the content of tree was already zeroed

6.53.2.3 starpu_rbtree_node_init()

```

static void starpu_rbtree_node_init (
    struct starpu_rbtree_node * node ) [inline], [static]

```

Initialize a node.

A node is in no tree when its parent points to itself.

6.53.2.4 starpu_rbtree_node_init0()

```

static void starpu_rbtree_node_init0 (
    struct starpu_rbtree_node * node ) [inline], [static]

```

This version assumes that the content of node was already zeroed

6.53.2.5 starpu_rbtree_node_unlinked()

```

static int starpu_rbtree_node_unlinked (
    const struct starpu_rbtree_node * node ) [inline], [static]

```

Return true if node is in no tree.

6.53.2.6 starpu_rbtree_empty()

```

static int starpu_rbtree_empty (
    const struct starpu_rbtree * tree ) [inline], [static]

```

Return true if tree is empty.

6.53.2.7 starpu_rbtree_insert_slot()

```

static void starpu_rbtree_insert_slot (
    struct starpu_rbtree * tree,
    uintptr_t slot,
    struct starpu_rbtree_node * node ) [inline], [static]

```

Insert a node at an insertion point in a tree.

This macro essentially acts as [starpu_rbtree_insert\(\)](#) except that it doesn't obtain the insertion point with a standard lookup. The insertion point is obtained by calling [starpu_rbtree_lookup_slot\(\)](#). In addition, the new node must not compare equal to an existing node in the tree (i.e. the slot must denote a null node).

6.53.2.8 starpu_rbtrees_remove()

```
void starpu_rbtrees_remove (
    struct starpu_rbtrees * tree,
    struct starpu_rbtrees_node * node )
```

Remove a node from a tree.

After completion, the node is stale.

6.54 rbtrees_i.h File Reference

```
#include <assert.h>
```

Data Structures

- struct [starpu_rbtrees_node](#)
- struct [starpu_rbtrees](#)

Macros

- #define [STARPU_RBTREE_COLOR_MASK](#)
- #define [STARPU_RBTREE_PARENT_MASK](#)
- #define [STARPU_RBTREE_COLOR_RED](#)
- #define [STARPU_RBTREE_COLOR_BLACK](#)
- #define [STARPU_RBTREE_SLOT_INDEX_MASK](#)
- #define [STARPU_RBTREE_SLOT_PARENT_MASK](#)

Functions

- static int [starpu_rbtrees_check_alignment](#) (const struct starpu_rbtrees_node *node)
- static int [starpu_rbtrees_check_index](#) (int index)
- static int [starpu_rbtrees_d2i](#) (int diff)
- static struct starpu_rbtrees_node * [starpu_rbtrees_parent](#) (const struct starpu_rbtrees_node *node)
- static uintptr_t [starpu_rbtrees_slot](#) (struct starpu_rbtrees_node *parent, int index)
- static struct starpu_rbtrees_node * [starpu_rbtrees_slot_parent](#) (uintptr_t slot)
- static int [starpu_rbtrees_slot_index](#) (uintptr_t slot)
- void [starpu_rbtrees_insert_rebalance](#) (struct starpu_rbtrees *tree, struct starpu_rbtrees_node *parent, int index, struct starpu_rbtrees_node *node)
- struct starpu_rbtrees_node * [starpu_rbtrees_nearest](#) (struct starpu_rbtrees_node *parent, int index, int direction)
- struct starpu_rbtrees_node * [starpu_rbtrees_firstlast](#) (const struct starpu_rbtrees *tree, int direction)
- struct starpu_rbtrees_node * [starpu_rbtrees_walk](#) (struct starpu_rbtrees_node *node, int direction)
- struct starpu_rbtrees_node * [starpu_rbtrees_postwalk_deepest](#) (const struct starpu_rbtrees *tree)
- struct starpu_rbtrees_node * [starpu_rbtrees_postwalk_unlink](#) (struct starpu_rbtrees_node *node)

6.54.1 Data Structure Documentation

6.54.1.1 struct starpu_rbtrees_node

Red-black node structure.

To reduce the number of branches and the instruction cache footprint, the left and right child pointers are stored in an array, and the symmetry of most tree operations is exploited by using left/right variables when referring to children.

In addition, this implementation assumes that all nodes are 4-byte aligned, so that the least significant bit of the parent member can be used to store the color of the node. This is true for all modern 32 and 64 bits architectures, as long as the nodes aren't embedded in structures with special alignment constraints such as member packing.

Data Fields

uintptr_t	parent	
struct starpu_rbtree_node *	children[2]	

6.54.1.2 struct starpu_rbtree

Red-black tree structure.

Data Fields

struct starpu_rbtree_node *	root	
-----------------------------	------	--

6.54.2 Macro Definition Documentation

6.54.2.1 STARPU_RBTREE_COLOR_MASK

```
#define STARPU_RBTREE_COLOR_MASK
```

Masks applied on the parent member of a node to obtain either the color or the parent address.

6.54.2.2 STARPU_RBTREE_COLOR_RED

```
#define STARPU_RBTREE_COLOR_RED
```

Node colors.

6.54.2.3 STARPU_RBTREE_SLOT_INDEX_MASK

```
#define STARPU_RBTREE_SLOT_INDEX_MASK
```

Masks applied on slots to obtain either the child index or the parent address.

6.54.3 Function Documentation

6.54.3.1 starpu_rbtree_check_alignment()

```
static int starpu_rbtree_check_alignment (
    const struct starpu_rbtree_node * node ) [inline], [static]
```

Return true if the given pointer is suitably aligned.

6.54.3.2 starpu_rbtree_check_index()

```
static int starpu_rbtree_check_index (
    int index ) [inline], [static]
```

Return true if the given index is a valid child index.

6.54.3.3 starpu_rbtree_d2i()

```
static int starpu_rbtree_d2i (
    int diff ) [inline], [static]
```

Convert the result of a comparison into an index in the children array (0 or 1).

This function is mostly used when looking up a node.

6.54.3.4 starpu_rbtrees_parent()

```
static struct starpu_rbtrees_node * starpu_rbtrees_parent (
    const struct starpu_rbtrees_node * node ) [inline], [static]
```

Return the parent of a node.

6.54.3.5 starpu_rbtrees_slot()

```
static uintptr_t starpu_rbtrees_slot (
    struct starpu_rbtrees_node * parent,
    int index ) [inline], [static]
```

Translate an insertion point into a slot.

6.54.3.6 starpu_rbtrees_slot_parent()

```
static struct starpu_rbtrees_node * starpu_rbtrees_slot_parent (
    uintptr_t slot ) [inline], [static]
```

Extract the parent address from a slot.

6.54.3.7 starpu_rbtrees_slot_index()

```
static int starpu_rbtrees_slot_index (
    uintptr_t slot ) [inline], [static]
```

Extract the index from a slot.

6.54.3.8 starpu_rbtrees_insert_rebalance()

```
void starpu_rbtrees_insert_rebalance (
    struct starpu_rbtrees * tree,
    struct starpu_rbtrees_node * parent,
    int index,
    struct starpu_rbtrees_node * node )
```

Insert a node in a tree, rebalancing it if necessary.

The index parameter is the index in the children array of the parent where the new node is to be inserted. It is ignored if the parent is null.

This function is intended to be used by the [starpu_rbtrees_insert\(\)](#) macro only.

6.54.3.9 starpu_rbtrees_nearest()

```
struct starpu_rbtrees_node * starpu_rbtrees_nearest (
    struct starpu_rbtrees_node * parent,
    int index,
    int direction )
```

Return the previous or next node relative to a location in a tree.

The parent and index parameters define the location, which can be empty. The direction parameter is either STARPU_RBTREE_LEFT (to obtain the previous node) or STARPU_RBTREE_RIGHT (to obtain the next one).

6.54.3.10 starpu_rbtrees_firstlast()

```
struct starpu_rbtrees_node * starpu_rbtrees_firstlast (
    const struct starpu_rbtrees * tree,
    int direction )
```

Return the first or last node of a tree.

The direction parameter is either STARPU_RBTREE_LEFT (to obtain the first node) or STARPU_RBTREE_RIGHT (to obtain the last one).

6.54.3.11 starpu_rbtrees_walk()

```
struct starpu_rbtrees_node * starpu_rbtrees_walk (
    struct starpu_rbtrees_node * node,
    int direction )
```

Return the node next to, or previous to the given node.

The direction parameter is either STARPU_RBTREE_LEFT (to obtain the previous node) or STARPU_RBTREE_RIGHT (to obtain the next one).

6.54.3.12 starpu_rbtrees_postwalk_deepest()

```
struct starpu_rbtrees_node * starpu_rbtrees_postwalk_deepest (
    const struct starpu_rbtrees * tree )
```

Return the left-most deepest node of a tree, which is the starting point of the postorder traversal performed by [starpu_rbtrees_for_each_remove\(\)](#).

6.54.3.13 starpu_rbtrees_postwalk_unlink()

```
struct starpu_rbtrees_node * starpu_rbtrees_postwalk_unlink (
    struct starpu_rbtrees_node * node )
```

Unlink a node from its tree and return the next (right) node in postorder.

6.55 regression.h File Reference

```
#include <math.h>
#include <stdio.h>
#include <stdlib.h>
#include <core/perfmodel/perfmodel.h>
#include <starpu.h>
```

Functions

- `int starpu_regression_non_linear_power` ([struct](#) starpu_perfmodel_history_list *ptr, double *a, double *b, double *c)

6.56 rlock.h File Reference

```
#include <stdint.h>
#include <starpu.h>
```

Data Structures

- [struct _starpu_rw_lock](#)

Functions

- `void _starpu_init_rw_lock` ([struct _starpu_rw_lock](#) *lock)
- `void _starpu_take_rw_lock_write` ([struct _starpu_rw_lock](#) *lock)
- `void _starpu_take_rw_lock_read` ([struct _starpu_rw_lock](#) *lock)
- `int _starpu_take_rw_lock_write_try` ([struct _starpu_rw_lock](#) *lock)
- `int _starpu_take_rw_lock_read_try` ([struct _starpu_rw_lock](#) *lock)
- `void _starpu_release_rw_lock` ([struct _starpu_rw_lock](#) *lock)

6.56.1 Data Structure Documentation

6.56.1.1 struct _starpu_rw_lock

Dummy implementation of a RW-lock using a spinlock.

Data Fields

uint32_t	busy	
uint8_t	writer	
uint16_t	readercnt	

6.56.2 Function Documentation

6.56.2.1 _starpu_init_rw_lock()

```
void _starpu_init_rw_lock (
    struct _starpu_rw_lock * lock )
```

Initialize the RW-lock

6.56.2.2 _starpu_take_rw_lock_write()

```
void _starpu_take_rw_lock_write (
    struct _starpu_rw_lock * lock )
```

Grab the RW-lock in a write mode

6.56.2.3 _starpu_take_rw_lock_read()

```
void _starpu_take_rw_lock_read (
    struct _starpu_rw_lock * lock )
```

Grab the RW-lock in a read mode

6.56.2.4 _starpu_take_rw_lock_write_try()

```
int _starpu_take_rw_lock_write_try (
    struct _starpu_rw_lock * lock )
```

Try to grab the RW-lock in a write mode. Returns 0 in case of success, -1 otherwise.

6.56.2.5 _starpu_take_rw_lock_read_try()

```
int _starpu_take_rw_lock_read_try (
    struct _starpu_rw_lock * lock )
```

Try to grab the RW-lock in a read mode. Returns 0 in case of success, -1 otherwise.

6.56.2.6 _starpu_release_rw_lock()

```
void _starpu_release_rw_lock (
    struct _starpu_rw_lock * lock )
```

Unlock the RW-lock.

6.57 sched_component.h File Reference

```
#include <starpu_sched_component.h>
```

Functions

- void [_starpuschedcomponentlockallworkers](#) (void)
- void [_starpuschedcomponentunlockallworkers](#) (void)
- void [_starpuschedcomponentworkersdestroy](#) (void)
- [struct _starpu_worker](#) * [_starpuschedcomponentworkergetworker](#) ([struct](#) [starpusched_](#)↵
component *)
- [struct](#) [starpu_bitmap](#) * [_starpugetworkermask](#) (unsigned [sched_ctx_id](#))

6.57.1 Function Documentation

6.57.1.1 _starpuschedcomponentlockallworkers()

```
void _starpuschedcomponentlockallworkers (
    void )
```

lock and unlock drivers for modifying schedulers

6.58 sched_ctx.h File Reference

```
#include <starpus.h>
#include <starpusched_ctx.h>
#include <starpusched_ctx_hypervisor.h>
#include <starpuscheduler.h>
#include <common/config.h>
#include <common/barrier_counter.h>
#include <common/utills.h>
#include <profiling/profiling.h>
#include <semaphore.h>
#include <core/task.h>
#include "sched_ctx_list.h"
#include <hwloc.h>
```

Data Structures

- [struct _starpusched_ctx](#)
- [struct _starpusched_ctx_change](#)

Macros

- [#define NO_RESIZE](#)
- [#define REQ_RESIZE](#)
- [#define DO_RESIZE](#)
- [#define STARPU_GLOBAL_SCHED_CTX](#)
- [#define STARPU_NMAXSMS](#)
- [#define _starpusched_ctx_get_sched_ctx_for_worker_and_job\(w, j\)](#)
- [#define STARPU_SCHED_CTX_CHECK_LOCK\(sched_ctx_id\)](#)

Functions

- void [_starpuinitallschedctxs](#) ([struct](#) [starpumachineconfig](#) *config)
- [struct _starpusched_ctx](#) * [_starpucrateschedctx](#) ([struct](#) [starpusched_policy](#) *policy, int *workerid, int
nworkerids, unsigned [is_init_sched](#), const char *[sched_name](#), int [min_prio_set](#), int [min_prio](#), int [max_prio](#)↵
[_set](#), int [max_prio](#), unsigned [awake_workers](#), void(*[sched_policy_callback](#))(unsigned), void *[user_data](#), int
[nsub_ctxs](#), int *[sub_ctxs](#), int [nsms](#))

- void [_starpu_delete_all_sched_ctxs](#) ()
- int [_starpu_wait_for_all_tasks_of_sched_ctx](#) (unsigned sched_ctx_id)
- int [_starpu_wait_for_n_submitted_tasks_of_sched_ctx](#) (unsigned sched_ctx_id, unsigned n)
- void [_starpu_decrement_nsubmitted_tasks_of_sched_ctx](#) (unsigned sched_ctx_id)
- void [_starpu_increment_nsubmitted_tasks_of_sched_ctx](#) (unsigned sched_ctx_id)
- int [_starpu_get_nsubmitted_tasks_of_sched_ctx](#) (unsigned sched_ctx_id)
- int [_starpu_check_nsubmitted_tasks_of_sched_ctx](#) (unsigned sched_ctx_id)
- void [_starpu_decrement_nready_tasks_of_sched_ctx](#) (unsigned sched_ctx_id, double ready_flops)
- unsigned [_starpu_increment_nready_tasks_of_sched_ctx](#) (unsigned sched_ctx_id, double ready_flops, [struct](#) starpu_task *task)
- int [_starpu_wait_for_no_ready_of_sched_ctx](#) (unsigned sched_ctx_id)
- int [_starpu_get_workers_of_sched_ctx](#) (unsigned sched_ctx_id, int *pus, enum [starpu_worker_archtype](#) arch)
- void [_starpu_worker_gets_out_of_ctx](#) (unsigned sched_ctx_id, [struct](#) [starpu_worker](#) *worker)
- unsigned [_starpu_worker_belongs_to_a_sched_ctx](#) (int workerid, unsigned sched_ctx_id)
- unsigned [_starpu_sched_ctx_last_worker_awake](#) ([struct](#) [starpu_worker](#) *worker)
- unsigned [_starpu_sched_ctx_get_current_context](#) () STARPU_ATTRIBUTE_VISIBILITY_DEFAULT
- int [_starpu_workers_able_to_execute_task](#) ([struct](#) starpu_task *task, [struct](#) [starpu_sched_ctx](#) *sched_ctx)
- unsigned [_starpu_sched_ctx_allow_hypervisor](#) (unsigned sched_ctx_id)
- [struct](#) starpu_perfmodel_arch * [_starpu_sched_ctx_get_perf_archtype](#) (unsigned sched_ctx)
- void [_starpu_sched_ctx_post_exec_task_cb](#) (int workerid, [struct](#) starpu_task *task, size_t data_size, uint32_t footprint)
- void [starpu_sched_ctx_add_combined_workers](#) (int *combined_workers_to_add, unsigned n, unsigned combined_workers_to_add, unsigned sched_ctx_id)
- [struct](#) [starpu_sched_ctx](#) * [__starpu_sched_ctx_get_sched_ctx_for_worker_and_job](#) ([struct](#) [starpu_worker](#) *worker, [struct](#) [starpu_job](#) *j)
- static [struct](#) [starpu_sched_ctx](#) * [_starpu_get_sched_ctx_struct](#) (unsigned id)
- static int [_starpu_sched_ctx_check_write_locked](#) (unsigned sched_ctx_id)
- static void [_starpu_sched_ctx_lock_write](#) (unsigned sched_ctx_id)
- static void [_starpu_sched_ctx_unlock_write](#) (unsigned sched_ctx_id)
- static void [_starpu_sched_ctx_lock_read](#) (unsigned sched_ctx_id)
- static void [_starpu_sched_ctx_unlock_read](#) (unsigned sched_ctx_id)
- static unsigned [_starpu_sched_ctx_worker_is_master_for_child_ctx](#) (unsigned sched_ctx_id, unsigned workerid, [struct](#) starpu_task *task)
- void [_starpu_worker_apply_deferred_ctx_changes](#) (void)

6.58.1 Data Structure Documentation

6.58.1.1 [struct](#) [starpu_ctx_change](#)

per-worker list of deferred ctx_change ops

Data Fields

int	sched_ctx_id	
int	op	
int	nworkers_to_notify	
int *	workerids_to_notify	
int	nworkers_to_change	
int *	workerids_to_change	

6.58.2 Function Documentation

6.58.2.1 __starpu_init_all_sched_ctxs()

```
void __starpu_init_all_sched_ctxs (
    struct __starpu_machine_config * config )
```

init sched_ctx_id of all contextes

6.58.2.2 __starpu_create_sched_ctx()

```
struct __starpu_sched_ctx * __starpu_create_sched_ctx (
    struct starpu_sched_policy * policy,
    int * workerid,
    int nworkerids,
    unsigned is_init_sched,
    const char * sched_name,
    int min_prio_set,
    int min_prio,
    int max_prio_set,
    int max_prio,
    unsigned awake_workers,
    void(*) (unsigned) sched_policy_callback,
    void * user_data,
    int nsub_ctxs,
    int * sub_ctxs,
    int nsms )
```

allocate all structures belonging to a context

6.58.2.3 __starpu_delete_all_sched_ctxs()

```
void __starpu_delete_all_sched_ctxs ( )
```

delete all sched_ctx

6.58.2.4 __starpu_wait_for_all_tasks_of_sched_ctx()

```
int __starpu_wait_for_all_tasks_of_sched_ctx (
    unsigned sched_ctx_id )
```

This function waits until all the tasks that were already submitted to a specific context have been executed.

6.58.2.5 __starpu_wait_for_n_submitted_tasks_of_sched_ctx()

```
int __starpu_wait_for_n_submitted_tasks_of_sched_ctx (
    unsigned sched_ctx_id,
    unsigned n )
```

This function waits until at most n tasks are still submitted.

6.58.2.6 __starpu_decrement_nsubmitted_tasks_of_sched_ctx()

```
void __starpu_decrement_nsubmitted_tasks_of_sched_ctx (
    unsigned sched_ctx_id )
```

In order to implement starpu_wait_for_all_tasks_of_ctx, we keep track of the number of task currently submitted to the context

6.58.2.7 __starpu_get_workers_of_sched_ctx()

```
int __starpu_get_workers_of_sched_ctx (
    unsigned sched_ctx_id,
    int * pus,
    enum starpu_worker_archtype arch )
```

Get workers belonging to a certain context, it returns the number of workers take care: no mutex taken, the list of workers might not be updated

6.58.2.8 _starpu_worker_gets_out_of_ctx()

```
void _starpu_worker_gets_out_of_ctx (
    unsigned sched_ctx_id,
    struct _starpu_worker * worker )
```

Let the worker know it does not belong to the context and that it should stop popping from it

6.58.2.9 _starpu_worker_belongs_to_a_sched_ctx()

```
unsigned _starpu_worker_belongs_to_a_sched_ctx (
    int workerid,
    unsigned sched_ctx_id )
```

Check if the worker belongs to another sched_ctx

6.58.2.10 _starpu_sched_ctx_last_worker_awake()

```
unsigned _starpu_sched_ctx_last_worker_awake (
    struct _starpu_worker * worker )
```

indicates whether this worker should go to sleep or not (if it is the last one awake in a context he should better keep awake)

6.58.2.11 _starpu_sched_ctx_get_current_context()

```
unsigned _starpu_sched_ctx_get_current_context ( )
```

If `_starpu_sched_ctx_set_context()` has been called, returns the context id set by its last call, or the id of the initial context

6.58.2.12 _starpu_workers_able_to_execute_task()

```
int _starpu_workers_able_to_execute_task (
    struct starpu_task * task,
    struct _starpu_sched_ctx * sched_ctx )
```

verify that some worker can execute a certain task

6.58.2.13 _starpu_sched_ctx_post_exec_task_cb()

```
void _starpu_sched_ctx_post_exec_task_cb (
    int workerid,
    struct starpu_task * task,
    size_t data_size,
    uint32_t footprint )
```

Notifies the hypervisor that a tasks was popped from the workers' list

6.58.2.14 __starpu_sched_ctx_get_sched_ctx_for_worker_and_job()

```
struct _starpu_sched_ctx * __starpu_sched_ctx_get_sched_ctx_for_worker_and_job (
    struct _starpu_worker * worker,
    struct _starpu_job * j )
```

if the worker is the master of a parallel context, and the job is meant to be executed on this parallel context, return a pointer to the context

6.58.2.15 _starpu_worker_apply_deferred_ctx_changes()

```
void _starpu_worker_apply_deferred_ctx_changes (
    void )
```

Go through the list of deferred ctx changes of the current worker and apply any ctx change operation found until the list is empty

6.59 sched_ctx_list.h File Reference

Data Structures

- struct [_starpu_sched_ctx_list](#)
- struct [_starpu_sched_ctx_elt](#)
- struct [_starpu_sched_ctx_list_iterator](#)

Functions

- [struct _starpu_sched_ctx_elt * _starpu_sched_ctx_elt_find](#) (struct [_starpu_sched_ctx_list](#) *list, unsigned sched_ctx) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT
- void [_starpu_sched_ctx_elt_ensure_consistency](#) (struct [_starpu_sched_ctx_list](#) *list, unsigned sched_ctx) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT
- void [_starpu_sched_ctx_elt_init](#) (struct [_starpu_sched_ctx_elt](#) *elt, unsigned sched_ctx) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT
- [struct _starpu_sched_ctx_elt * _starpu_sched_ctx_elt_add_after](#) (struct [_starpu_sched_ctx_list](#) *list, unsigned sched_ctx) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT
- [struct _starpu_sched_ctx_elt * _starpu_sched_ctx_elt_add_before](#) (struct [_starpu_sched_ctx_list](#) *list, unsigned sched_ctx) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT
- [struct _starpu_sched_ctx_elt * _starpu_sched_ctx_elt_add](#) (struct [_starpu_sched_ctx_list](#) *list, unsigned sched_ctx) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT
- void [_starpu_sched_ctx_elt_remove](#) (struct [_starpu_sched_ctx_list](#) *list, struct [_starpu_sched_ctx_elt](#) *elt) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT
- int [_starpu_sched_ctx_elt_exists](#) (struct [_starpu_sched_ctx_list](#) *list, unsigned sched_ctx) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT
- int [_starpu_sched_ctx_elt_get_priority](#) (struct [_starpu_sched_ctx_list](#) *list, unsigned sched_ctx) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT
- [struct _starpu_sched_ctx_list * _starpu_sched_ctx_list_find](#) (struct [_starpu_sched_ctx_list](#) *list, unsigned prio) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT
- [struct _starpu_sched_ctx_elt * _starpu_sched_ctx_list_add_prio](#) (struct [_starpu_sched_ctx_list](#) **list, unsigned prio, unsigned sched_ctx) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT
- int [_starpu_sched_ctx_list_add](#) (struct [_starpu_sched_ctx_list](#) **list, unsigned sched_ctx) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT
- void [_starpu_sched_ctx_list_remove_elt](#) (struct [_starpu_sched_ctx_list](#) **list, struct [_starpu_sched_ctx_elt](#) *rm) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT
- int [_starpu_sched_ctx_list_remove](#) (struct [_starpu_sched_ctx_list](#) **list, unsigned sched_ctx) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT
- int [_starpu_sched_ctx_list_move](#) (struct [_starpu_sched_ctx_list](#) **list, unsigned sched_ctx, unsigned prio_to) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT
- int [_starpu_sched_ctx_list_exists](#) (struct [_starpu_sched_ctx_list](#) *list, unsigned prio) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT
- void [_starpu_sched_ctx_list_remove_all](#) (struct [_starpu_sched_ctx_list](#) *list) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT
- void [_starpu_sched_ctx_list_delete](#) (struct [_starpu_sched_ctx_list](#) **list) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT
- int [_starpu_sched_ctx_list_push_event](#) (struct [_starpu_sched_ctx_list](#) *list, unsigned sched_ctx)
- int [_starpu_sched_ctx_list_pop_event](#) (struct [_starpu_sched_ctx_list](#) *list, unsigned sched_ctx)
- int [_starpu_sched_ctx_list_pop_all_event](#) (struct [_starpu_sched_ctx_list](#) *list, unsigned sched_ctx)
- int [_starpu_sched_ctx_list_iterator_init](#) (struct [_starpu_sched_ctx_list](#) *list, struct [_starpu_sched_ctx_list_iterator](#) *it) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT
- int [_starpu_sched_ctx_list_iterator_has_next](#) (struct [_starpu_sched_ctx_list_iterator](#) *it) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT
- [struct _starpu_sched_ctx_elt * _starpu_sched_ctx_list_iterator_get_next](#) (struct [_starpu_sched_ctx_list_iterator](#) *it) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT

6.59.1 Data Structure Documentation

6.59.1.1 struct _starpu_sched_ctx_list

Data Fields

struct _starpu_sched_ctx_list *	prev	
struct _starpu_sched_ctx_list *	next	
struct _starpu_sched_ctx_elt *	head	
unsigned	priority	

6.59.1.2 struct _starpu_sched_ctx_elt

Represents a circular list of sched context.

Data Fields

struct _starpu_sched_ctx_elt *	prev	
struct _starpu_sched_ctx_elt *	next	
struct _starpu_sched_ctx_list *	parent	
unsigned	sched_ctx	
long	task_number	
unsigned	last_poped	

6.59.1.3 struct _starpu_sched_ctx_list_iterator

Data Fields

struct _starpu_sched_ctx_list *	list_head	
struct _starpu_sched_ctx_elt *	cursor	

6.59.2 Function Documentation

6.59.2.1 _starpu_sched_ctx_elt_find()

```
struct _starpu_sched_ctx_elt * _starpu_sched_ctx_elt_find (
    struct _starpu_sched_ctx_list * list,
    unsigned sched_ctx )
```

Element (sched_ctx) level operations

6.59.2.2 _starpu_sched_ctx_list_find()

```
struct _starpu_sched_ctx_list * _starpu_sched_ctx_list_find (
    struct _starpu_sched_ctx_list * list,
    unsigned prio )
```

List (priority) level operations

6.59.2.3 _starpu_sched_ctx_list_push_event()

```
int _starpu_sched_ctx_list_push_event (
    struct _starpu_sched_ctx_list * list,
    unsigned sched_ctx )
```

Task number management

6.59.2.4 _starpu_sched_ctx_list_iterator_init()

```
int _starpu_sched_ctx_list_iterator_init (
    struct _starpu_sched_ctx_list * list,
    struct _starpu_sched_ctx_list_iterator * it )
```

Iterator operations

6.60 sched_policy.h File Reference

```
#include <starpu.h>
#include <signal.h>
#include <core/workers.h>
#include <core/sched_ctx.h>
#include <starpu_scheduler.h>
#include <core/simgrid.h>
```

Macros

- `#define _STARPU_SCHED_BEGIN`
- `#define _STARPU_SCHED_END`
- `#define _STARPU_TASK_BREAK_ON(task, what)`

Functions

- `void _starpu_sched_init (void)`
- `struct starpu_sched_policy * _starpu_get_sched_policy (struct _starpu_sched_ctx *sched_ctx)`
- `void _starpu_init_sched_policy (struct _starpu_machine_config *config, struct _starpu_sched_ctx *sched_ctx, struct starpu_sched_policy *policy)`
- `void _starpu_deinit_sched_policy (struct _starpu_sched_ctx *sched_ctx)`
- `struct starpu_sched_policy * _starpu_select_sched_policy (struct _starpu_machine_config *config, const char *required_policy)`
- `void _starpu_sched_task_submit (struct starpu_task *task)`
- `void _starpu_sched_do_schedule (unsigned sched_ctx_id)`
- `int _starpu_push_task (struct _starpu_job *task)`
- `int _starpu_repush_task (struct _starpu_job *task)`
- `int _starpu_push_task_to_workers (struct starpu_task *task)`
- `struct starpu_task * _starpu_pop_task (struct _starpu_worker *worker)`
- `void _starpu_sched_post_exec_hook (struct starpu_task *task)`
- `int _starpu_pop_task_end (struct starpu_task *task)`
- `struct starpu_task * _starpu_create_conversion_task (starpu_data_handle_t handle, unsigned int node) STARPU_ATTRIBUTE_MALLOC`
- `struct starpu_task * _starpu_create_conversion_task_for_arch (starpu_data_handle_t handle, enum starpu_node_kind node_kind) STARPU_ATTRIBUTE_MALLOC`
- `void _starpu_sched_pre_exec_hook (struct starpu_task *task)`
- `void _starpu_print_idle_time ()`

Variables

- `struct starpu_sched_policy _starpu_sched_lws_policy`
- `struct starpu_sched_policy _starpu_sched_ws_policy`
- `struct starpu_sched_policy _starpu_sched_prio_policy`
- `struct starpu_sched_policy _starpu_sched_random_policy`
- `struct starpu_sched_policy _starpu_sched_dm_policy`
- `struct starpu_sched_policy _starpu_sched_dmda_policy STARPU_ATTRIBUTE_VISIBILITY_DEFAULT`
- `struct starpu_sched_policy _starpu_sched_dmda_prio_policy`

- `struct` `starpu_sched_policy` `_starpu_sched_dmda_ready_policy`
- `struct` `starpu_sched_policy` `_starpu_sched_dmda_sorted_policy`
- `struct` `starpu_sched_policy` `_starpu_sched_dmda_sorted_decision_policy`
- `struct` `starpu_sched_policy` `_starpu_sched_eager_policy`
- `struct` `starpu_sched_policy` `_starpu_sched_peager_policy`
- `struct` `starpu_sched_policy` `_starpu_sched_heteroprio_policy`
- `struct` `starpu_sched_policy` `_starpu_sched_modular_eager_policy`
- `struct` `starpu_sched_policy` `_starpu_sched_modular_eager_prefetching_policy`
- `struct` `starpu_sched_policy` `_starpu_sched_modular_eager_prio_policy`
- `struct` `starpu_sched_policy` `_starpu_sched_modular_gemm_policy`
- `struct` `starpu_sched_policy` `_starpu_sched_modular_prio_policy`
- `struct` `starpu_sched_policy` `_starpu_sched_modular_prio_prefetching_policy`
- `struct` `starpu_sched_policy` `_starpu_sched_modular_random_policy`
- `struct` `starpu_sched_policy` `_starpu_sched_modular_random_prio_policy`
- `struct` `starpu_sched_policy` `_starpu_sched_modular_random_prefetching_policy`
- `struct` `starpu_sched_policy` `_starpu_sched_modular_random_prio_prefetching_policy`
- `struct` `starpu_sched_policy` `_starpu_sched_modular_parallel_random_policy`
- `struct` `starpu_sched_policy` `_starpu_sched_modular_parallel_random_prio_policy`
- `struct` `starpu_sched_policy` `_starpu_sched_modular_ws_policy`
- `struct` `starpu_sched_policy` `_starpu_sched_modular_heft_policy`
- `struct` `starpu_sched_policy` `_starpu_sched_modular_heft_prio_policy`
- `struct` `starpu_sched_policy` `_starpu_sched_modular_heft2_policy`
- `struct` `starpu_sched_policy` `_starpu_sched_modular_heteroprio_policy`
- `struct` `starpu_sched_policy` `_starpu_sched_modular_heteroprio_heft_policy`
- `struct` `starpu_sched_policy` `_starpu_sched_modular_parallel_heft_policy`
- `struct` `starpu_sched_policy` `_starpu_sched_graph_test_policy`
- `struct` `starpu_sched_policy` `_starpu_sched_tree_heft_hierarchical_policy`
- `long` `_starpu_task_break_on_push`
- `long` `_starpu_task_break_on_sched`
- `long` `_starpu_task_break_on_pop`
- `long` `_starpu_task_break_on_exec`

6.60.1 Function Documentation

6.60.1.1 `_starpu_push_task_to_workers()`

```
int _starpu_push_task_to_workers (
    struct starpu_task * task )
```

actually pushes the tasks to the specific worker or to the scheduler

6.60.1.2 `_starpu_pop_task()`

```
struct starpu_task * _starpu_pop_task (
    struct _starpu_worker * worker )
```

pop a task that can be executed on the worker

6.61 `simgrid.h` File Reference

```
#include <xbt/xbt_os_time.h>
```

Data Structures

- `struct` `_starpu_pthread_args`

Macros

- #define **_STARPU_SIMGRID_MAIN_RETURN**
- #define **MAX_TSD**
- #define **STARPU_MPI_AS_PREFIX**
- #define **_starpu_simgrid_running_smpi()**
- #define **_starpu_simgrid_cuda_malloc_cost()**
- #define **_starpu_simgrid_cuda_queue_cost()**
- #define **_starpu_simgrid_task_submit_cost()**
- #define **_starpu_simgrid_task_push_cost()**
- #define **_starpu_simgrid_fetching_input_cost()**
- #define **_starpu_simgrid_sched_cost()**
- #define **_SIMGRID_TIMER_BEGIN**(cond)
- #define **_SIMGRID_TIMER_END**
- #define **_starpu_simgrid_data_new**(size)
- #define **_starpu_simgrid_data_increase**(size)
- #define **_starpu_simgrid_data_alloc**(size)
- #define **_starpu_simgrid_data_free**(size)
- #define **_starpu_simgrid_data_transfer**(size, src_node, dst_node)

Typedefs

- typedef int **_starpu_simgrid_main_ret**
- typedef SD_link_t **starpu_sg_link_t**

Functions

- **_starpu_simgrid_main_ret _starpu_simgrid_thread_start** (int argc, char *argv[])
- void **_starpu_start_simgrid** (int *argc, char ***argv)
- void **_starpu_simgrid_init_early** (int *argc, char ***argv)
- void **_starpu_simgrid_init** (void)
- void **_starpu_simgrid_cpp_init** (void)
- void **_starpu_simgrid_deinit** (void)
- void **_starpu_simgrid_deinit_late** (void)
- void **_starpu_simgrid_actor_setup** (void)
- void **_starpu_simgrid_wait_tasks** (int workerid)
- void **_starpu_simgrid_submit_job** (int workerid, int sched_ctx_id, [struct _starpu_job](#) *job, [struct](#) starpu ↔
perfmodel_arch *perf_arch, double length, double energy, unsigned *finished)
- int **_starpu_simgrid_transfer** (size_t size, unsigned src_node, unsigned dst_node, [struct](#) _starpu_data ↔
request *req)
- int **_starpu_simgrid_wait_transfer_event** (void *event)
- int **_starpu_simgrid_test_transfer_event** (void *event)
- void **_starpu_simgrid_sync_gpus** (void)
- int **_starpu_simgrid_get_nbhosts** (const char *prefix)
- unsigned long long **_starpu_simgrid_get_memsizes** (const char *prefix, unsigned devid)
- const char * **_starpu_simgrid_get_devname** (const char *prefix, unsigned devid)
- starpu_sg_host_t **_starpu_simgrid_get_host_by_name** (const char *name)
- starpu_sg_host_t **_starpu_simgrid_get_memnode_host** (unsigned node)
- starpu_sg_host_t **_starpu_simgrid_get_host_by_worker** ([struct _starpu_worker](#) *worker)
- void **_starpu_simgrid_get_platform_path** (int version, char *path, size_t maxlen)
- msg_as_t **_starpu_simgrid_get_as_by_name** (const char *name)
- int **starpu_mpi_world_rank** (void)
- int **_starpu_mpi_simgrid_init** (int argc, char *argv[])
- void **_starpu_simgrid_count_gpus** (void)
- void **_starpu_simgrid_set_stack_size** (size_t stack_size)
- void **_starpu_simgrid_xbt_thread_create** (const char *name, starpu_pthread_attr_t *attr, void_f_pvoid_t
code, void *param)

Variables

- `starpu_pthread_queue_t _starpu_simgrid_transfer_queue` [[STARPU_MAXNODES](#)]
- `starpu_pthread_queue_t _starpu_simgrid_task_queue` [[STARPU_NMAXWORKERS](#)]
- `size_t _starpu_default_stack_size`

6.61.1 Macro Definition Documentation

6.61.1.1 `_starpu_simgrid_data_new`

```
#define _starpu_simgrid_data_new(  
    size )
```

Experimental functions for OOC stochastic analysis

6.61.2 Function Documentation

6.61.2.1 `_starpu_simgrid_get_nbhosts()`

```
int _starpu_simgrid_get_nbhosts (  
    const char * prefix )
```

Return the number of hosts prefixed by PREFIX

6.61.2.2 `_starpu_simgrid_count_ngpus()`

```
void _starpu_simgrid_count_ngpus (  
    void )
```

Called at initialization to count how many GPUs are interfering with each bus

6.62 `sink_common.h` File Reference

```
#include <common/config.h>
```

6.63 `sort_data_handles.h` File Reference

```
#include <starpu.h>  
#include <common/config.h>  
#include <stdlib.h>  
#include <stdarg.h>  
#include <core/jobs.h>  
#include <datawizard/coherency.h>  
#include <datawizard/memalloc.h>
```

Functions

- void `_starpu_sort_task_handles` ([struct _starpu_data_descr](#) descr[], unsigned nbuffers)
- int `_starpu_handles_same_root` ([starpu_data_handle_t](#) dataA, [starpu_data_handle_t](#) dataB)

6.63.1 Function Documentation

6.63.1.1 `_starpu_sort_task_handles()`

```
void _starpu_sort_task_handles (
    struct _starpu_data_descr descr[],
    unsigned nbuffers )
```

To avoid deadlocks, we reorder the different buffers accessed to by the task so that we always grab the rw-lock associated to the handles in the same order.

6.63.1.2 `_starpu_handles_same_root()`

```
int _starpu_handles_same_root (
    starpu_data_handle_t dataA,
    starpu_data_handle_t dataB )
```

The reordering however puts alongside some different handles, just because they have the same root. When avoiding to lock/acquire/load the same handle several times, we need to keep looking among those.

6.64 `source_common.h` File Reference

6.65 `starpu_parallel_worker_create.h` File Reference

```
#include <starpu.h>
#include <core/workers.h>
#include <common/list.h>
#include <string.h>
#include <omp.h>
#include <mkl_service.h>
```

Data Structures

- struct [starpu_parallel_worker_config](#)
- struct [starpu_parallel_worker_parameters](#)

6.65.1 Data Structure Documentation

6.65.1.1 struct `starpu_parallel_worker_config`

Data Fields

unsigned	id	
hwloc_topology_t	topology	
unsigned	nparallel_workers	
unsigned	ngroups	
struct _starpu_parallel_worker_group_list *	groups	
struct _starpu_parallel_worker_parameters *	params	

6.66 `starpu_data_cpy.h` File Reference

```
#include <starpu.h>
```

Functions

- int **`_starpu_data_cpy`** (starpu_data_handle_t dst_handle, starpu_data_handle_t src_handle, int asynchronous, void(*callback_func)(void *), void *callback_arg, int reduction, struct starpu_task *reduction_↵

dep_task, int priority)

6.67 starpu_debug_helpers.h File Reference

```
#include <starpu.h>
#include <starpu_config.h>
#include <starpu_util.h>
```

Functions

- void [_starpu_benchmark_ping_pong](#) (starpu_data_handle_t handle, unsigned node0, unsigned node1, unsigned niter) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT
- void [_starpu_debug_display_structures_size](#) (FILE *stream) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT

6.67.1 Function Documentation

6.67.1.1 _starpu_benchmark_ping_pong()

```
void _starpu_benchmark_ping_pong (
    starpu_data_handle_t handle,
    unsigned node0,
    unsigned node1,
    unsigned niter )
```

Perform a ping pong between the two memory nodes

6.67.1.2 _starpu_debug_display_structures_size()

```
void _starpu_debug_display_structures_size (
    FILE * stream )
```

Display the size of different data structures

6.68 starpu_fxt.h File Reference

```
#include <starpu.h>
#include <starpu_config.h>
#include <common/config.h>
```

6.69 starpu_spinlock.h File Reference

```
#include <errno.h>
#include <stdint.h>
#include <common/config.h>
#include <common/fxt.h>
#include <common/thread.h>
#include <starpu.h>
```

Data Structures

- struct [_starpu_spinlock](#)

Macros

- `#define _starpu_spin_destroy(_lock)`
- `#define _starpu_spin_checklocked(_lock)`
- `#define _starpu_spin_lock(lock)`
- `#define _starpu_spin_trylock(lock)`
- `#define _starpu_spin_unlock(lock)`
- `#define STARPU_SPIN_MAXTRY`

Functions

- `static int _starpu_spin_init (struct _starpu_spinlock *lock)`
- `static int __starpu_spin_lock (struct _starpu_spinlock *lock, const char *file STARPU_ATTRIBUTE_UNUSED, int line STARPU_ATTRIBUTE_UNUSED, const char *func STARPU_ATTRIBUTE_UNUSED)`
- `static int __starpu_spin_trylock (struct _starpu_spinlock *lock, const char *file STARPU_ATTRIBUTE_UNUSED, int line STARPU_ATTRIBUTE_UNUSED, const char *func STARPU_ATTRIBUTE_UNUSED)`
- `static int __starpu_spin_unlock (struct _starpu_spinlock *lock, const char *file STARPU_ATTRIBUTE_UNUSED, int line STARPU_ATTRIBUTE_UNUSED, const char *func STARPU_ATTRIBUTE_UNUSED)`

6.69.1 Data Structure Documentation

6.69.1.1 struct _starpu_spinlock

Data Fields

starpu_pthread_spinlock_t	lock	
---------------------------	------	--

6.70 starpu_task_insert_utils.h File Reference

```
#include <stdlib.h>
#include <stdarg.h>
#include <starpu.h>
```

Typedefs

- `typedef void(* _starpu_callback_func_t) (void *)`

Functions

- `int _starpu_task_insert_create (struct starpu_codelet *cl, struct starpu_task *task, va_list varg_list) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT`
- `int _fstarpu_task_insert_create (struct starpu_codelet *cl, struct starpu_task *task, void **arglist) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT`

6.71 tags.h File Reference

```
#include <starpu.h>
#include <common/config.h>
#include <common/starpu_spinlock.h>
#include <core/dependencies/cg.h>
```

Data Structures

- `struct _starpu_tag`

Macros

- `#define _STARPU_TAG_SIZE`

Enumerations

- `enum _starpu_tag_state` {
`STARPU_INVALID_STATE` , `STARPU_ASSOCIATED` , `STARPU_BLOCKED` , `STARPU_READY` ,
`STARPU_DONE` }

Functions

- `void _starpu_init_tags` (void)
- `void _starpu_notify_tag_dependencies` (`struct _starpu_tag` *tag)
- `void _starpu_notify_job_start_tag_dependencies` (`struct _starpu_tag` *tag, `_starpu_notify_job_start_data` *data)
- `void _starpu_tag_declare` (`starpu_tag_t` id, `struct _starpu_job` *job)
- `void _starpu_tag_set_ready` (`struct _starpu_tag` *tag)
- `void _starpu_tag_clear` (void)

6.71.1 Data Structure Documentation

6.71.1.1 `struct _starpu_tag`

Data Fields

<code>struct _starpu_spinlock</code>	lock	Lock for this structure. Locking order is in dependency order: a tag must not be locked before locking a tag it depends on
<code>starpu_tag_t</code>	id	an identifier for the task
<code>enum _starpu_tag_state</code>	state	
<code>struct _starpu_cg_list</code>	tag_successors	
<code>struct _starpu_job *</code>	job	which job is associated to the tag if any ?
unsigned	is_assigned	
unsigned	is_submitted	

6.71.2 Enumeration Type Documentation

6.71.2.1 `_starpu_tag_state`

`enum _starpu_tag_state`

Enumerator

<code>STARPU_INVALID_STATE</code>	this tag is not declared by any task
<code>STARPU_ASSOCIATED</code>	<code>_starpu_tag_declare</code> was called to associate the tag to a task
<code>STARPU_BLOCKED</code>	some task dependencies are not fulfilled yet
<code>STARPU_READY</code>	the task can be (or has been) submitted to the scheduler (all deps fulfilled)
<code>STARPU_DONE</code>	the task has been performed

6.71.3 Function Documentation

6.71.3.1 `_starpu_tag_set_ready()`

```
void _starpu_tag_set_ready (
    struct _starpu_tag * tag )
```

lock should be taken, and this releases it

6.72 task.h File Reference

```
#include <starpu.h>
#include <common/config.h>
#include <core/jobs.h>
#include <common/starpu_spinlock.h>
```

Data Structures

- struct `_starpu_trs_epoch`
- struct `starpu_transaction`

Macros

- `#define _STARPU_JOB_UNSET`
- `#define _STARPU_JOB_SETTING`
- `#define _STARPU_TASK_SET_INTERFACE(task, interface, i)`
- `#define _STARPU_TASK_GET_INTERFACES(task)`

Enumerations

- enum `_starpu_trs_state` { `_starpu_trs_uninitialized` , `_starpu_trs_initialized` }
- enum `_starpu_trs_epoch_state` { `_starpu_trs_epoch_uninitialized` , `_starpu_trs_epoch_inactive` , `_starpu_trs_epoch_confirmed` , `_starpu_trs_epoch_cancelled` , `_starpu_trs_epoch_terminated` }

Functions

- void `_starpu_task_destroy` (struct `starpu_task` *task)
- int `_starpu_task_test_termination` (struct `starpu_task` *task)
- void `_starpu_task_init` (void)
- void `_starpu_task_deinit` (void)
- void `_starpu_set_current_task` (struct `starpu_task` *task)
- int `_starpu_submit_job` (struct `_starpu_job` *j, int nodeps)
- void `_starpu_task_declare_deps_array` (struct `starpu_task` *task, unsigned ndeps, struct `starpu_task` *task_array[], int check)
- struct `_starpu_job` * `_starpu_get_job_associated_to_task_slow` (struct `starpu_task` *task, struct `_starpu_job` *job)
- static struct `_starpu_job` * `_starpu_get_job_associated_to_task` (struct `starpu_task` *task)
- int `_starpu_task_submit_internally` (struct `starpu_task` *task)
- int `_starpu_handle_needs_conversion_task` (starpu_data_handle_t handle, unsigned int node)
- int `_starpu_handle_needs_conversion_task_for_arch` (starpu_data_handle_t handle, enum `starpu_node_kind` node_kind)
- void `_starpu_task_prepare_for_continuation_ext` (unsigned continuation_resubmit, void(*continuation_↵ callback_on_sleep)(void *arg), void *continuation_callback_on_sleep_arg)
- void `_starpu_task_prepare_for_continuation` (void)
- void `_starpu_task_set_omp_cleanup_callback` (struct `starpu_task` *task, void(*omp_cleanup_↵ callback)(void *arg), void *omp_cleanup_callback_arg)

- `int _starpu_task_uses_multiformat_handles` (`struct starpu_task *task`)
- `int _starpu_task_submit_conversion_task` (`struct starpu_task *task`, unsigned int workerid)
- `void _starpu_task_check_deprecated_fields` (`struct starpu_task *task`)
- `void _starpu_codelet_check_deprecated_fields` (`struct starpu_codelet *cl`)
- `static starpu_cpu_func_t _starpu_task_get_cpu_nth_implementation` (`struct starpu_codelet *cl`, unsigned nimpl)
- `static starpu_cuda_func_t _starpu_task_get_cuda_nth_implementation` (`struct starpu_codelet *cl`, unsigned nimpl)
- `static starpu_hip_func_t _starpu_task_get_hip_nth_implementation` (`struct starpu_codelet *cl`, unsigned nimpl)
- `static starpu_opencl_func_t _starpu_task_get_opencl_nth_implementation` (`struct starpu_codelet *cl`, unsigned nimpl)
- `static starpu_max_fpga_func_t _starpu_task_get_fpga_nth_implementation` (`struct starpu_codelet *cl`, unsigned nimpl)
- `static const char * _starpu_task_get_cpu_name_nth_implementation` (`struct starpu_codelet *cl`, unsigned nimpl)
- `void _starpu_watchdog_init` (void)
- `void _starpu_watchdog_shutdown` (void)
- `int _starpu_task_wait_for_all_and_return_nb_waited_tasks` (void)
- `int _starpu_task_wait_for_all_in_ctx_and_return_nb_waited_tasks` (unsigned sched_ctx)

6.72.1 Data Structure Documentation

6.72.1.1 `struct _starpu_trs_epoch`

Data Fields

enum <code>_starpu_trs_epoch_state</code>	state	
int	do_sync	if 1, the epoch entry task will wait on some user-supplied handle TODO: only used for first epoch on transaction opening for now, add for next epoch
int	is_begin	if 1, the epoch is the first of the transaction
int	is_end	if 1, the epoch will be the last, and the transaction will be closed after its execution
void *	do_start_arg	inline argument supplied by the user and passed to the user function deciding whether to start or cancel the epoch execution

6.72.2 Enumeration Type Documentation

6.72.2.1 `_starpu_trs_state`

enum `_starpu_trs_state`
transaction states

6.72.2.2 `_starpu_trs_epoch_state`

enum `_starpu_trs_epoch_state`
transaction epoch states

Enumerator

<code>_starpu_trs_epoch_inactive</code>	epoch is initialized but its entry task has not yet been executed to decide whether to confirm or cancel its execution
<code>_starpu_trs_epoch_confirmed</code>	epoch has been confirmed for execution, its tasks will be actually executed

Enumerator

<code>_starpu_trs_epoch_cancelled</code>	epoch has been cancelled, its task will be skipped
<code>_starpu_trs_epoch_terminated</code>	the exit task of the epoch has been executed

6.72.3 Function Documentation

6.72.3.1 __starpu_task_destroy()

```
void __starpu_task_destroy (
    struct starpu_task * task )
```

Internal version of `starpu_task_destroy`: don't check `task->destroy` flag

6.72.3.2 __starpu_task_test_termination()

```
int __starpu_task_test_termination (
    struct starpu_task * task )
```

Test for the termination of the task. Call `starpu_task_destroy` if required and the task is terminated.

6.72.3.3 __starpu_task_init()

```
void __starpu_task_init (
    void )
```

A pthread key is used to store the task currently executed on the thread. `__starpu_task_init` initializes this pthread key and `__starpu_set_current_task` updates its current value.

6.72.3.4 __starpu_get_job_associated_to_task_slow()

```
struct __starpu_job * __starpu_get_job_associated_to_task_slow (
    struct starpu_task * task,
    struct __starpu_job * job )
```

Returns the job structure (which is the internal data structure associated to a task).

6.72.3.5 __starpu_task_submit_internally()

```
int __starpu_task_submit_internally (
    struct starpu_task * task )
```

Submits starpu internal tasks to the initial context

6.72.3.6 __starpu_task_prepare_for_continuation_ext()

```
void __starpu_task_prepare_for_continuation_ext (
    unsigned continuation_resubmit,
    void(*) (void *arg) continuation_callback_on_sleep,
    void * continuation_callback_on_sleep_arg )
```

Prepare the current task for accepting new dependencies before becoming a continuation.

6.73 task_bundle.h File Reference

```
#include <starpu_thread.h>
```

Data Structures

- struct [_starpu_task_bundle_entry](#)
- struct [_starpu_task_bundle](#)
- struct [_starpu_handle_list](#)

Functions

- void [_starpu_task_bundle_destroy](#) (starpu_task_bundle_t bundle)
- void [_starpu_insertion_handle_sorted](#) (struct [_starpu_handle_list](#) **listp, starpu_data_handle_t handle, enum starpu_data_access_mode mode)

6.73.1 Data Structure Documentation

6.73.1.1 struct [_starpu_task_bundle_entry](#)

6.73.2 struct [_starpu_task_bundle_entry](#)

6.73.3 Purpose

Structure used to describe a linked list containing tasks in [_starpu_task_bundle](#).

6.73.4 Fields

task Pointer to the task structure.

next Pointer to the next element in the linked list.

Data Fields

struct starpu_task *	task	
struct _starpu_task_bundle_entry *	next	

6.73.4.1 struct [_starpu_task_bundle](#)

6.73.5 struct [_starpu_task_bundle](#)

6.73.6 Purpose

Structure describing a list of tasks that should be scheduled on the same worker whenever it's possible. It must be considered as a hint given to the scheduler as there is no guarantee that they will be executed on the same worker.

6.73.7 Fields

mutex Mutex protecting the structure.

list Array of tasks included in the bundle.

closed Used to know if the user is still willing to add/remove some tasks in the bundle. Especially useful for the runtime to know whether it is safe to destroy a bundle.

Data Fields

starpu_pthread_mutex_t	mutex	Mutex protecting the bundle
struct _starpu_task_bundle_entry *	list	
int	closed	

6.73.7.1 struct _starpu_handle_list**6.73.8 struct _starpu_handle_list****6.73.9 Purpose**

Structure describing a list of handles sorted by address to speed-up when looking for an element. The list cannot contain duplicate handles.

6.73.10 Fields

handle Pointer to the handle structure.

access_mode Total access mode over the whole bundle.

next Pointer to the next element in the linked list.

Data Fields

starpu_data_handle_t	handle	
enum starpu_data_access_mode	mode	
struct _starpu_handle_list *	next	

6.73.11 Function Documentation**6.73.11.1 _starpu_task_bundle_destroy()**

```
void _starpu_task_bundle_destroy (
    starpu_task_bundle_t bundle )
```

6.73.12 _starpu_task_bundle_destroy**6.73.13 Purpose**

Destroy and deinitialize a bundle, memory previously allocated is freed.

6.73.14 Arguments

bundle (input) Bundle to destroy.

6.73.14.1 _starpu_insertion_handle_sorted()

```
void _starpu_insertion_handle_sorted (
    struct \_starpu\_handle\_list ** listp,
    starpu_data_handle_t handle,
    enum starpu_data_access_mode mode )
```

6.73.15 _starpu_insertion_handle_sorted**6.73.16 Purpose**

Insert an handle in a [_starpu_handle_list](#), elements are sorted in increasing order, considering their physical address. As the list doesn't accept duplicate elements, a handle with the same address as an handle contained in the list is not inserted, but its mode access is merged with the one of the latter.

6.73.17 Arguments

listp (input, output) Pointer to the first element of the list. In the case of an empty list or an inserted handle with small address, it should have changed when the call returns.

handle (input) Handle to insert in the list.

mode (input) Access mode of the handle.

6.74 thread.h File Reference

```
#include <common/utils.h>
#include <core/simgrid.h>
```

Macros

- `#define starpu_thread_spin_init`
- `#define starpu_thread_spin_destroy`
- `#define starpu_thread_spin_lock`
- `#define starpu_thread_spin_trylock`
- `#define starpu_thread_spin_unlock`

Functions

- `static int _starpu_thread_spin_init (starpu_thread_spinlock_t *lock, int pshared STARPU_ATTRIBUTE_UNUSED)`
- `static int _starpu_thread_spin_destroy (starpu_thread_spinlock_t *lock STARPU_ATTRIBUTE_UNUSED)`
- `static int _starpu_thread_spin_lock (starpu_thread_spinlock_t *lock)`
- `static void _starpu_thread_spin_checklocked (starpu_thread_spinlock_t *lock STARPU_ATTRIBUTE_UNUSED)`
- `static int _starpu_thread_spin_trylock (starpu_thread_spinlock_t *lock)`
- `static int _starpu_thread_spin_unlock (starpu_thread_spinlock_t *lock)`

6.75 timing.h File Reference

```
#include <stdint.h>
#include <common/config.h>
#include <starpu.h>
#include <starpu_util.h>
```

Functions

- `void _starpu_timing_init (void)`
- `void _starpu_clock_gettime (struct timespec *ts) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT`

6.75.1 Function Documentation

6.75.1.1 _starpu_timing_init()

```
void _starpu_timing_init (
    void )
```

_starpu_timing_init must be called prior to using any of these timing functions.

6.76 topology.h File Reference

```
#include <starpu.h>
#include <common/config.h>
#include <common/list.h>
#include <common/fxt.h>
#include <common/uthash.h>
```

Macros

- #define [ALLOC_WORKER_SET](#)
- #define [DEVID_PER_WORKER](#)
- #define **STARPU_NOWORKERID**
- #define **STARPU_ACTIVETHREAD**
- #define **STARPU_NONACTIVETHREAD**

Functions

- int [_starpu_build_topology](#) (struct [_starpu_machine_config](#) *config, int no_mp_config)
- void [_starpu_initialize_workers_deviceid](#) (int *explicit_workers_gpuid, int *current, int *workers_gpuid, const char *varname, unsigned nhwgpuid, enum [starpu_worker_archtype](#) type)
- int [_starpu_get_next_devid](#) (struct [_starpu_machine_topology](#) *topology, struct [_starpu_machine_config](#) *config, enum [starpu_worker_archtype](#) arch)
- void [_starpu_topology_check_ndevices](#) (int *ndevices, unsigned nhwdevices, int overflow, unsigned max, int reserved, const char *nname, const char *dname, const char *configurename)
- void [_starpu_topology_configure_workers](#) (struct [_starpu_machine_topology](#) *topology, struct [_starpu_machine_config](#) *config, enum [starpu_worker_archtype](#) type, int devnum, int devid, int homogeneous, int worker_devid, unsigned nworker_per_device, unsigned ncores, struct [_starpu_worker_set](#) *worker_set, struct [_starpu_worker_set](#) *driver_worker_set)
- unsigned [_starpu_get_next_bindid](#) (struct [_starpu_machine_config](#) *config, unsigned flags, unsigned *preferred_binding, unsigned npreferred)
- void [_starpu_destroy_machine_config](#) (struct [_starpu_machine_config](#) *config, int no_mp_config)
- void [_starpu_destroy_topology](#) (struct [_starpu_machine_config](#) *config)
- hwloc_obj_t [_starpu_numa_get_obj](#) (hwloc_obj_t obj)
- unsigned [_starpu_topology_get_nhwcpu](#) (struct [_starpu_machine_config](#) *config)
- unsigned [_starpu_topology_get_nhwpu](#) (struct [_starpu_machine_config](#) *config)
- unsigned [_starpu_topology_get_nhwnumanodes](#) (struct [_starpu_machine_config](#) *config)
- unsigned [_starpu_topology_get_nnumanodes](#) (struct [_starpu_machine_config](#) *config)
- unsigned [_starpu_topology_get_numa_core_binding](#) (struct [_starpu_machine_config](#) *config, const unsigned *numa_binding, unsigned nnuma, unsigned *binding, unsigned nbinding)
- int **starpu_memory_nodes_numa_hwloclogid_to_id** (int logid)
- int [_starpu_get_logical_numa_node_worker](#) (unsigned workerid)
- unsigned [_starpu_get_nhyperthreads](#) () STARPU_ATTRIBUTE_VISIBILITY_DEFAULT
- void [_starpu_topology_filter](#) (hwloc_topology_t topology)
- int [_starpu_bind_thread_on_cpu](#) (int cpuid, int workerid, const char *name)
- void [_starpu_bind_thread_on_cpus](#) (struct [_starpu_combined_worker](#) *combined_worker)
- struct [_starpu_worker](#) * [_starpu_get_worker_from_driver](#) (struct [starpu_driver](#) *d)
- unsigned **starpu_memory_nodes_get_numa_count** (void) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT
- int **starpu_memory_nodes_numa_id_to_hwloclogid** (unsigned id)
- int [_starpu_task_data_get_node_on_node](#) (struct [starpu_task](#) *task, unsigned index, unsigned target_node)
- int [_starpu_task_data_get_node_on_worker](#) (struct [starpu_task](#) *task, unsigned index, unsigned worker)

Variables

- unsigned [_starpu_may_bind_automatically](#) [[STARPU_NARCH](#)]

6.76.1 Macro Definition Documentation

6.76.1.1 ALLOC_WORKER_SET

```
#define ALLOC_WORKER_SET
```

Configures the topology according to the desired worker distribution on the device.

- `homogeneous` tells to use `devid 0` for the perfmodel (all devices have the same performance)
- `worker_devid` tells to set a `devid` per worker, and `subworkerid` to 0, rather than sharing the `devid` and giving a different `subworkerid` to each worker. Request to allocate a worker set for each worker

6.76.1.2 DEVID_PER_WORKER

```
#define DEVID_PER_WORKER
```

Request to set a different perfmodel `devid` per worker

6.76.2 Function Documentation

6.76.2.1 __starpup_build_topology()

```
int __starpup_build_topology (
    struct __starpup_machine_config * config,
    int no_mp_config )
```

Detect the number of memory nodes and where to bind the different workers.

6.76.2.2 __starpup_initialize_workers_deviceid()

```
void __starpup_initialize_workers_deviceid (
    int * explicit_workers_gpuid,
    int * current,
    int * workers_gpuid,
    const char * varname,
    unsigned nhwgpupus,
    enum __starpup_worker_archtype type )
```

Initialize a series of workers.

- If `explicit_workers_gpuid` is non-null, it will be used as the list of device IDs of the actual hardware devices to be used.
- If `current` is non-null, it points to the next device ID to be used
- `workers_gpuid` is filled with the set of device IDs actually used in the end
- `varname` is the name of the environment variable that users can use to override the set of device IDs to be used.
- `nhwgpupus` is the number of actual devices available on the system.
- `type` is the type of devices.

6.76.2.3 __starpu_get_next_devid()

```
int __starpu_get_next_devid (
    struct __starpu_machine_topology * topology,
    struct __starpu_machine_config * config,
    enum starpu_worker_archtype arch )
```

Get the next devid for architecture type

6.76.2.4 __starpu_topology_check_ndevices()

```
void __starpu_topology_check_ndevices (
    int * ndevices,
    unsigned nhwdevices,
    int overflow,
    unsigned max,
    int reserved,
    const char * nname,
    const char * dname,
    const char * configurename )
```

Check that *ndevices is not larger than nhwdevices (unless overflow is 1), and is not larger than max. Cap it otherwise, and advise using the configurename ./configure option in the max case.

6.76.2.5 __starpu_get_next_bindid()

```
unsigned __starpu_get_next_bindid (
    struct __starpu_machine_config * config,
    unsigned flags,
    unsigned * preferred_binding,
    unsigned npreferred )
```

This function gets the identifier of the next core on which to bind a worker. In case a list of preferred cores was specified (logical indexes), we look for an available core among the list if possible, otherwise a round-robin policy is used.

6.76.2.6 __starpu_destroy_machine_config()

```
void __starpu_destroy_machine_config (
    struct __starpu_machine_config * config,
    int no_mp_config )
```

Should be called instead of __starpu_destroy_topology when __starpu_build_topology returns a non zero value.

6.76.2.7 __starpu_destroy_topology()

```
void __starpu_destroy_topology (
    struct __starpu_machine_config * config )
```

Destroy all resources used to store the topology of the machine.

6.76.2.8 __starpu_numa_get_obj()

```
hwloc_obj_t __starpu_numa_get_obj (
    hwloc_obj_t obj )
```

Return the hwloc object of the NUMA node corresponding to the given hwloc object

6.76.2.9 __starpu_topology_get_nhwcpu()

```
unsigned __starpu_topology_get_nhwcpu (
    struct __starpu_machine_config * config )
```

returns the number of physical cpus

6.76.2.10 `_starpu_topology_get_nhwpu()`

```
unsigned _starpu_topology_get_nhwpu (
    struct _starpu_machine_config * config )
```

returns the number of logical cpus

6.76.2.11 `_starpu_topology_get_nhwnumanodes()`

```
unsigned _starpu_topology_get_nhwnumanodes (
    struct _starpu_machine_config * config )
```

returns the number of hardware NUMA nodes

6.76.2.12 `_starpu_topology_get_nnumanodes()`

```
unsigned _starpu_topology_get_nnumanodes (
    struct _starpu_machine_config * config )
```

returns the number of NUMA nodes to be exposed by StarPU as memory nodes, can be just 1 when STARPU_USE_NUMA is 0

6.76.2.13 `_starpu_topology_get_numa_core_binding()`

```
unsigned _starpu_topology_get_numa_core_binding (
    struct _starpu_machine_config * config,
    const unsigned * numa_binding,
    unsigned nnuma,
    unsigned * binding,
    unsigned nbinding )
```

given a list of numa nodes (logical indexes) `numa_binding`, fill `binding` with the corresponding cores (logical indexes)

6.76.2.14 `_starpu_get_nhyperthreads()`

```
unsigned _starpu_get_nhyperthreads ( )
```

returns the number of hyperthreads per core

6.76.2.15 `_starpu_topology_filter()`

```
void _starpu_topology_filter (
    hwloc_topology_t topology )
```

Small convenient function to filter hwloc topology depending on HWLOC API version

6.76.2.16 `_starpu_bind_thread_on_cpu()`

```
int _starpu_bind_thread_on_cpu (
    int cpuid,
    int workerid,
    const char * name )
```

Bind the current thread on the CPU logically identified by "cpuid". The logical ordering of the processors is either that of hwloc (if available), or the ordering exposed by the OS.

6.76.2.17 `_starpu_bind_thread_on_cpus()`

```
void _starpu_bind_thread_on_cpus (
    struct _starpu_combined_worker * combined_worker )
```

Bind the current thread on the set of CPUs for the given combined worker.

6.76.2.18 `_starpu_task_data_get_node_on_node()`

```
int _starpu_task_data_get_node_on_node (
    struct starpu_task * task,
```

```
    unsigned index,
    unsigned target_node )
```

Get the memory node for data number *i* when task is to be executed on memory node *target_node*. Returns -1 if the data does not need to be loaded.

6.76.2.19 _starpu_task_data_get_node_on_worker()

```
int _starpu_task_data_get_node_on_worker (
    struct starpu_task * task,
    unsigned index,
    unsigned worker )
```

Get the memory node for data number *i* when task is to be executed on worker *worker*. Returns -1 if the data does not need to be loaded.

6.77 utils.h File Reference

```
#include <common/config.h>
#include <starpu.h>
#include <sys/stat.h>
#include <string.h>
#include <stdlib.h>
#include <math.h>
#include <limits.h>
```

Macros

- #define _STARPU_STRINGIFY(x)
- #define _STARPU_STRINGIFY(x)
- #define DO_CREQ_v_WW(_creqF, _ty1F, _arg1F, _ty2F, _arg2F)
- #define DO_CREQ_v_W(_creqF, _ty1F, _arg1F)
- #define ANNOTATE_HAPPENS_BEFORE(obj)
- #define ANNOTATE_HAPPENS_BEFORE_FORGET_ALL(obj)
- #define ANNOTATE_HAPPENS_AFTER(obj)
- #define VALGRIND_HG_DISABLE_CHECKING(start, len)
- #define VALGRIND_HG_ENABLE_CHECKING(start, len)
- #define VALGRIND_STACK_REGISTER(stackbottom, stacktop)
- #define VALGRIND_STACK_DEREGISTER(id)
- #define RUNNING_ON_VALGRIND
- #define STARPU_RUNNING_ON_VALGRIND
- #define STARPU_HG_DISABLE_CHECKING(variable)
- #define STARPU_HG_ENABLE_CHECKING(variable)
- #define STARPU_DEBUG_PREFIX
- #define _STARPU_UYIELD()
- #define STARPU_VALGRIND_YIELD()
- #define STARPU_UYIELD()
- #define _STARPU_DEBUG(fmt, ...)
- #define _STARPU_DEBUG_NO_HEADER(fmt, ...)
- #define _STARPU_EXTRA_DEBUG(fmt, ...)
- #define _STARPU_LOG_IN()
- #define _STARPU_LOG_OUT()
- #define _STARPU_LOG_OUT_TAG(outtag)
- #define HOST_NAME_MAX
- #define _STARPU_MSG(fmt, ...)
- #define _STARPU_DISP(fmt, ...)
- #define _STARPU_ERROR(fmt, ...)

- `#define _STARPU_DECLTYPE(x)`
- `#define _STARPU_MALLOC(ptr, size)`
- `#define _STARPU_CALLOC(ptr, nmemb, size)`
- `#define _STARPU_REALLOC(ptr, size)`
- `#define _STARPU_IS_ZERO(a)`

Enumerations

- `enum initialization { UNINITIALIZED , CHANGING , INITIALIZED }`

Functions

- `char * _starpu_mkdtmp_internal (char *tmpl) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT`
- `char * _starpu_mkdtmp (char *tmpl) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT`
- `int _starpu_mkpath (const char *s, mode_t mode)`
- `void _starpu_mkpath_and_check (const char *s, mode_t mode) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT`
- `char * _starpu_mktemp (const char *directory, int flags, int *fd)`
- `char * _starpu_mktemp_many (const char *directory, int depth, int flags, int *fd)`
- `void _starpu_rmtmp_many (char *path, int depth)`
- `void _starpu_rmdir_many (char *path, int depth)`
- `int _starpu_fftruncate (FILE *file, size_t length)`
- `int _starpu_ftruncate (int fd, size_t length)`
- `int _starpu_frdlock (FILE *file)`
- `int _starpu_frdunlock (FILE *file)`
- `int _starpu_fwrlock (FILE *file)`
- `int _starpu_fwrunlock (FILE *file)`
- `char * _starpu_get_home_path (void)`
- `void _starpu_gethostname (char *hostname, size_t size) STARPU_ATTRIBUTE_VISIBILITY_DEFAULT`
- `void _starpu_drop_comments (FILE *f)`
- `const char * _starpu_job_get_model_name (struct _starpu_job *j)`
- `const char * _starpu_job_get_task_name (struct _starpu_job *j)`
- `const char * _starpu_codelet_get_model_name (struct starpu_codelet *cl)`
- `const char * _starpu_codelet_get_name (struct starpu_codelet *cl)`
- `int _starpu_check_mutex_deadlock (starpu_pthread_mutex_t *mutex)`
- `void _starpu_util_init (void)`

6.77.1 Function Documentation

6.77.1.1 `_starpu_mktemp_many()`

```
char * _starpu_mktemp_many (
    const char * directory,
    int depth,
    int flags,
    int * fd )
```

This version creates a hierarchy of n temporary directories, useful when creating a lot of temporary files to be stored in the same place

6.77.1.2 `_starpu_drop_comments()`

```
void _starpu_drop_comments (
    FILE * f )
```

If FILE is currently on a comment line, eat it.

6.77.1.3 __starpu_job_get_model_name()

```
const char * __starpu_job_get_model_name (
    struct __starpu_job * j )
```

Returns the symbol associated to that job if any.

6.77.1.4 __starpu_job_get_task_name()

```
const char * __starpu_job_get_task_name (
    struct __starpu_job * j )
```

Returns the name associated to that job if any.

6.77.1.5 __starpu_codelet_get_model_name()

```
const char * __starpu_codelet_get_model_name (
    struct starpu_codelet * cl )
```

Returns the symbol associated to that job if any.

6.77.1.6 __starpu_codelet_get_name()

```
const char * __starpu_codelet_get_name (
    struct starpu_codelet * cl )
```

Returns the name of a codelet, or fallback to the name of the perfmodel.

6.78 uthash.h File Reference

```
#include <string.h>
#include <stddef.h>
#include <inttypes.h>
```

Data Structures

- struct [UT_hash_bucket](#)
- struct [UT_hash_table](#)
- struct [UT_hash_handle](#)

Macros

- #define **DECLTYPE(x)**
- #define **DECLTYPE_ASSIGN(dst, src)**
- #define **UTHASH_VERSION**
- #define **uthash_fatal(msg)**
- #define **uthash_malloc(sz)**
- #define **uthash_free(ptr, sz)**
- #define **uthash_noexpand_fyi(tbl)**
- #define **uthash_expand_fyi(tbl)**
- #define **HASH_INITIAL_NUM_BUCKETS**
- #define **HASH_INITIAL_NUM_BUCKETS_LOG2**
- #define **HASH_BKT_CAPACITY_THRESH**
- #define **ELMT_FROM_HH(tbl, hhptr)**
- #define **HASH_FIND(hh, head, keyptr, keylen, out)**
- #define **HASH_BLOOM_MAKE(tbl)**
- #define **HASH_BLOOM_FREE(tbl)**
- #define **HASH_BLOOM_ADD(tbl, hashv)**
- #define **HASH_BLOOM_TEST(tbl, hashv)**
- #define **HASH_MAKE_TABLE(hh, head)**

- #define **HASH_ADD**(hh, head, fieldname, keylen_in, add)
- #define **HASH_CHECK_KEY**(hh, head, keyptr, keylen, out)
- #define **HASH_ADD_KEYPTR**(hh, head, keyptr, keylen_in, add)
- #define **HASH_TO_BKT**(hashv, num_bkts, bkt)
- #define **HASH_DELETE**(hh, head, delptr)
- #define **HASH_FIND_STR**(head, findstr, out)
- #define **HASH_ADD_STR**(head, strfield, add)
- #define **HASH_FIND_INT**(head, findint, out)
- #define **HASH_ADD_INT**(head, intfield, add)
- #define **HASH_FIND_PTR**(head, findptr, out)
- #define **HASH_ADD_PTR**(head, ptrfield, add)
- #define **HASH_DEL**(head, delptr)
- #define **HASH_FSCK**(hh, head)
- #define **HASH_EMIT_KEY**(hh, head, keyptr, fieldlen)
- #define **HASH_FCN**
- #define **HASH_BER**(key, keylen, num_bkts, hashv, bkt)
- #define **HASH_SAX**(key, keylen, num_bkts, hashv, bkt)
- #define **HASH_FNV**(key, keylen, num_bkts, hashv, bkt)
- #define **HASH_OAT**(key, keylen, num_bkts, hashv, bkt)
- #define **HASH_JEN_MIX**(a, b, c)
- #define **HASH_JEN**(key, keylen, num_bkts, hashv, bkt)
- #define **get16bits**(d)
- #define **HASH_SFH**(key, keylen, num_bkts, hashv, bkt)
- #define **HASH_KEYCMP**(a, b, len)
- #define **HASH_FIND_IN_BKT**(tbl, hh, head, keyptr, keylen_in, out)
- #define **HASH_ADD_TO_BKT**(head, addhh)
- #define **HASH_DEL_IN_BKT**(hh, head, hh_del)
- #define **HASH_EXPAND_BUCKETS**(tbl)
- #define **HASH_SORT**(head, cmpfcn)
- #define **HASH_SRT**(hh, head, cmpfcn)
- #define **HASH_SELECT**(hh_dst, dst, hh_src, src, cond)
- #define **HASH_CLEAR**(hh, head)
- #define **HASH_ITER**(hh, head, el, tmp)
- #define **HASH_COUNT**(head)
- #define **HASH_CNT**(hh, head)
- #define **HASH_SIGNATURE**
- #define **HASH_BLOOM_SIGNATURE**

Typedefs

- typedef [struct UT_hash_bucket](#) **UT_hash_bucket**
- typedef [struct UT_hash_table](#) **UT_hash_table**
- typedef [struct UT_hash_handle](#) **UT_hash_handle**

6.78.1 Data Structure Documentation

6.78.1.1 struct UT_hash_bucket

Data Fields

struct UT_hash_handle *	hh_head	
unsigned	count	
unsigned	expand_mult	

6.78.1.2 struct UT_hash_table

Data Fields

UT_hash_bucket *	buckets	
unsigned	num_buckets	
unsigned	log2_num_buckets	
unsigned	num_items	
struct UT_hash_handle *	tail	
ptrdiff_t	hho	
unsigned	ideal_chain_maxlen	
unsigned	nonideal_items	
unsigned	ineff_expands	
unsigned	noexpand	
uint32_t	signature	

6.78.1.3 struct UT_hash_handle

Data Fields

struct UT_hash_table *	tbl	
void *	prev	
void *	next	
struct UT_hash_handle *	hh_prev	
struct UT_hash_handle *	hh_next	
void *	key	
unsigned	keylen	
unsigned	hashv	

6.79 write_back.h File Reference

```
#include <starpu.h>
#include <datawizard/coherency.h>
```

Functions

- void [__starpu_write_through_data](#) (starpu_data_handle_t handle, unsigned requesting_node, uint32_t write_through_mask)

6.79.1 Function Documentation

6.79.1.1 __starpu_write_through_data()

```
void __starpu_write_through_data (
    starpu_data_handle_t handle,
    unsigned requesting_node,
    uint32_t write_through_mask )
```

If a write-through mask is associated to that data handle, this propagates the the current value of the data onto the different memory nodes in the write_through_mask.

Chapter 7

StarPU MPI File Documentation

7.1 starpu_mpi_cache.h File Reference

```
#include <starpu.h>
#include <stdlib.h>
#include <mpi.h>
```

Functions

- void **_starpu_mpi_cache_init** (MPI_Comm comm)
- void **_starpu_mpi_cache_shutdown** ()
- void **_starpu_mpi_cache_data_init** (starpu_data_handle_t data_handle)
- void **_starpu_mpi_cache_data_clear** (starpu_data_handle_t data_handle)

Variables

- int **_starpu_cache_enabled**

7.2 starpu_mpi_driver.h File Reference

```
#include <starpu.h>
```

Functions

- void **_starpu_mpi_driver_init** ([struct](#) starpu_conf *conf)
- void **_starpu_mpi_driver_shutdown** ()

7.3 starpu_mpi_init.h File Reference

```
#include <starpu.h>
#include <starpu_mpi.h>
```

Functions

- void **_starpu_mpi_do_initialize** ([struct _starpu_mpi_argc_argv](#) *argc_argv)

7.4 starpu_mpi_nmad_backend.h File Reference

```
#include <common/config.h>
#include <common/starpu_spinlock.h>
#include <nm_sendrecv_interface.h>
#include <nm_session_interface.h>
#include <nm_mpi_nmad.h>
```

Data Structures

- [struct _starpu_mpi_req_backend](#)

7.4.1 Data Structure Documentation

7.4.1.1 struct _starpu_mpi_req_backend

Data Fields

MPI_Request	data_request	
starpu_pthread_mutex_t	req_mutex	
starpu_pthread_cond_t	req_cond	
starpu_pthread_cond_t	posted_cond	
struct _starpu_mpi_req *	other_request	In the case of a Wait/Test request, we are going to post a request to test the completion of another request
MPI_Request	size_req	
struct _starpu_mpi_envelope *	envelope	
unsigned	is_internal_req:1	
unsigned	to_destroy:1	
struct _starpu_mpi_req *	internal_req	
struct _starpu_mpi_early_data_handle *	early_data_handle	
UT_hash_handle	hh	
nm_gate_t	gate	
nm_session_t	session	
nm_sr_request_t	data_request	
piom_cond_t	req_cond	
int	posted	
int	has_received_data	
int	finalized	
int	to_destroy	
struct _starpu_spinlock	finalized_to_destroy_lock	
struct nm_data_s	unknown_datatype_data	When datatype is unknown
struct iovec	unknown_datatype_v[2]	

7.5 starpu_mpi_stats.h File Reference

```
#include <stdio.h>
#include <stdlib.h>
#include <mpi.h>
```

Functions

- void `_starpu_mpi_comm_amounts_init` (MPI_Comm comm)
- void `_starpu_mpi_comm_stats_disable` (void)
- void `_starpu_mpi_comm_stats_enable` (void)
- void `_starpu_mpi_comm_amounts_shutdown` (void)
- void `_starpu_mpi_comm_amounts_inc` (MPI_Comm comm, unsigned memnode, unsigned dst, MPI_Datatype datatype, int count)
- void `_starpu_mpi_nb_coop_inc` (int nb_nodes_in_coop)
- void `_starpu_mpi_comm_amounts_display` (FILE *stream, int node)

7.6 starpu_mpi_cache_stats.h File Reference

```
#include <starpu.h>
#include <stdlib.h>
#include <mpi.h>
```

Macros

- `#define _starpu_mpi_cache_stats_inc(dst, data_handle)`
- `#define _starpu_mpi_cache_stats_dec(dst, data_handle)`

Functions

- void `_starpu_mpi_cache_stats_init` ()
- void `_starpu_mpi_cache_stats_shutdown` ()
- void `_starpu_mpi_cache_stats_update` (unsigned dst, starpu_data_handle_t data_handle, int count)

7.7 starpu_mpi_early_data.h File Reference

```
#include <starpu.h>
#include <stdlib.h>
#include <mpi.h>
#include <common/config.h>
#include <common/list.h>
#include <common/uthash.h>
#include <starpu_mpi_private.h>
```

Data Structures

- struct [_starpu_mpi_early_data_handle](#)
- struct [_starpu_mpi_early_data_handle_tag_hashlist](#)

Functions

- void `_starpu_mpi_early_data_init` (void)
- void `_starpu_mpi_early_data_check_termination` (void)
- void `_starpu_mpi_early_data_shutdown` (void)
- [struct _starpu_mpi_early_data_handle](#) * `_starpu_mpi_early_data_create` ([struct _starpu_mpi_envelope](#) *envelope, int source, MPI_Comm comm) STARPU_ATTRIBUTE_MALLOC
- [struct _starpu_mpi_early_data_handle](#) * `_starpu_mpi_early_data_find` ([struct _starpu_mpi_node_tag](#) *node_tag)
- void `_starpu_mpi_early_data_add` ([struct _starpu_mpi_early_data_handle](#) *early_data_handle)
- void `_starpu_mpi_early_data_delete` ([struct _starpu_mpi_early_data_handle](#) *early_data_handle)

- [struct_starpu_mpi_early_data_handle_tag_hashlist](#) * [_starpu_mpi_early_data_extract](#) ([struct_starpu_mpi_node_tag](#) *node_tag)

7.7.1 Data Structure Documentation

7.7.1.1 struct_starpu_mpi_early_data_handle

Data Fields

starpu_data_handle_t	handle	
struct_starpu_mpi_req *	req	
void *	buffer	
size_t	size	
unsigned	buffer_node	
struct_starpu_mpi_node_tag	node_tag	
starpu_pthread_mutex_t	req_mutex	
starpu_pthread_cond_t	req_cond	

7.7.1.2 struct_starpu_mpi_early_data_handle_tag_hashlist

Data Fields

struct_starpu_mpi_early_data_handle_list	list	
UT_hash_handle	hh	
starpu_mpi_tag_t	data_tag	

7.8 starpu_mpi_mpi.h File Reference

```
#include <starpu.h>
#include <stdlib.h>
#include <mpi.h>
#include <common/config.h>
#include <common/list.h>
```

Functions

- [int_starpu_mpi_progress_init](#) ([struct_starpu_mpi_argc_argv](#) *argc_argv)
- [void_starpu_mpi_progress_shutdown](#) (void **value)
- [void_starpu_mpi_wait_for_initialization](#) ()
- [int_starpu_mpi_barrier](#) (MPI_Comm comm)
- [int_starpu_mpi_wait_for_all](#) (MPI_Comm comm)
- [int_starpu_mpi_wait](#) ([starpu_mpi_req](#) *public_req, MPI_Status *status)
- [int_starpu_mpi_test](#) ([starpu_mpi_req](#) *public_req, int *flag, MPI_Status *status)
- [void_starpu_mpi_wake_up_progress_thread](#) ()
- [void_starpu_mpi_isend_size_func](#) ([struct_starpu_mpi_req](#) *req)
- [void_starpu_mpi_irecv_size_func](#) ([struct_starpu_mpi_req](#) *req)

7.9 starpu_mpi_nmad_unknown_datatype.h File Reference

```
#include <common/config.h>
#include <nm_sendrecv_interface.h>
#include <nm_mpi_nmad.h>
```

Functions

- void `_starpu_mpi_isend_prepare_unknown_datatype` ([struct _starpu_mpi_req](#) *req, [struct nm_data_s](#) *data)
- void `_starpu_mpi_isend_unknown_datatype` ([struct _starpu_mpi_req](#) *req)
- void `_starpu_mpi_irecv_unknown_datatype` ([struct _starpu_mpi_req](#) *req)

7.10 starpu_mpi_sync_data.h File Reference

```
#include <starpu.h>
#include <stdlib.h>
#include <mpi.h>
#include <common/config.h>
#include <common/list.h>
```

Functions

- void `_starpu_mpi_sync_data_init` (void)
- void `_starpu_mpi_sync_data_check_termination` (void)
- void `_starpu_mpi_sync_data_shutdown` (void)
- [struct _starpu_mpi_req](#) * `_starpu_mpi_sync_data_find` ([starpu_mpi_tag_t](#) data_tag, int source, [MPI_Comm](#) comm)
- void `_starpu_mpi_sync_data_add` ([struct _starpu_mpi_req](#) *req)
- int `_starpu_mpi_sync_data_count` ()

7.11 starpu_mpi_comm.h File Reference

```
#include <starpu.h>
#include <stdlib.h>
#include <mpi.h>
#include <mpi/starpu_mpi_mpi_backend.h>
```

Functions

- void `_starpu_mpi_comm_init` ([MPI_Comm](#) comm)
- void `_starpu_mpi_comm_shutdown` ()
- void `_starpu_mpi_comm_register` ([MPI_Comm](#) comm)
- void `_starpu_mpi_comm_post_recv` ()
- int `_starpu_mpi_comm_test_recv` ([MPI_Status](#) *status, [struct _starpu_mpi_envelope](#) **envelope, [MPI_Comm](#) *comm)
- void `_starpu_mpi_comm_cancel_recv` ()

7.12 starpu_mpi_early_request.h File Reference

```
#include <starpu.h>
#include <stdlib.h>
#include <mpi.h>
#include <common/config.h>
#include <common/list.h>
```

Data Structures

- [struct _starpu_mpi_early_request_tag_hashlist](#)

Functions

- void `_starpu_mpi_early_request_init` (void)
- void `_starpu_mpi_early_request_shutdown` (void)
- int `_starpu_mpi_early_request_count` (void)
- void `_starpu_mpi_early_request_check_termination` (void)
- void `_starpu_mpi_early_request_enqueue` ([struct _starpu_mpi_req](#) *req)
- [struct _starpu_mpi_req](#) * `_starpu_mpi_early_request_dequeue` (starpu_mpi_tag_t data_tag, int source, MPI_Comm comm)
- [struct _starpu_mpi_early_request_tag_hashlist](#) * `_starpu_mpi_early_request_extract` (starpu_mpi_tag_t data_tag, int source, MPI_Comm comm)

7.12.1 Data Structure Documentation

7.12.1.1 struct _starpu_mpi_early_request_tag_hashlist

Data Fields

struct _starpu_mpi_req_list	list	
UT_hash_handle	hh	
starpu_mpi_tag_t	data_tag	

7.13 starpu_mpi_mpi_backend.h File Reference

```
#include <common/config.h>
#include <common/uthash.h>
```

Data Structures

- [struct _starpu_mpi_envelope](#)
- [struct _starpu_mpi_req_backend](#)

Macros

- `#define _STARPU_MPI_TAG_ENVELOPE`
- `#define _STARPU_MPI_TAG_DATA`
- `#define _STARPU_MPI_TAG_SYNC_DATA`
- `#define _STARPU_MPI_TAG_CP_ACK`
- `#define _STARPU_MPI_TAG_CP_RCVRY`
- `#define _STARPU_MPI_TAG_EXT_DATA`
- `#define _STARPU_MPI_TAG_CP_INFO`

Enumerations

- `enum _starpu_envelope_mode { _STARPU_MPI_ENVELOPE_DATA , _STARPU_MPI_ENVELOPE_↔ SYNC_READY }`

Variables

- int `_starpu_mpi_tag`

7.13.1 Data Structure Documentation

7.13.1.1 struct _starpu_mpi_envelope

Data Fields

enum_starpu_envelope_mode	mode	
starpu_ssize_t	size	
starpu_mpi_tag_t	data_tag	
unsigned	sync	

7.13.1.2 struct_starpu_mpi_req_backend

Data Fields

MPI_Request	data_request	
starpu_pthread_mutex_t	req_mutex	
starpu_pthread_cond_t	req_cond	
starpu_pthread_cond_t	posted_cond	
struct_starpu_mpi_req *	other_request	In the case of a Wait/Test request, we are going to post a request to test the completion of another request
MPI_Request	size_req	
struct_starpu_mpi_envelope *	envelope	
unsigned	is_internal_req:1	
unsigned	to_destroy:1	
struct_starpu_mpi_req *	internal_req	
struct_starpu_mpi_early_data_handle *	early_data_handle	
UT_hash_handle	hh	
nm_gate_t	gate	
nm_session_t	session	
nm_sr_request_t	data_request	
piom_cond_t	req_cond	
int	posted	
int	has_received_data	
int	finalized	
int	to_destroy	
struct_starpu_spinlock	finalized_to_destroy_lock	
struct nm_data_s	unknown_datatype_data	When datatype is unknown
struct iovec	unknown_datatype_v[2]	

7.14 starpu_mpi_private.h File Reference

```
#include <starpu.h>
#include <common/config.h>
#include <common/uthash.h>
#include <starpu_mpi.h>
#include <starpu_mpi_fxt.h>
#include <common/list.h>
#include <common/prio_list.h>
#include <common/starpu_spinlock.h>
#include <core/simgrid.h>
```

Data Structures

- struct [_starpu_simgrid_mpi_req](#)
- struct [_starpu_mpi_node](#)
- struct [_starpu_mpi_node_tag](#)
- struct [_starpu_mpi_coop_sends](#)
- struct [_starpu_mpi_data](#)
- struct [_starpu_mpi_req](#)
- struct [_starpu_mpi_argc_argv](#)
- struct [_starpu_mpi_backend](#)

Macros

- #define **STARPU_MPI_ASSERT_MSG**(x, msg, ...)
- #define **_STARPU_MPI_MALLOC**(ptr, size)
- #define **_STARPU_MPI_CALLOC**(ptr, nmemb, size)
- #define **_STARPU_MPI_REALLOC**(ptr, size)
- #define **_STARPU_MPI_COMM_DEBUG**(ptr, count, datatype, node, tag, utag, comm, way)
- #define **_STARPU_MPI_COMM_TO_DEBUG**(ptr, count, datatype, dest, tag, utag, comm)
- #define **_STARPU_MPI_COMM_FROM_DEBUG**(ptr, count, datatype, source, tag, utag, comm)
- #define **_STARPU_MPI_DEBUG**(level, fmt, ...)
- #define **_STARPU_MPI_DISP**(fmt, ...)
- #define **_STARPU_MPI_MSG**(fmt, ...)
- #define **_STARPU_MPI_LOG_IN**()
- #define **_STARPU_MPI_LOG_OUT**()

Enumerations

- enum [_starpu_mpi_request_type](#) {
SEND_REQ, **RECV_REQ**, **WAIT_REQ**, **TEST_REQ**,
BARRIER_REQ, **PROBE_REQ**, **UNKNOWN_REQ** }

Functions

- int [_starpu_mpi_simgrid_mpi_test](#) (unsigned *done, int *flag)
- void [_starpu_mpi_simgrid_wait_req](#) (MPI_Request *request, MPI_Status *status, starpu_thread_↔ queue_t *queue, unsigned *done)
- [struct _starpu_mpi_req](#) * [_starpu_mpi_isend_cache_aware](#) (starpu_data_handle_t data_handle, int dest, starpu_mpi_tag_t data_tag, MPI_Comm comm, unsigned detached, unsigned sync, int prio, void(*callback)(void *), void * _arg, int sequential_consistency, int *cache_flag)
- [struct _starpu_mpi_req](#) * [_starpu_mpi_irecv_cache_aware](#) (starpu_data_handle_t data_handle, int source, starpu_mpi_tag_t data_tag, MPI_Comm comm, unsigned detached, unsigned sync, void(*callback)(void *), void * _arg, int sequential_consistency, int is_internal_req, starpu_ssize_t count, int *cache_flag)
- char * [_starpu_mpi_get_mpi_error_code](#) (int code)
- void [_starpu_mpi_env_init](#) (void)
- [struct _starpu_mpi_data](#) * [_starpu_mpi_data_get](#) (starpu_data_handle_t data_handle)
- void [_starpu_mpi_submit_ready_request](#) (void *arg)
- void [_starpu_mpi_release_req_data](#) (struct [_starpu_mpi_req](#) *req)
- void [_starpu_mpi_isend_irecv_common](#) (struct [_starpu_mpi_req](#) *req, enum starpu_data_access_mode mode, int sequential_consistency)
- void [_starpu_mpi_coop_send](#) (starpu_data_handle_t data_handle, [struct _starpu_mpi_req](#) *req, enum starpu_data_access_mode mode, int sequential_consistency)
- void [_starpu_mpi_submit_coop_sends](#) (struct [_starpu_mpi_coop_sends](#) *coop_sends, int submit_control, int submit_data)
- void [_starpu_mpi_redux_fill_post_sync_jobid](#) (const void *const redux_data_args, long *const post_↔ sync_jobid)

- void **_starpu_mpi_request_init** (struct [_starpu_mpi_req](#) **req)
- struct [_starpu_mpi_req](#) * **_starpu_mpi_request_fill** (starpu_data_handle_t data_handle, int srcdst, starpu_mpi_tag_t data_tag, MPI_Comm comm, unsigned detached, unsigned sync, int prio, void(*callback)(void *), void *arg, enum [_starpu_mpi_request_type](#) request_type, void(*func)(struct [_starpu_mpi_req](#) *), int sequential_consistency, int is_internal_req, starpu_ssize_t count)
- void **_starpu_mpi_request_destroy** (struct [_starpu_mpi_req](#) *req)
- char * **_starpu_mpi_request_type** (enum [_starpu_mpi_request_type](#) request_type)
- struct [_starpu_mpi_req](#) * **_starpu_mpi_irecv_common** (starpu_data_handle_t data_handle, int source, starpu_mpi_tag_t data_tag, MPI_Comm comm, unsigned detached, unsigned sync, void(*callback)(void *), void *arg, int sequential_consistency, int is_internal_req, starpu_ssize_t count, int prio)
- int **_starpu_mpi_choose_node** (starpu_data_handle_t data_handle, enum [starpu_data_access_mode](#) mode)
- void **_starpu_mpi_data_flush** (starpu_data_handle_t data_handle)
- void **_starpu_mpi_tags_init** (void)

Variables

- starpu_pthread_wait_t **_starpu_mpi_thread_wait**
- starpu_pthread_queue_t **_starpu_mpi_thread_dontsleep**
- int **_starpu_debug_rank**
- int **_starpu_mpi_comm_debug**
- int **_starpu_mpi_fake_world_size**
- int **_starpu_mpi_fake_world_rank**
- int **_starpu_mpi_use_prio**
- int **_starpu_mpi_nobind**
- int **_starpu_mpi_thread_cpuid**
- int **_starpu_mpi_use_coop_sends**
- int **_starpu_mpi_mem_throttle**
- int **_starpu_mpi_recv_wait_finalize**
- int **_starpu_mpi_has_cuda**
- int **_starpu_mpi_cuda_devid**
- PRIO_struct [_starpu_mpi_req](#)
- struct [_starpu_mpi_backend](#) **_mpi_backend**

7.14.1 Data Structure Documentation

7.14.1.1 struct [_starpu_simgrid_mpi_req](#)

Data Fields

MPI_Request *	request	
MPI_Status *	status	
starpu_pthread_queue_t *	queue	
unsigned *	done	

7.14.1.2 struct [_starpu_mpi_node](#)

Data Fields

MPI_Comm	comm	
int	rank	

7.14.1.3 struct [_starpu_mpi_node_tag](#)

Data Fields

struct_starpu_mpi_node	node	
starpu_mpi_tag_t	data_tag	

7.14.1.4 struct_starpu_mpi_coop_sends

One bag of cooperative sends

Data Fields

starpu_data_handle_t	data_handle	
struct_starpu_mpi_req_multilist_coop_sends	reqs	List of send requests
struct_starpu_mpi_data *	mpi_data	
struct_starpu_spinlock	lock	Array of send requests, after sorting out
struct_starpu_mpi_req **	reqs_array	
unsigned	n	
unsigned	redirects_sent	
long	pre_sync_jobid	

7.14.1.5 struct_starpu_mpi_data

Initialized in starpu_mpi_data_register_comm

Data Fields

int	magic	
struct_starpu_mpi_node_tag	node_tag	
char *	cache_sent	
unsigned int	cache_received	
unsigned int	ft_induced_cache_received:1	
unsigned int	ft_induced_cache_received_count:1	
unsigned int	modified:1	
char *	redux_map	Array used to store the contributing nodes to this data when it is accessed in (MPI_)REDUX mode.
struct_starpu_spinlock	coop_lock	Rendez-vous data for opportunistic cooperative sends, Needed to synchronize between submit thread and workers
struct_starpu_mpi_coop_sends *	coop_sends	Current cooperative send bag
unsigned	nb_future_sends	When provided, wait the given number of sends to start a coop, instead of just waiting that data are ready

7.14.1.6 struct_starpu_mpi_argc_argv

Data Fields

int	initialize_mpi	
int *	argc	

Data Fields

char ***	argv	
MPI_Comm	comm	
int	fargc	Fortran argc
char **	fargv	Fortran argv
int	rank	
int	world_size	

7.14.2 Function Documentation

7.14.2.1 `_starpu_mpi_submit_ready_request()`

```
void _starpu_mpi_submit_ready_request (
    void * arg )
```

To be called to actually submit the request

7.14.2.2 `_starpu_mpi_release_req_data()`

```
void _starpu_mpi_release_req_data (
    struct _starpu_mpi_req * req )
```

To be called when request is completed

7.14.2.3 `_starpu_mpi_coop_send()`

```
void _starpu_mpi_coop_send (
    starpu_data_handle_t data_handle,
    struct _starpu_mpi_req * req,
    enum starpu_data_access_mode mode,
    int sequential_consistency )
```

Try to merge with send request with other send requests

7.14.2.4 `_starpu_mpi_submit_coop_sends()`

```
void _starpu_mpi_submit_coop_sends (
    struct _starpu_mpi_coop_sends * coop_sends,
    int submit_control,
    int submit_data )
```

Actually submit the coop_sends bag to MPI. At least one of submit_control or submit_data is true. `_starpu_mpi_submit_coop_sends` may be called either

- just once with both parameters being true,
- or once with submit_control being true (data is not available yet, but we can send control messages), and a second time with submit_data being true. Or the converse, possibly on different threads, etc.

7.14.2.5 `_starpu_mpi_tags_init()`

```
void _starpu_mpi_tags_init (
    void )
```

To be called at initialization to set up the tags upper bound

7.15 starpu_mpi_tag.h File Reference

```
#include <starpu.h>
#include <stdlib.h>
#include <mpi.h>
```

Functions

- void **_starpu_mpi_tag_init** (void)
- void **_starpu_mpi_tag_shutdown** (void)
- void **_starpu_mpi_tag_data_register** (starpu_data_handle_t handle, starpu_mpi_tag_t data_tag)
- int **_starpu_mpi_tag_data_release** (starpu_data_handle_t handle)
- starpu_data_handle_t **_starpu_mpi_tag_get_data_handle_from_tag** (starpu_mpi_tag_t data_tag)

7.16 starpu_mpi_datatype.h File Reference

```
#include <starpu_mpi.h>
#include <starpu_mpi_private.h>
```

Functions

- void **_starpu_mpi_datatype_init** (void)
- void **_starpu_mpi_datatype_shutdown** (void)
- void **_starpu_mpi_datatype_allocate** (starpu_data_handle_t data_handle, [struct _starpu_mpi_req](#) *req)
- void **_starpu_mpi_datatype_free** (starpu_data_handle_t data_handle, MPI_Datatype *datatype)
- MPI_Datatype **_starpu_mpi_datatype_get_user_defined_datatype** (starpu_data_handle_t data_handle, unsigned node)

7.17 starpu_mpi_fxt.h File Reference

```
#include <starpu.h>
#include <common/config.h>
#include <common/fxt.h>
```

Macros

- **#define _STARPU_MPI_FUT_POINT_TO_POINT_SEND**
- **#define _STARPU_MPI_FUT_COLLECTIVE_SEND**
- **#define _STARPU_MPI_FUT_START**
- **#define _STARPU_MPI_FUT_STOP**
- **#define _STARPU_MPI_FUT_BARRIER**
- **#define _STARPU_MPI_FUT_ISEND_SUBMIT_BEGIN**
- **#define _STARPU_MPI_FUT_ISEND_SUBMIT_END**
- **#define _STARPU_MPI_FUT_IRecv_SUBMIT_BEGIN**
- **#define _STARPU_MPI_FUT_IRecv_SUBMIT_END**
- **#define _STARPU_MPI_FUT_ISEND_COMPLETE_BEGIN**
- **#define _STARPU_MPI_FUT_ISEND_COMPLETE_END**
- **#define _STARPU_MPI_FUT_DATA_SET_RANK**
- **#define _STARPU_MPI_FUT_IRecv_TERMINATED**
- **#define _STARPU_MPI_FUT_ISEND_TERMINATED**
- **#define _STARPU_MPI_FUT_TESTING_DETACHED_BEGIN**
- **#define _STARPU_MPI_FUT_TESTING_DETACHED_END**

- #define _STARPU_MPI_FUT_TEST_BEGIN
- #define _STARPU_MPI_FUT_TEST_END
- #define _STARPU_MPI_FUT_IRecv_COMPLETE_BEGIN
- #define _STARPU_MPI_FUT_IRecv_COMPLETE_END
- #define _STARPU_MPI_FUT_SLEEP_BEGIN
- #define _STARPU_MPI_FUT_SLEEP_END
- #define _STARPU_MPI_FUT_DTESTING_BEGIN
- #define _STARPU_MPI_FUT_DTESTING_END
- #define _STARPU_MPI_FUT_UTESTING_BEGIN
- #define _STARPU_MPI_FUT_UTESTING_END
- #define _STARPU_MPI_FUT_UWAIT_BEGIN
- #define _STARPU_MPI_FUT_UWAIT_END
- #define _STARPU_MPI_FUT_POLLING_BEGIN
- #define _STARPU_MPI_FUT_POLLING_END
- #define _STARPU_MPI_FUT_DRIVER_RUN_BEGIN
- #define _STARPU_MPI_FUT_DRIVER_RUN_END
- #define _STARPU_MPI_FUT_DATA_SET_TAG
- #define _STARPU_MPI_FUT_IRecv_NUMA_NODE
- #define _STARPU_MPI_FUT_ISEND_NUMA_NODE
- #define _STARPU_MPI_FUT_CHECKPOINT_BEGIN
- #define _STARPU_MPI_FUT_CHECKPOINT_END
- #define _STARPU_MPI_TRACE_START(a, b)
- #define _STARPU_MPI_TRACE_STOP(a, b)
- #define _STARPU_MPI_TRACE_BARRIER(a, b, c, d)
- #define _STARPU_MPI_TRACE_ISEND_SUBMIT_BEGIN(a, b, c)
- #define _STARPU_MPI_TRACE_ISEND_SUBMIT_END(a, b, c)
- #define _STARPU_MPI_TRACE_IRecv_SUBMIT_BEGIN(a, b)
- #define _STARPU_MPI_TRACE_IRecv_SUBMIT_END(a, b)
- #define _STARPU_MPI_TRACE_ISEND_COMPLETE_BEGIN(a, b, c)
- #define _STARPU_MPI_TRACE_COMPLETE_BEGIN(a, b, c)
- #define _STARPU_MPI_TRACE_COMPLETE_END(a, b, c)
- #define _STARPU_MPI_TRACE_TERMINATED(a)
- #define _STARPU_MPI_TRACE_ISEND_COMPLETE_END(a, b, c)
- #define _STARPU_MPI_TRACE_IRecv_COMPLETE_BEGIN(a, b)
- #define _STARPU_MPI_TRACE_IRecv_COMPLETE_END(a, b)
- #define _STARPU_MPI_TRACE_SLEEP_BEGIN()
- #define _STARPU_MPI_TRACE_SLEEP_END()
- #define _STARPU_MPI_TRACE_DTESTING_BEGIN()
- #define _STARPU_MPI_TRACE_DTESTING_END()
- #define _STARPU_MPI_TRACE_UTESTING_BEGIN(a, b)
- #define _STARPU_MPI_TRACE_UTESTING_END(a, b)
- #define _STARPU_MPI_TRACE_UWAIT_BEGIN(a, b)
- #define _STARPU_MPI_TRACE_UWAIT_END(a, b)
- #define _STARPU_MPI_TRACE_DATA_SET_RANK(a, b)
- #define _STARPU_MPI_TRACE_DATA_SET_TAG(a, b)
- #define _STARPU_MPI_TRACE_TESTING_DETACHED_BEGIN()
- #define _STARPU_MPI_TRACE_TESTING_DETACHED_END()
- #define _STARPU_MPI_TRACE_TEST_BEGIN(peer, data_tag)
- #define _STARPU_MPI_TRACE_TEST_END(peer, data_tag)
- #define _STARPU_MPI_TRACE_POLLING_BEGIN()
- #define _STARPU_MPI_TRACE_POLLING_END()
- #define _STARPU_MPI_TRACE_DRIVER_RUN_BEGIN()
- #define _STARPU_MPI_TRACE_DRIVER_RUN_END()
- #define _STARPU_MPI_TRACE_CHECKPOINT_BEGIN(cp_instance, cp_domain)
- #define _STARPU_MPI_TRACE_CHECKPOINT_END(cp_instance, cp_domain)

Functions

- void **_starpu_mpi_fxt_init** (void *arg)
- void **_starpu_mpi_fxt_shutdown** ()

7.18 starpu_mpi_nmad.h File Reference

```
#include <starpu.h>
#include <stdlib.h>
#include <mpi.h>
#include <common/config.h>
#include <common/list.h>
```

Functions

- int **_starpu_mpi_progress_init** (struct [_starpu_mpi_argc_argv](#) *argc_argv)
- void **_starpu_mpi_progress_shutdown** (void **value)
- int **_starpu_mpi_barrier** (MPI_Comm comm)
- int **_starpu_mpi_wait_for_all** (MPI_Comm comm)
- int **_starpu_mpi_wait** (starpu_mpi_req *public_req, MPI_Status *status)
- int **_starpu_mpi_test** (starpu_mpi_req *public_req, int *flag, MPI_Status *status)
- void **_starpu_mpi_isend_func** (struct [_starpu_mpi_req](#) *req)
- void **_starpu_mpi_irecv_func** (struct [_starpu_mpi_req](#) *req)
- void **_starpu_mpi_handle_request_termination** (struct [_starpu_mpi_req](#) *req)
- void **_starpu_mpi_handle_pending_request** (struct [_starpu_mpi_req](#) *req)
- void **_starpu_mpi_handle_received_data** (struct [_starpu_mpi_req](#) *req)

7.19 starpu_mpi_select_node.h File Reference

```
#include <mpi.h>
```

Macros

- **#define _STARPU_MPI_NODE_SELECTION_MAX_POLICY**

Functions

- void **_starpu_mpi_select_node_init** ()
- int **_starpu_mpi_select_node** (int me, int nb_nodes, struct [starpu_data_descr](#) *descr, int nb_data, int policy)

7.20 starpu_mpi_task_insert.h File Reference

Functions

- int **_starpu_mpi_find_executee_node** (starpu_data_handle_t data, enum starpu_data_access_mode mode, int me, int *do_execute, int *inconsistent_execute, int *xrank)
- int **_starpu_mpi_exchange_data_before_execution** (starpu_data_handle_t data, enum starpu_data_access_mode mode, int me, int xrank, int do_execute, int prio, MPI_Comm comm)
- int **_starpu_mpi_task_postbuild_v** (MPI_Comm comm, int xrank, int do_execute, struct [starpu_data_descr](#) *descrs, int nb_data, int prio)
- void **_starpu_mpi_redux_wrapup_data_all** ()
- void **_starpu_mpi_redux_wrapup_data** (starpu_data_handle_t data_handle)
- void **_starpu_mpi_pre_submit_hook_call** (struct [starpu_task](#) *task)

7.21 load_balancer_policy.h File Reference

```
#include <starpu_mpi_lb.h>
```

Data Structures

- struct [load_balancer_policy](#)

Variables

- [struct load_balancer_policy](#) [load_heat_propagation_policy](#)

7.22 load_data_interface.h File Reference

```
#include <starpu.h>
```

Data Structures

- struct [load_data_interface](#)

Macros

- #define **LOAD_DATA_GET_NSUBMITTED_TASKS**(interface)
- #define **LOAD_DATA_GET_SLEEP_THRESHOLD**(interface)
- #define **LOAD_DATA_GET_WAKEUP_THRESHOLD**(interface)

Functions

- void **load_data_data_register** (starpu_data_handle_t *handle, unsigned home_node, int sleep_task_↔ threshold, double wakeup_ratio)
- int **load_data_get_sleep_threshold** (starpu_data_handle_t handle)
- int **load_data_get_wakeup_threshold** (starpu_data_handle_t handle)
- int **load_data_get_current_phase** (starpu_data_handle_t handle)
- int **load_data_get_nsubmitted_tasks** (starpu_data_handle_t handle)
- int **load_data_get_nfinished_tasks** (starpu_data_handle_t handle)
- int **load_data_inc_nsubmitted_tasks** (starpu_data_handle_t handle)
- int **load_data_inc_nfinished_tasks** (starpu_data_handle_t handle)
- int **load_data_next_phase** (starpu_data_handle_t handle)
- int **load_data_update_elapsed_time** (starpu_data_handle_t handle)
- double **load_data_get_elapsed_time** (starpu_data_handle_t handle)
- int **load_data_update_wakeup_cond** (starpu_data_handle_t handle)
- int **load_data_wakeup_cond** (starpu_data_handle_t handle)

7.22.1 Data Structure Documentation

7.22.1.1 struct load_data_interface

interface for load_data

Data Fields

double	start	Starting time of the execution
double	elapsed_time	Elapsed time until the start time and the time when event "launch a load balancing phase" is triggered

Data Fields

int	phase	Current submission phase, i.e how many balanced steps have already happened so far.
int	nsubmitted_tasks	Number of currently submitted tasks
int	nfinished_tasks	Number of currently finished tasks
int	sleep_task_threshold	Task threshold to sleep the submission thread
int	wakeup_task_threshold	Task threshold to wake-up the submission thread
double	wakeup_ratio	Ratio of submitted tasks to wait for completion before waking up the submission thread

7.23 data_movements_interface.h File Reference

```
#include <starpu.h>
```

Data Structures

- struct [data_movements_interface](#)

Macros

- #define **DATA_MOVEMENTS_GET_SIZE_TABLES**(interface)
- #define **DATA_MOVEMENTS_GET_TAGS_TABLE**(interface)
- #define **DATA_MOVEMENTS_GET_RANKS_TABLE**(interface)

Functions

- void **data_movements_data_register** (starpu_data_handle_t *handle, unsigned home_node, int *ranks, starpu_mpi_tag_t *tags, int size)
- starpu_mpi_tag_t ** **data_movements_get_ref_tags_table** (starpu_data_handle_t handle)
- int ** **data_movements_get_ref_ranks_table** (starpu_data_handle_t handle)
- int **data_movements_reallocate_tables** (starpu_data_handle_t handle, unsigned node, int size)
- starpu_mpi_tag_t * **data_movements_get_tags_table** (starpu_data_handle_t handle)
- int * **data_movements_get_ranks_table** (starpu_data_handle_t handle)
- int **data_movements_get_size_tables** (starpu_data_handle_t handle)

7.23.1 Data Structure Documentation

7.23.1.1 struct data_movements_interface

interface for data_movements

Data Fields

starpu_mpi_tag_t *	tags	Data tags table
int *	ranks	Ranks table (where to move the corresponding data)
int	size	Size of the tables

Chapter 8

StarPU Resource Manager File Documentation

8.1 starpurm_private.h File Reference

Data Structures

- struct [s_starpurm](#)

Enumerations

- enum **e_state** { **state_uninitialized** , **state_init** }
- enum **e_starpurm_unit_type** { **starpurm_unit_cpu** , **starpurm_unit_opencil** , **starpurm_unit_cuda** , **starpurm_unit_ntypes** }

8.1.1 Data Structure Documentation

8.1.1.1 struct s_starpurm

Data Fields

hwloc_topology_t	topology	Machine topology as detected by hwloc.
int	max_ncpus	Current upper bound on the number of CPU cores selectable for computing with the runtime system.
int	selected_ncpus	Number of currently selected CPU workers
int	selected_nworkers	Number of currently selected workers (CPU+devices)
int	state	Initialization state of the RM instance.
int	dynamic_resource_sharing	Boolean indicating the state of the dynamic resource sharing layer. !0 indicates that dynamic resource sharing is enabled. 0 indicates that dynamic resource sharing is disabled.
unsigned	sched_ctx_id	Id of the StarPU's sched_ctx used by the RM instance.
int	unit_ntypes	Number of unit types supported by this RM instance.
int *	nunits_by_type	Number of units available for each type.
int	nunits	Number of units.
int *	unit_offsets_by_type	Offset of unit numbering for each type.
struct s_starpurm_unit *	units	Array of units.
hwloc_cpuset_t	global_cpuset	Cpuset of all the StarPU's workers (CPU+devices.

Data Fields

hwloc_cpuset_t	all_cpu_workers_cpuset	Cpuset of all StarPU CPU workers.
hwloc_cpuset_t	all_opencl_device_workers_cpuset	Cpuset of all StarPU OpenCL workers.
hwloc_cpuset_t	all_cuda_device_workers_cpuset	Cpuset of all StarPU CUDA workers.
hwloc_cpuset_t	all_device_workers_cpuset	Cpuset of all StarPU device workers.
hwloc_cpuset_t	selected_cpuset	Cpuset of all selected workers (CPU+devices).
hwloc_cpuset_t	initially_owned_cpuset_mask	Cpuset mask of initially owned cpuset or full if not used.
int	max_worker_id	maximum value among worker ids
int *	worker_unit_ids	worker id to unit id table
unsigned int	max_temporary_ctxs	Temporary contexts accounting.
unsigned int	avail_temporary_ctxs	
starpu_pthread_mutex_t	temporary_ctxs_mutex	
starpu_pthread_cond_t	temporary_ctxs_cond	
int	starpu_in_pause	Global StarPU pause state
pthread_t	event_thread	Event list.
starpu_pthread_mutex_t	event_list_mutex	
starpu_pthread_cond_t	event_list_cond	
starpu_pthread_cond_t	event_processing_cond	
int	event_processing_enabled	
int	event_processing_ended	
struct s_starpurm_event *	event_list_head	
struct s_starpurm_event *	event_list_tail	