

The engord package

Heiko Oberdiek
<heiko.oberdiek at gmail.com>

2010/03/01 v1.8

Abstract

The package generates the suffix of English ordinal numbers. It can be used with plain and L^AT_EX formats.

Contents

1 Usage	2
1.1 Package options	2
1.2 Examples	2
2 Implementation	3
2.1 Reload check and identification	3
2.2 Help commands for plain compatibility	4
2.3 User macros	5
2.4 Suffix generation	6
3 Test	7
3.1 Catcode checks for loading	7
4 Installation	9
4.1 Download	9
4.2 Bundle installation	9
4.3 Package installation	9
4.4 Refresh file name databases	9
4.5 Some details for the interested	10
5 History	10
[2000/05/23 v1.0]	10
[2003/04/28 v1.1]	10
[2006/02/20 v1.2]	10
[2007/04/11 v1.3]	10
[2007/04/26 v1.4]	11
[2007/09/09 v1.5]	11
[2007/09/20 v1.6]	11
[2008/08/11 v1.7]	11
[2010/03/01 v1.8]	11
6 Index	11

1 Usage

```
\engord{⟨LATEX counter name⟩}
```

It prints the value of the L^AT_EX counter as English ordinal number. It can be used in the same way as `\arabic`, `\roman`, or `\alph`. The command is not available in plain T_EX.

```
\engordnumber{⟨any TEX number⟩}
```

It prints the number as English ordinal number.

```
\engordletters{#1}
```

This command formats the English ordinal letters after the number. It defaults to `\textsuperscript`.

```
\engorderror{#1}
```

It can be redefined, if an other error handling is wanted. The argument is a negative number or zero.

```
\engordraisetrue  
\engordraisefalse
```

These commands set the switch `\ifengordraise` that is asked by the default `\engordletters` before raising the ordinal letters.

1.1 Package options

normal: `\engordraisefalse`

raise: `\engordraisetrue`

Default is raise.

1.2 Examples

- `\usepackage[normal]{engord}`
`\engordnumber{1}` → 1st
`\engordnumber{12}` → 12th
`\engordnumber{123}` → 123rd
`\engord{page}` → 1st (if page has the value of one)
`\engordraisetrue`
`\engordnumber{12}` → 12th

- The default output of a counter can be redefined:

```
\newcounter{mycounter}  
\renewcommand{\theengcounter}{\engord{mycounter}}
```

- Because the implementation of `\engord` and `\engordnumber` is kept expandable, these commands can be used to make command names with an appropriate definition of `\engordletters`:

```
\renewcommand*{\engordletters}[1]{#1}  
\@namedef{My\engordnumber{3}Command}{...}
```

This generates the command name ‘\My4rdCommand’. Since version 1.2 the redefinition can be dropped if the letters are not raised.

- If the letters should not be raised, use L^AT_EX package option `normal` or use

```
\engordraisefalse
```

Also `\engordletters` could be redefined for this purpose:

```
\renewcommand*\engordletters}[1]{#1}
```

2 Implementation

2.1 Reload check and identification

```
1 (*package)
```

Reload check, especially if the package is not used with L^AT_EX.

```
2 \begingroup
3 \catcode44 12 % ,
4 \catcode45 12 % -
5 \catcode46 12 % .
6 \catcode58 12 % :
7 \catcode64 11 % @
8 \catcode123 1 % {
9 \catcode125 2 % }
10 \expandafter\let\expandafter\x\csname ver@engord.sty\endcsname
11 \ifx\x\relax % plain-TeX, first loading
12 \else
13 \def\empty{}%
14 \ifx\x\empty % LaTeX, first loading,
15 % variable is initialized, but \ProvidesPackage not yet seen
16 \else
17 \catcode35 6 % #
18 \expandafter\ifx\csname PackageInfo\endcsname\relax
19 \def\x#1#2{%
20 \immediate\write-1{Package #1 Info: #2.}%
21 }%
22 \else
23 \def\x#1#2{\PackageInfo{#1}{#2, stopped}}%
24 \fi
25 \x{engord}{The package is already loaded}%
26 \aftergroup\endinput
27 \fi
28 \fi
29 \endgroup
```

Package identification:

```
30 \begingroup
31 \catcode35 6 % #
32 \catcode40 12 % (
33 \catcode41 12 % )
34 \catcode44 12 % ,
35 \catcode45 12 % -
36 \catcode46 12 % .
37 \catcode47 12 % /
38 \catcode58 12 % :
39 \catcode64 11 % @
40 \catcode91 12 % [
41 \catcode93 12 % ]
42 \catcode123 1 % {
43 \catcode125 2 % }
44 \expandafter\ifx\csname ProvidesPackage\endcsname\relax
45 \def\x#1#2#3[#4]{\endgroup
```

```

46     \immediate\write-1{Package: #3 #4}%
47     \xdef#1{#4}%
48   }%
49   \else
50     \def\x#1#2[#3]{\endgroup
51       #2[#3]}%
52     \ifx#1\undefined
53       \xdef#1{#3}%
54     \fi
55     \ifx#1\relax
56       \xdef#1{#3}%
57     \fi
58   }%
59   \fi
60 \expandafter\x\csname ver@engord.sty\endcsname
61 \ProvidesPackage{engord}%
62 [2010/03/01 v1.8 Provides English ordinal numbers (H0)]

```

2.2 Help commands for plain compatibility

```

63 \begingroup
64   \catcode123 1 % {
65   \catcode125 2 % }
66   \def\x{\endgroup
67     \expandafter\edef\csname EO@AtEnd\endcsname{%
68       \catcode35 \the\catcode35\relax
69       \catcode64 \the\catcode64\relax
70       \catcode123 \the\catcode123\relax
71       \catcode125 \the\catcode125\relax
72     }%
73   }%
74   \x
75   \catcode35 6 % #
76   \catcode64 11 % @
77   \catcode123 1 % {
78   \catcode125 2 % }
79   \def\TMP@EnsureCode#1#2{%
80     \edef\EO@AtEnd{%
81       \EO@AtEnd
82       \catcode#1 \the\catcode#1\relax
83     }%
84     \catcode#1 #2\relax
85   }
86   \TMP@EnsureCode{33}{12}% !
87   \TMP@EnsureCode{36}{3}% $
88   \TMP@EnsureCode{39}{12}% '
89   \TMP@EnsureCode{42}{12}% *
90   \TMP@EnsureCode{46}{12}% .
91   \TMP@EnsureCode{47}{12}% /
92   \TMP@EnsureCode{60}{12}% <
93   \TMP@EnsureCode{94}{7}% ^ (superscript)
94   \TMP@EnsureCode{96}{12}% '

```

\EO@def Definitions, \newcommand does not exist in plain T_EX.

```

95 \begingroup\expandafter\expandafter\expandafter\endgroup
96 \expandafter\ifx\csname newcommand\endcsname\relax
97   \def\EO@def{\def}%
98 \else
99   \def\EO@def#1{%
100     \newcommand*{#1}{}%
101     \def#1%
102   }%
103 \fi

```

```

104 \begingroup\expandafter\expandafter\expandafter\endgroup
105 \expandafter\ifx\csname RequirePackage\endcsname\relax
106   \input infwarerr.sty\relax
107   \input ltxcmds.sty\relax
108 \else
109   \RequirePackage{infwarerr}[2007/09/09]%
110   \RequirePackage{ltxcmds}[2010/03/01]%
111 \fi

```

2.3 User macros

`\ifengordraise` The switch `\ifengordraise`, whether the ordinal letters are raised or not. Default is raised because of compatibility.

```

112 \ltx@newif\ifengordraise
113 \engordraisetrue

```

In L^AT_EX this also can be controlled by option `normal` or `raise`.

```

114 \begingroup\expandafter\expandafter\expandafter\endgroup
115 \expandafter\ifx\csname DeclareOption\endcsname\relax
116 \else
117   \DeclareOption{normal}{\engordraisefalse}%
118   \DeclareOption{raise}{\engordraisetrue}%
119   \ProcessOptions*\relax
120 \fi

```

`\engordletters` `\engordletters` is called with one argument, the english ordinal letters, and contains the code to format them. It defaults to `\textsuperscript` depending on `\ifengordraise`.

```

121 \expandafter\ifx\csname engordletters\endcsname\relax
122   \EO@def\engordletters{%
123     \ifengordraise
124       \expandafter\engordtextsuperscript
125     \fi
126   }%
127 \fi

```

`\engordtextsuperscript` For plain T_EX the definition is quite ugly, redefine `\engordtextsuperscript` if you have a better one.

```

128 \expandafter\ifx\csname engordtextsuperscript\endcsname\relax
129   \begingroup\expandafter\expandafter\expandafter\endgroup
130   \expandafter\ifx\csname textsuperscript\endcsname\relax
131     \def\engordtextsuperscript#1{%
132       \relax
133       \ifmmode
134         ~{\rm#1}%
135       \else
136         ${\rm#1}$%
137       \fi
138     }%
139   \else
140     \def\engordtextsuperscript{\textsuperscript}%
141   \fi
142 \fi

```

`\engorderror` `\engorderror` is called, if the number is zero or negative.

```

143 \expandafter\ifx\csname engorderror\endcsname\relax
144   \EO@def\engorderror#1{%
145     #1\engordletters{!ERROR!}%
146     \@PackageWarning{engord}{%
147       ‘#1’ is not an ordinal number%
148     }%

```

```
149 }%
150 \fi
```

`\engord` `\engord` expects a L^AT_EX counter name as argument and calls `\engordnumber`. It is defined only, if L^AT_EX is used.

```
151 \begingroup\expandafter\expandafter\expandafter\endgroup
152 \expandafter\ifx\csname newcounter\endcsname\relax
153 \else
154 \EO@def\engord#1{%
155 \engordnumber{\value{#1}}%
156 }%
157 \fi
```

`\engordnumber` `\engordnumber` is the user command to print a number as english ordinal number. The argument can be any T_EX number like explicit numbers, register values, ...

In a safe way it converts the T_EX number argument into a form that only consists of decimal digits.

```
158 \EO@def\engordnumber#1{%
159 \expandafter\EO@number\expandafter{\number#1}%
160 }
```

2.4 Suffix generation

`\EO@number` `\EO@number` expects a number with decimal digits as argument and looks at the size of the number and the count of the digits:

```
161 \def\EO@number#1{%
162 \ifnum#1<1 % handle the error case
163 \engorderror{#1}%
164 \else
165 \ifnum#1<21 %
166 \EO@ord{#1}%
167 \else
168 \ifnum#1<100 %
169 \EO@twodigits#1%
170 \else
171 \@ReturnAfterFi{%
172 \EO@reverse#1\@nil{ }\EO@afterreverse
173 }%
174 \fi
175 \fi
176 \fi
177 }
```

`\@ReturnAfterFi` An internal help macro to prevent a too deep `\if` nesting.

```
178 \long\def\@ReturnAfterFi#1\fi{\fi#1}
```

`\EO@ord` `\EO@ord` prints the number with ord letters.
#1: decimal digits, #1 < 21

```
179 \def\EO@ord#1{%
180 #1%
181 \expandafter\engordletters
182 \ifcase#1{th}\or
183 {st}\or
184 {nd}\or
185 {rd}\else
186 {th}%
187 \fi
188 }
```

`\EO@twodigits` `\EO@twodigits` expects a number with two digits,
20 < number < 100

```

189 \def\E0@twodigits#1#2{%
190   #1\E0@ord{#2}%
191 }

```

```

\E0@reverse \E0@reverse reverses the digits of the number.
#1: next digit
#2: rest of the digits
#3: already reversed digits
#4: next command to call with the reversed number as argument
192 \def\E0@reverse#1#2\@nil#3#4{%
193   \ifx\#2\%
194     #4{#1#3}%
195   \else
196     \@ReturnAfterFi{%
197       \E0@reverse#2\@nil{#1#3}{#4}%
198     }%
199   \fi
200 }

```

```

\E0@afterreverse \E0@afterreverse calls \E0@reverseback so that \E0@reverseback can inspect
the digits of the number.
201 \def\E0@afterreverse#1{%
202   \E0@reverseback#1\@nil
203 }

```

```

\E0@reverseback \E0@reverseback reverses the reversion.
#1: the last digit of the number
#2: the second last digit of the number
#3: first digits of the number in reversed order, it is not empty, because
\E0@reverseback is only called with numbers > 100.
204 \def\E0@reverseback#1#2#3\@nil{%
205   \E0@reverse#3\@nil{ }\@firstofone
206   \ifnum#2#1<21 %
207     \E0@ord{#2#1}%
208   \else
209     #2\E0@ord{#1}%
210   \fi
211 }

212 \E0@AtEnd
213 </package>

```

3 Test

3.1 Catcode checks for loading

```

214 (*test1)
215 \catcode'\{=1 %
216 \catcode'\}=2 %
217 \catcode'\#=6 %
218 \catcode'\@=11 %
219 \expandafter\ifx\csname count@\endcsname\relax
220   \countdef\count@=255 %
221 \fi
222 \expandafter\ifx\csname @gobble\endcsname\relax
223   \long\def@gobble#1{%
224 \fi
225 \expandafter\ifx\csname @firstofone\endcsname\relax
226   \long\def@firstofone#1{#1}%
227 \fi

```

```

228 \expandafter\ifx\csname loop\endcsname\relax
229 \expandafter\@firstofone
230 \else
231 \expandafter\@gobble
232 \fi
233 {%
234 \def\loop#1\repeat{%
235 \def\body{#1}%
236 \iterate
237 }%
238 \def\iterate{%
239 \body
240 \let\next\iterate
241 \else
242 \let\next\relax
243 \fi
244 \next
245 }%
246 \let\repeat=\fi
247 }%
248 \def\RestoreCatcodes{}
249 \count@=0 %
250 \loop
251 \edef\RestoreCatcodes{%
252 \RestoreCatcodes
253 \catcode\the\count@=\the\catcode\count@\relax
254 }%
255 \ifnum\count@<255 %
256 \advance\count@ 1 %
257 \repeat
258
259 \def\RangeCatcodeInvalid#1#2{%
260 \count@=#1\relax
261 \loop
262 \catcode\count@=15 %
263 \ifnum\count@<#2\relax
264 \advance\count@ 1 %
265 \repeat
266 }
267 \expandafter\ifx\csname LoadCommand\endcsname\relax
268 \def\LoadCommand{\input engord.sty\relax}%
269 \fi
270 \def\Test{%
271 \RangeCatcodeInvalid{0}{47}%
272 \RangeCatcodeInvalid{58}{64}%
273 \RangeCatcodeInvalid{91}{96}%
274 \RangeCatcodeInvalid{123}{255}%
275 \catcode'\@=12 %
276 \catcode'\=0 %
277 \catcode'\{=1 %
278 \catcode'\}=2 %
279 \catcode'\#=6 %
280 \catcode'\[=12 %
281 \catcode'\]=12 %
282 \catcode'\%=14 %
283 \catcode'\ =10 %
284 \catcode13=5 %
285 \LoadCommand
286 \RestoreCatcodes
287 }
288 \Test
289 \csname @@end\endcsname

```



```
290 \end
291 </test1>
```

4 Installation

4.1 Download

Package. This package is available on CTAN¹:

[CTAN:macros/latex/contrib/oberdiek/engord.dtx](#) The source file.

[CTAN:macros/latex/contrib/oberdiek/engord.pdf](#) Documentation.

Bundle. All the packages of the bundle ‘oberdiek’ are also available in a TDS compliant ZIP archive. There the packages are already unpacked and the documentation files are generated. The files and directories obey the TDS standard.

[CTAN:install/macros/latex/contrib/oberdiek.tds.zip](#)

TDS refers to the standard “A Directory Structure for T_EX Files” ([CTAN:tds/tds.pdf](#)). Directories with `texmf` in their name are usually organized this way.

4.2 Bundle installation

Unpacking. Unpack the `oberdiek.tds.zip` in the TDS tree (also known as `texmf` tree) of your choice. Example (linux):

```
unzip oberdiek.tds.zip -d ~/texmf
```

Script installation. Check the directory `TDS:scripts/oberdiek/` for scripts that need further installation steps. Package `attachfile2` comes with the Perl script `pdfatfi.pl` that should be installed in such a way that it can be called as `pdfatfi`. Example (linux):

```
chmod +x scripts/oberdiek/pdfatfi.pl
cp scripts/oberdiek/pdfatfi.pl /usr/local/bin/
```

4.3 Package installation

Unpacking. The `.dtx` file is a self-extracting docstrip archive. The files are extracted by running the `.dtx` through plain T_EX:

```
tex engord.dtx
```

TDS. Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

```
engord.sty          → tex/generic/oberdiek/engord.sty
engord.pdf          → doc/latex/oberdiek/engord.pdf
test/engord-test1.tex → doc/latex/oberdiek/test/engord-test1.tex
engord.dtx          → source/latex/oberdiek/engord.dtx
```

If you have a `docstrip.cfg` that configures and enables docstrip’s TDS installing feature, then some files can already be in the right place, see the documentation of docstrip.

4.4 Refresh file name databases

If your T_EX distribution (teT_EX, miK_TE_X, ...) relies on file name databases, you must refresh these. For example, teT_EX users run `texhash` or `mktextlsr`.

¹[ftp://ftp.ctan.org/tex-archive/](http://ftp.ctan.org/tex-archive/)

4.5 Some details for the interested

Attached source. The PDF documentation on CTAN also includes the `.dtx` source file. It can be extracted by AcrobatReader 6 or higher. Another option is `pdftk`, e.g. unpack the file into the current directory:

```
pdftk engord.pdf unpack_files output .
```

Unpacking with \LaTeX . The `.dtx` chooses its action depending on the format:

plain \TeX : Run `docstrip` and extract the files.

\LaTeX : Generate the documentation.

If you insist on using \LaTeX for `docstrip` (really, `docstrip` does not need \LaTeX), then inform the `autodetect` routine about your intention:

```
latex \let\install=y\input{engord.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

Generating the documentation. You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with `pdf \LaTeX` :

```
pdflatex engord.dtx
makeindex -s gind.ist engord.idx
pdflatex engord.dtx
makeindex -s gind.ist engord.idx
pdflatex engord.dtx
```

5 History

[2000/05/23 v1.0]

- First public release, published in newsgroup `de.comp.text.tex`:
“[Re: Ordinalzahlen in LaTeX?](#)”²

[2003/04/28 v1.1]

- Bug fix for 30, 40, 50, ..., 100, 130, ...
- `\ordletters` renamed to documented `\engordletters`.

[2006/02/20 v1.2]

- Support for plain \TeX .
- Switch `\ifengordraise` added.
- Package options `raise` and `normal` added.
- DTX framework.

[2007/04/11 v1.3]

- Line ends sanitized.

²Url: <http://groups.google.com/group/de.comp.text.tex/msg/738e2cb4c51759d6>

[2007/04/26 v1.4]

- Use of package infwarerr.

[2007/09/09 v1.5]

- Catcode section added.

[2007/09/20 v1.6]

- Short description fixed (George White).

[2008/08/11 v1.7]

- Code is not changed.
- URLs updated.

[2010/03/01 v1.8]

- Compatibility with ini-TeX.

6 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; plain numbers refer to the code lines where the entry is used.

Symbols	
\#	217, 279
\%	282
\@	218, 275
\@PackageWarning	146
\@ReturnAfterFi	171, <u>178</u> , 196
\@firstofone	205, 226, 229
\@gobble	223, 231
\@nil	172, 192, 197, 202, 204, 205
\@undefined	52
\[280
\]	193, 276
\{	215, 277
\}	216, 278
\]	281
_	283
A	
\advance	256, 264
\aftergroup	26
B	
\body	235, 239
C	
\catcode	3, 4, 5, 6, 7, 8, 9, 17, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 64, 65, 68, 69, 70, 71, 75, 76, 77, 78, 82, 84, 215, 216, 217, 218, 253, 262, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284
\count@	220, 249, 253, 255, 256, 260, 262, 263, 264
\countdef	220
\csname	10, 18, 44, 60, 67, 96, 105, 115, 121, 128, 130, 143, 152, 219, 222, 225, 228, 267, 289
D	
\DeclareOption	117, 118
E	
\empty	13, 14
\end	290
\endcsname	10, 18, 44, 60, 67, 96, 105, 115, 121, 128, 130, 143, 152, 219, 222, 225, 228, 267, 289
\endinput	26
\engord	2, <u>151</u>
\engorderror	2, <u>143</u> , 163
\engordletters	2, <u>121</u> , 145, 181
\engordnumber	2, 155, <u>158</u>
\engordraisefalse	2, 117
\engordraisetrue	2, 113, 118
\engordtextsuperscript	124, <u>128</u>
\EO@afterreverse	172, <u>201</u>
\EO@AtEnd	80, 81, 212
\EO@def	95, 122, 144, 154, 158
\EO@number	159, <u>161</u>
\EO@ord	166, <u>179</u> , 190, 207, 209
\EO@reverse	172, <u>192</u> , 205
\EO@reverseback	202, <u>204</u>
\EO@twodigits	169, <u>189</u>

I		<code>\ProvidesPackage</code> 15, 61
<code>\ifcase</code>	182	
<code>\ifengordraise</code>	112, 123	R
<code>\ifmmode</code>	133	<code>\RangeCatcodeInvalid</code>
<code>\ifnum</code>	162, 165, 168, 206, 255, 263 259, 271, 272, 273, 274
<code>\ifx</code>	11, 14, 18, 44, 52, 55, 96, 105, 115, 121, 128, 130, 143, 152, 193, 219, 222, 225, 228, 267	<code>\repeat</code> 234, 246, 257, 265
<code>\immediate</code>	20, 46	<code>\RequirePackage</code> 109, 110
<code>\input</code>	106, 107, 268	<code>\RestoreCatcodes</code> 248, 251, 252, 286
<code>\iterate</code>	236, 238, 240	<code>\rm</code> 134, 136
L		T
<code>\LoadCommand</code>	268, 285	<code>\Test</code> 270, 288
<code>\loop</code>	234, 250, 261	<code>\textsuperscript</code> 140
<code>\ltx@newif</code>	112	<code>\the</code> 68, 69, 70, 71, 82, 253
N		<code>\TMP@EnsureCode</code> 79, 86, 87, 88, 89, 90, 91, 92, 93, 94
<code>\newcommand</code>	100	V
<code>\next</code>	240, 242, 244	<code>\value</code> 155
<code>\number</code>	159	W
P		<code>\write</code> 20, 46
<code>\PackageInfo</code>	23	X
<code>\ProcessOptions</code>	119	<code>\x</code> 10, 11, 14, 19, 23, 25, 45, 50, 60, 66, 74