

Package ‘sangerseqR’

April 15, 2020

Type Package

Title Tools for Sanger Sequencing Data in R

Version 1.22.0

Date 2014-07-17

Author Jonathon T. Hill, Bradley Demarest

Maintainer Jonathon Hill <jhill@byu.edu>

VignetteBuilder knitr

Imports methods, shiny

Depends R (>= 3.0.2), Biostrings

Suggests BiocStyle, knitr, RUnit, BiocGenerics

Description This package contains several tools for analyzing Sanger Sequencing data files in R, including reading .scf and .ab1 files, making basecalls and plotting chromatograms.

License GPL-2

biocViews Sequencing, SNP, Visualization

git_url <https://git.bioconductor.org/packages/sangerseqR>

git_branch RELEASE_3_10

git_last_commit 13d2e13

git_last_commit_date 2019-10-29

Date/Publication 2020-04-14

R topics documented:

sangerseqR-package	2
abif-class	2
chromatogram	3
makeBaseCalls	4
PolyPeakParser	5
primarySeqID	6
read.abif	8
read.scf	9
readsangerseq	9
sangerseq-class	10
scf-class	11
setAllelePhase	12

Index**14**

sangerseqR-package	<i>Tools for Sanger Sequencing Data in R</i>
--------------------	--

Description

This package contains several tools for analyzing Sanger Sequencing data files in R, including reading .scf and .ab1 files, making basecalls and plotting chromatograms.

Author(s)

Jonathon T. Hill, Bradley Demarest

Maintainer: Jonathon Hill <jhill@genetics.utah.edu>

References

Jonathon T Hill, Bradley L Demarest, Brent W Bisgrove, Yi-chu Su, Megan Smith and H. Joseph Yost (2014). Poly peak parser: Method and software for identification of unknown indels using sanger sequencing of polymerase chain reaction products. *Developmental Dynamics* 243:1632-1636

See Also

Biostrings

abif-class	<i>ABIF Class Objects</i>
------------	---------------------------

Description

S4 object returned by `read.abif` containing all fields in the ABIF file format (see http://home.appliedbiosystems.com/support/software_community/ABIF_File_Format.pdf). Data fields vary by machine and basecaller versions. Must be converted to `sangerseq` to be used in other functions from this package.

Slots

header Header information from the file.

directory Directory information from file containing field names and information for reading binary data.

data List object containing all data fields and values in file. Included fields vary by machine and basecaller versions.

See Also

`read.abif`, `scf`, `sangerseq`

Examples

```
hetab1 <- read.abif(system.file("extdata",
                               "heterozygous.ab1",
                               package = "sangerseqR"))
str(hetab1)
```

chromatogram	<i>Generate Chromatogram</i>
--------------	------------------------------

Description

Generates a chromatogram from a [sangerseq](#) class object.

Usage

```
chromatogram(obj, trim5 = 0, trim3 = 0, showcalls = c("primary",
              "secondary", "both", "none"), width = 500, height = NA, cex.mtext = 1,
              cex.base = 1, ylim = 2, filename = NULL, showtrim = FALSE,
              showhets = TRUE)
```

```
## S4 method for signature 'sangerseq'
chromatogram(obj, trim5 = 0, trim3 = 0,
              showcalls = c("primary", "secondary", "both", "none"), width = 100,
              height = 2, cex.mtext = 1, cex.base = 1, ylim = 3, filename = NULL,
              showtrim = FALSE, showhets = TRUE)
```

Arguments

obj	sangerseq class object
trim5	Number of bases to trim from the beginning of the sequence.
trim3	Number of bases to trim from the end of the sequence.
showcalls	Which basecall sequence to show. Any value other than "primary", "secondary" or "both" will result in basecalls not being shown.
width	Approximate number of bases per line.
height	Height of each plot row. Ignored by some devices.
cex.mtext	Size factor for the text in the margins.
cex.base	Size factor for the basecall text.
ylim	Peaks larger than this many times the IQR larger than the median will be cutoff.
filename	Name of PDF file to save to. A "NULL" value outputs the chromatogram to the current device.
showtrim	If true, highlights trimmed region instead of hiding it.
showhets	Whether or not to highlight heterozygous positions.

Details

This function outputs a chromatogram to the current device or to a PDF file (filename is not NULL). Primary, Secondary or both basecalls can be shown if they are contained in the [sangerseq](#) object provided. What is shown will depend on how they were generated. If generated and provided by the ABIF or SCF file, then it will show the primary calls on the first line and the secondary calls on the second line. If generated by [makeBaseCalls](#), then they will show the maximum and alternate basecalls only for heterozygous peaks. Finally, if the [setAllelePhase](#) has been run on the object, then the first line is the reference sequence and the second line is the alternate allele.

The range of the trace data shown is trimmed to the called sequence by default. Setting `trim5` and `trim3` to NULL will show the complete trace 5' and 3' of the called bases, respectively. This will generally create a very long trace. Conversely, setting `trim5` and `trim3` to an integer > 0 will hide the data corresponding to that number of bases at each end. For example, `trim5=10` and `trim3=20` will remove 10 bases from the 5' end and 20 bases from the 3' end.

Several output parameters can also be set to control how the figure appears. However, it should be noted that if the current device is too small, R will return an error and not show the chromatogram. This is common with long sequence reads. To bypass this error, we recommend that the user set `filename`. This will cause the chromatogram to be saved to a PDF file in the current working directory.

Value

A plot showing the chromatogram tracedata and, optionally, basecalls.

See Also

[makeBaseCalls](#), [setAllelePhase](#), [sangerseq](#)

Examples

```
hetsangerseq <- readsangerseq(system.file("extdata",
                                         "heterozygous.ab1",
                                         package = "sangerseqR"))
hetcalls <- makeBaseCalls(hetsangerseq, ratio = 0.33)
chromatogram(hetcalls, width = 100, height = 2, trim5 = 50, trim3 = 100,
             showcalls = "both", filename = "chromatogram.pdf")
```

makeBaseCalls

Make Basecalls

Description

Updates a [sangerseq](#) class object to contain primary and secondary peak calls.

Usage

```
makeBaseCalls(obj, ratio = 0.33)

## S4 method for signature 'sangerseq'
makeBaseCalls(obj, ratio = 0.33)
```

Arguments

obj	sangerseq class object
ratio	cutoff ratio for separating signal and noise. Ratio is relative to maximum peak in basecall window.

Details

Scf files do not contain secondary basecalls and ABIF files sometimes (but not always) contain secondary peak calls that show the secondary peak even if clearly a negative peak. This is problematic in sequence reads where heterozygous sequence data is contained in the chromatogram data. `makeBaseCalls` identifies basecall windows containing more than one peak using the provided cutoff ratio and then makes heterozygous calls for those windows. The `primarySeq` will always contain the base corresponding to the maximum peak amplitude within the window. The `secondaryPeak` will have the same base if the peak was classified as a homozygous peak, the base corresponding to the second tallest peak if two peaks were above the cutoff, or an ambiguous base if more than two peaks were identified in the window that are higher than the cutoff ratio.

Value

[sangerseq](#) s4 object with new basecalls in the `primarySeq` and `secondarySeq` fields. Matrix values are also updated to reflect newly called base positions and amplitudes of all peaks within window.

See Also

[chromatogram](#), [setAllelePhase](#), [sangerseq](#)

Examples

```
hetsangerseq <- readsangerseq(system.file("extdata",
                                         "heterozygous.ab1",
                                         package = "sangerseqR"))
hetcalls <- makeBaseCalls(hetsangerseq, ratio = 0.33)
```

PolyPeakParser

Run Poly Peak Parser

Description

Runs the Poly Peak Parser shiny (shiny.rstudio.com) app in the system's default browser. Poly Peak Parser is a web front end that reads, plots and parses double peaks from chromatogram files. Instructions can be found on the webpage once it launches.

Usage

```
PolyPeakParser()
```

Value

[scf](#) s4 object

See Also

[read.abif](#), [readsangerseq](#), [scf](#)

Examples

```
## Not run:  
PolyPeakParser()  
  
## End(Not run)
```

primarySeqID	<i>Sangerseq Accessor Functions</i>
--------------	-------------------------------------

Description

Accessor Functions allow the user to retrieve results from and assign values to [sangerseq-class](#) objects.

Usage

```
primarySeqID(obj)  
  
primarySeqID(obj) <- value  
  
primarySeq(obj, string = FALSE)  
  
primarySeq(obj) <- value  
  
secondarySeqID(obj)  
  
secondarySeqID(obj) <- value  
  
secondarySeq(obj, string = FALSE)  
  
secondarySeq(obj) <- value  
  
traceMatrix(obj)  
  
traceMatrix(obj) <- value  
  
peakPosMatrix(obj)  
  
peakPosMatrix(obj) <- value  
  
peakAmpMatrix(obj)  
  
peakAmpMatrix(obj) <- value  
  
## S4 method for signature 'sangerseq'  
primarySeq(obj, string = FALSE)
```

```
## S4 method for signature 'sangerseq'  
secondarySeq(obj, string = FALSE)  
  
## S4 method for signature 'sangerseq'  
traceMatrix(obj)  
  
## S4 method for signature 'sangerseq'  
peakPosMatrix(obj)  
  
## S4 method for signature 'sangerseq'  
peakAmpMatrix(obj)  
  
## S4 method for signature 'sangerseq'  
primarySeqID(obj)  
  
## S4 method for signature 'sangerseq'  
secondarySeqID(obj)  
  
## S4 replacement method for signature 'sangerseq'  
primarySeq(obj) <- value  
  
## S4 replacement method for signature 'sangerseq'  
secondarySeq(obj) <- value  
  
## S4 replacement method for signature 'sangerseq'  
traceMatrix(obj) <- value  
  
## S4 replacement method for signature 'sangerseq'  
peakPosMatrix(obj) <- value  
  
## S4 replacement method for signature 'sangerseq'  
peakAmpMatrix(obj) <- value  
  
## S4 replacement method for signature 'sangerseq'  
primarySeqID(obj) <- value  
  
## S4 replacement method for signature 'sangerseq'  
secondarySeqID(obj) <- value
```

Arguments

obj	sangerseq object to be manipulated
value	The value to set the slot to.
string	TRUE/FALSE. FALSE (default) returns a DNAStrng class object. TRUE returns the DNA sequence as a character string.

See Also

[sangerseq-class](#)

Examples

```
hetsangerseq <- readsangerseq(system.file("extdata",
```

`read.scf`*Read Scf Files*

Description

Reads Scf sanger sequencing data files. Scf files are an open source binary sanger sequencing chromatogram data file (see http://staden.sourceforge.net/manual/formats_unix_2.html). The file is read and parsed into an `scf` class object.

Usage

```
read.scf(filename)
```

Arguments

`filename` Location of the file.

Value

`scf` s4 object

See Also

[read.abif](#), [readsangerseq](#), [scf](#)

Examples

```
homoscf <- read.scf(system.file("extdata",  
                               "homozygous.scf",  
                               package = "sangerseqR"))  
str(homoscf)
```

`readsangerseq`*Read Scf or ABIF Files*

Description

This is a convenience function for reading Scf or ABIF files into a `sangerseq` object, which can be used by the other `sangerseq` package functions. It is equivalent to calling `read.scf` or `read.abif` as appropriate and then calling `sangerseq`.

Usage

```
readsangerseq(filename)
```

Arguments

`filename` Location of the file.

Value

`sangerseq` s4 object

See Also

`read.abif`, `read.scf`, `abif`, `scf`, `sangerseq`

Examples

```
hetsangerseq <- readsangerseq(system.file("extdata",
                                         "heterozygous.ab1",
                                         package = "sangerseqR"))

str(hetsangerseq)
#same for scf files
homosangerseq <- readsangerseq(system.file("extdata",
                                         "homozygous.scf",
                                         package = "sangerseqR"))

str(homosangerseq)
```

sangerseq-class

Sangerseq Class Objects

Description

Sangerseq Class Objects contain data necessary for using sangerseq package functions (e.g. `chromatogram`, `makeBaseCalls`). The exact content will depend on the source of the data (for example, scf files do not have secondary Basecalls).

Usage

```
sangerseq(obj)

## S4 method for signature 'abif'
sangerseq(obj)

## S4 method for signature 'scf'
sangerseq(obj)
```

Arguments

`obj` Can be either an `abif` or `scf` object.

Slots

`primarySeqID` Source of the primary basecalls. Functions that modify these calls, such as `makeBaseCalls` and `setAllelePhase` will also change this value.

`secondarySeqID` Source of the secondary basecalls. See above.

`primarySeq` The primary Basecalls formatted as a `DNAStrng` object.

`secondarySeq` The secondary Basecalls formatted as a `DNAStrng` object.

`traceMatrix` A numerical matrix containing 4 columns corresponding to the normalized signal values for the chromatogram traces. Column order = A,C,G,T.

`peakPosMatrix` A numerical matrix containing the position of the maximum peak values for each base within each Basecall window. If no peak was detected for a given base in a given window, then "NA". Column order = A,C,G,T.

`peakAmpMatrix` A numerical matrix containing the maximum peak amplitudes for each base within each Basecall window. If no peak was detected for a given base in a given window, then 0. Column order = A,C,G,T.

Accessor methods

`primarySeqID`, `primarySeq`, `secondarySeqID`, `secondarySeq`, `traceMatrix`, `peakPosMatrix`, `peakAmpMatrix`

See Also

`abif`, `scf`

Examples

```
#sample sangerseq object created from abif file
hetsangerseq <- readsangerseq(system.file("extdata",
                                         "heterozygous.ab1",
                                         package = "sangerseqR"))

str(hetsangerseq)
#same for scf files
homosangerseq <- readsangerseq(system.file("extdata",
                                         "homozygous.scf",
                                         package = "sangerseqR"))

str(homosangerseq)
```

scf-class

Scf Class Objects

Description

S4 object returned by `read.scf` containing all fields in the SCF file format (see http://staden.sourceforge.net/manual/formats_unix_2.html). Must be converted to `sangerseq` to be used in other functions from this package.

Slots

`header` Header information from the file.

`sample_points` Trace data matrix (Order = A, C, G, T).

`sequence_probs` Matrix of the relative probabilities for each base at each position (Order = A, C, G, T).

`basecall_positions` Vector containing trace matrix indices for each basecall.

`basecalls` `DNAStrng` object containing the basecalls.

`comments` String containing any comments in the file.

`private` Raw binary data containing any private data in the file. Generally not used.

See Also

[read.scf](#), [abif](#), [sangerseq](#)

Examples

```
homoscf <- read.scf(system.file("extdata",
                               "homozygous.scf",
                               package = "sangerseqR"))
str(homoscf)
```

setAllelePhase	<i>Set Reference and Alternate Alleles</i>
----------------	--

Description

Parses the Primary and Secondary Sequences into Reference and Alternate Alleles

Usage

```
setAllelePhase(obj, refseq, trim5 = 0, trim3 = 0)

## S4 method for signature 'sangerseq'
setAllelePhase(obj, refseq, trim5 = 0, trim3 = 0)
```

Arguments

obj	sangerseq class object
refseq	DNAStrng for character string of reference allele sequence.
trim5	Number of bases to trim from the beginning of the sequence.
trim3	Number of bases to trim from the end of the sequence.

Details

When multiple heterozygous basecalls are made, it is generally unclear which calls are in phase with each other. This function takes a reference sequence for one of the alleles to match the primary and secondary basecalls as reference or alternate allele.

Value

A [sangerseq](#) object with the Reference Allele in the primarySeq slot and the Alternate Allele in the secondarySeq slot.

See Also

[makeBaseCalls](#), [chromatogram](#), [sangerseq](#)

Examples

```
#Load Sequences
hetsangerseq <- readsangerseq(system.file("extdata",
                                         "heterozygous.ab1",
                                         package = "sangerseqR"))
homosangerseq <- readsangerseq(system.file("extdata",
                                         "homozygous.scf",
                                         package = "sangerseqR"))

#Make calls on heterozygous sequence to be parsed
hetcalls <- makeBaseCalls(hetsangerseq, ratio = 0.33)
#Need a reference sequence to set phase. Can get from annotation
#(e.g. Refseq) or another sanger sequencing file
ref <- subseq(primarySeq(homosangerseq, string = TRUE),
              start = 30,
              width = 500)

#Set the phase
hetseqalleles <- setAllelePhase(hetcalls, ref, trim5 = 50, trim3 = 100)
#Align to compare alleles
pa <- pairwiseAlignment(primarySeq(hetseqalleles),
                       secondarySeq(hetseqalleles),
                       type = "global-local")

writePairwiseAlignments(pa)
```

Index

- abif, [8](#), [10–12](#)
- abif (abif-class), [2](#)
- abif-class, [2](#)

- chromatogram, [3](#), [5](#), [10](#), [12](#)
- chromatogram, sangerseq-method (chromatogram), [3](#)

- DNAStrng, [7](#), [10](#), [11](#)

- makeBaseCalls, [4](#), [4](#), [10](#), [12](#)
- makeBaseCalls, sangerseq-method (makeBaseCalls), [4](#)

- peakAmpMatrix, [11](#)
- peakAmpMatrix (primarySeqID), [6](#)
- peakAmpMatrix, sangerseq-method (primarySeqID), [6](#)
- peakAmpMatrix<- (primarySeqID), [6](#)
- peakAmpMatrix<-, sangerseq-method (primarySeqID), [6](#)
- peakPosMatrix, [11](#)
- peakPosMatrix (primarySeqID), [6](#)
- peakPosMatrix, sangerseq-method (primarySeqID), [6](#)
- peakPosMatrix<- (primarySeqID), [6](#)
- peakPosMatrix<-, sangerseq-method (primarySeqID), [6](#)
- PolyPeakParser, [5](#)
- primarySeq, [11](#)
- primarySeq (primarySeqID), [6](#)
- primarySeq, sangerseq-method (primarySeqID), [6](#)
- primarySeq<- (primarySeqID), [6](#)
- primarySeq<-, sangerseq-method (primarySeqID), [6](#)
- primarySeqID, [6](#), [11](#)
- primarySeqID, sangerseq-method (primarySeqID), [6](#)
- primarySeqID<- (primarySeqID), [6](#)
- primarySeqID<-, sangerseq-method (primarySeqID), [6](#)

- read.abif, [2](#), [6](#), [8](#), [9](#), [10](#)
- read.scf, [8](#), [9](#), [9](#), [10–12](#)

- readsangerseq, [6](#), [8](#), [9](#), [9](#)

- sangerseq, [2–5](#), [9–12](#)
- sangerseq (sangerseq-class), [10](#)
- sangerseq, abif-method (sangerseq-class), [10](#)
- sangerseq, scf-method (sangerseq-class), [10](#)
- sangerseq-class, [10](#)
- sangerseqR (sangerseqR-package), [2](#)
- sangerseqR-package, [2](#)
- scf, [2](#), [5](#), [6](#), [9–11](#)
- scf (scf-class), [11](#)
- scf-class, [11](#)
- secondarySeq, [11](#)
- secondarySeq (primarySeqID), [6](#)
- secondarySeq, sangerseq-method (primarySeqID), [6](#)
- secondarySeq<- (primarySeqID), [6](#)
- secondarySeq<-, sangerseq-method (primarySeqID), [6](#)
- secondarySeqID, [11](#)
- secondarySeqID (primarySeqID), [6](#)
- secondarySeqID, sangerseq-method (primarySeqID), [6](#)
- secondarySeqID<- (primarySeqID), [6](#)
- secondarySeqID<-, sangerseq-method (primarySeqID), [6](#)
- setAllelePhase, [4](#), [5](#), [10](#), [12](#)
- setAllelePhase, sangerseq-method (setAllelePhase), [12](#)

- traceMatrix, [11](#)
- traceMatrix (primarySeqID), [6](#)
- traceMatrix, sangerseq-method (primarySeqID), [6](#)
- traceMatrix<- (primarySeqID), [6](#)
- traceMatrix<-, sangerseq-method (primarySeqID), [6](#)