

# Package ‘HiBED’

July 11, 2024

**Type** Package

**Title** HiBED

**Version** 1.3.0

**Description** Hierarchical deconvolution for extensive cell type resolution in the human brain using DNA methylation. The HiBED deconvolution estimates proportions up to 7 cell types (GABAergic neurons, glutamatergic neurons, astrocytes, microglial cells, oligodendrocytes, endothelial cells, and stromal cells) in bulk brain tissues.

**License** GPL-3

**Encoding** UTF-8

**LazyData** false

**VignetteBuilder** knitr

**biocViews** ExperimentData, Homo\_sapiens\_Data, Tissue, MicroarrayData, Genome, MethylationArrayData, PackageTypeData

**RoxygenNote** 7.2.3

**URL** <https://github.com/SalasLab/HiBED>

**Imports** dplyr, FlowSorted.Blood.EPIC, tibble, FlowSorted.DLPFC.450k, minfi, utils, AnnotationHub, SummarizedExperiment

**Suggests** knitr, rmarkdown, testthat, IlluminaHumanMethylation450kmanifest

**BugReports** <https://github.com/SalasLab/HiBED/issues>.

**git\_url** <https://git.bioconductor.org/packages/HiBED>

**git\_branch** devel

**git\_last\_commit** c7d0642

**git\_last\_commit\_date** 2024-04-30

**Repository** Bioconductor 3.20

**Date/Publication** 2024-07-11

**Author** Ze Zhang [cre, aut] (<<https://orcid.org/0000-0001-9854-5823>>), Lucas A. Salas [aut]

**Maintainer** Ze Zhang <ze.zhang.gr@dartmouth.edu>

## Contents

HiBED_deconvolution . . . . .	2
HiBED_Libraries . . . . .	3
<b>Index</b>	<b>4</b>

---

HiBED_deconvolution	<i>HiBED_deconvolution</i>
---------------------	----------------------------

---

## Description

The function estimates proportions up to 7 cell types in brain tissues.

## Usage

```
HiBED_deconvolution(Beta, h = 2)
```

## Arguments

Beta	Methylation beta in the format of matrix or data frame or Mset or Summarized-Experiment from brain samples.
h	Numeric variable. Specify the layer of deconvolution in the hierarchical model. Default is 2.

## Value

A matrix with predicted cell proportions in brain tissues.

## Examples

```
#Step 1: Load required libraries
library(FlowSorted.Blood.EPIC)
library(FlowSorted.DLPFC.450k)
#Step 2: Load example data and preprocess
Mset<-minfi::preprocessRaw(FlowSorted.DLPFC.450k)
Examples_Betas<-minfi::getBeta(Mset)
#Step 3: Run HiBED and show results
HiBED_result<-HiBED_deconvolution(Examples_Betas, h=2)
head(HiBED_result)
```

---

HiBED_Libraries	<i>HiBED library CpGs matrix stored in SummarizedExperiment for brain tissue DNA methylation deconvolution</i>
-----------------	--

---

**Description**

This object contains 4 matrices of the the average DNA methylation values of the probes included in 4 layers of the HiBED deconvolution. These CpGs are used as the backbone for deconvolution and were selected because their methylation signature differs across the seven brain cell subtypes.

**Usage**

```
data("HiBED_Libraries")
```

**Format**

The list contains matrices are 81 x 3, 183 x 4, 237 x 5, 120 x 4

The format is: num [1:81, 1:3] 0.04592944 0.02268472 0.88886150 ...

**Value**

A list with 4 libraries in SummarizedExperiment formats

**Examples**

```
data("HiBED_Libraries")  
head(HiBED_Libraries)
```

# Index

## \* datasets

HiBED\_Libraries, [3](#)

HiBED\_deconvolution, [2](#)

HiBED\_Libraries, [3](#)