

# Package ‘seq2pathway.data’

April 12, 2018

**Type** Package

**Title** data set for R package seq2pathway

**Version** 1.10.0

**Date** 2015-07-09

**Author** Bin Wang <binw@uchicago.edu>

**Maintainer** Xinan Holly Yang <xyang2@uchicago.edu>

**Depends** R (>= 2.10.0)

**biocViews** ExperimentData

**Description** Supporting data for the seq2pathway package. Includes modified gene sets from MsigDB and org.Hs.eg.db; gene locus definitions from GENCODE project.

**License** GPL (>= 2)

**NeedsCompilation** no

## R topics documented:

dat_gene2path_chip . . . . .	2
dat_gene2path_RNA . . . . .	2
dat_seq2pathway_GOTerms . . . . .	3
dat_seq2pathway_Msig . . . . .	3
Des_BP_list . . . . .	4
Des_CC_list . . . . .	4
Des_MF_list . . . . .	5
gencode_coding . . . . .	5
gene_description . . . . .	6
GO_BP_list . . . . .	7
GO_CC_list . . . . .	7
GO_GENCODE_df_hg_v19 . . . . .	8
GO_GENCODE_df_hg_v20 . . . . .	9
GO_GENCODE_df_mm_vM1 . . . . .	9
GO_GENCODE_df_mm_vM3 . . . . .	10
GO_GENCODE_df_mm_vM4 . . . . .	11
GO_MF_list . . . . .	11
MsigDB_C5 . . . . .	12
Msig_GENCODE_df_hg_v19 . . . . .	12
Msig_GENCODE_df_hg_v20 . . . . .	13

Msig_GENCODE_df_mm_vM1 . . . . .	14
Msig_GENCODE_df_mm_vM3 . . . . .	14
Msig_GENCODE_df_mm_vM4 . . . . .	15

<b>Index</b>	<b>16</b>
--------------	-----------

---

dat_gene2path_chip	<i>demo result of gene2pathway function from chip seq data</i>
--------------------	--

---

### Description

demo result of gene2pathway function from chip seq data

### Usage

```
data("dat_gene2path_chip")
```

### Format

A list with 2 elements.

gene2pathway\_result.2 a list of gene2pathway test result, with 3 data frames(3 GO terms)

gene2pathway\_result.FET a list of fisher's test result, with 3 data frames(3 GO terms)

### Value

A list, with two sub lists. The name of one sub list is "gene2pathway\_result.2", with 3 data frames of GO\_BP, GO\_MF, and GO\_CC, another is "gene2pathway\_result.FET", with 3 dara frames of GO\_BP, GO\_MF, and GO\_CC.

---

dat_gene2path_RNA	<i>demo result of gene2pathway function from RNA seq data</i>
-------------------	---

---

### Description

demo result of gene2pathway function from RNA seq data

### Usage

```
data("dat_gene2path_RNA")
```

### Format

A list with 2 elements.

gene2pathway\_result.2 a data frame of gene2pathway test result

gene2pathway\_result.FET a data frame of fisher's test result

### Value

A list, with two elements. one element is a data frame about "gene2pathway\_result.2", another data frame is about "gene2pathway\_result.FET".

---

dat\_seq2pathway\_GOterms

*demo result of seq2pathway function from chip seq data*

---

**Description**

demo result of seq2pathway function from chip seq data

**Usage**

```
data("dat_seq2pathway_GOterms")
```

**Format**

A list with 3 elements.

seq2gene\_result a list with 2 annotation table

gene2pathway\_result.FAIME a list of gene2pathway test result, with 3 data frames(3 GO terms)

gene2pathway\_result.FET a list of fisher's test result, with 3 data frames(3 GO terms)

**Value**

A list, with three sub lists. The name of first sub list is seq2gene\_result, with 2 data frames of full and coding gene annotation respectively, the name of second sub list is "gene2pathway\_result.FAIME", with 3 data frames of GO\_BP, GO\_MF, and GO\_CC, the third is "gene2pathway\_result.FET", with 3 dara frames of GO\_BP, GO\_MF, and GO\_CC.

---

dat\_seq2pathway\_Msig *demo result of seq2pathway function from chip seq data*

---

**Description**

demo result of seq2pathway function from chip seq data

**Usage**

```
data("dat_seq2pathway_Msig")
```

**Format**

A list with 3 elements.

seq2gene\_result a list with 2 annotation table

gene2pathway\_result.FAIME a data frame of gene2pathway test result by MsigDB C5 terms

gene2pathway\_result.FET a data frame of fisher's test resultby MsigDB C5 terms

**Value**

A list, with three elements. The name of first element is seq2gene\_result, with 2 data frames of full and coding gene annotation respectively, the second element is a data frame of "gene2pathway\_result.FAIME", the third is a data frame of "gene2pathway\_result.FET".

---

Des_BP_list	<i>Description of GO term BP</i>
-------------	----------------------------------

---

**Description**

Description of GO term BP

**Usage**

```
data("Des_BP_list")
```

**Format**

A list, list names are Go term BP's IDs, list elements are GO term BP's description respectively.

**Value**

A list, list names are Go term BP's IDs, list elements are GO term BP's description respectively.

**Source**

Carlson M. org.Hs.eg.db: Genome wide annotation for Human. R package version 3.0.0.

**Examples**

```
data(Des_BP_list)
head(names(Des_BP_list))
head(Des_BP_list)
```

---

Des_CC_list	<i>Description of GO term CC</i>
-------------	----------------------------------

---

**Description**

Description of GO term CC

**Usage**

```
data("Des_CC_list")
```

**Format**

A list, list names are Go term CC's IDs, list elements are GO term CC's description respectively.

**Value**

A list, list names are Go term CC's IDs, list elements are GO term CC's description respectively.

**Source**

Carlson M. org.Hs.eg.db: Genome wide annotation for Human. R package version 3.0.0.

**Examples**

```
data(Des_CC_list)
head(names(Des_CC_list))
head(Des_CC_list)
```

---

Des_MF_list	<i>Description of GO term MF</i>
-------------	----------------------------------

---

**Description**

Description of GO term MF

**Usage**

```
data("Des_MF_list")
```

**Format**

A list, list names are Go term MF's IDs, list elements are GO term MF's description respectively.

**Value**

A list, list names are Go term MF's IDs, list elements are GO term MF's description respectively.

**Source**

Carlson M. org.Hs.eg.db: Genome wide annotation for Human. R package version 3.0.0.

**Examples**

```
data(Des_MF_list)
head(names(Des_MF_list))
head(Des_MF_list)
```

---

gencode_coding	<i>Coding gene list in GENCODE 20.</i>
----------------	--

---

**Description**

Coding gene list in GENCODE 20.

**Usage**

```
data("gencode_coding")
```

**Format**

A vector including all coding gene symbols in GENCODE version20.

**Value**

A character vector including all coding gene symbols in GENCODE version20.

**Source**

GENCODE 20

**References**

Harrow J, et al. (2012) GENCODE: The reference human genome annotation for The ENCODE Project

**Examples**

```
data(gencode_coding)
head(gencode_coding)
```

---

gene_description	<i>demo data of adding gene description</i>
------------------	---

---

**Description**

demo data of adding gene description

**Usage**

```
data("gene_description")
```

**Format**

A data frame with 561 observations on the following 2 variables.

hgnc\_symbol a characteristic vector

description a characteristic vector

**Value**

A characteristic matrix of gene symbols and descriptions.

---

GO_BP_list	<i>Gene symbol list of GO term BP</i>
------------	---------------------------------------

---

**Description**

Gene symbol list of GO term BP

**Usage**

```
data("GO_BP_list")
```

**Format**

A list, list names are Go term BP's IDs, list elements are gene symbols in GO term BP.

**Value**

A list, list names are Go term BP's IDs, list elements are gene symbols in GO term BP.

**Source**

Carlson M. org.Hs.eg.db: Genome wide annotation for Human. R package version 3.0.0.

**Examples**

```
data(GO_BP_list)
head(GO_BP_list)
```

---

GO_CC_list	<i>Gene symbol list of GO term CC</i>
------------	---------------------------------------

---

**Description**

Gene symbol list of GO term CC

**Usage**

```
data("GO_CC_list")
```

**Format**

A list, list names are Go term CC's IDs, list elements are gene symbols in GO term CC.

**Value**

A list, list names are Go term CC's IDs, list elements are gene symbols in GO term CC.

**Source**

Carlson M. org.Hs.eg.db: Genome wide annotation for Human. R package version 3.0.0.

**Examples**

```
data(GO_CC_list)
head(GO_CC_list)
```

---

GO\_GENCODE\_df\_hg\_v19 *intersection genes of GO terms and GENCODE 19*

---

**Description**

intersection genes of GO terms and GENCODE 19

**Usage**

```
data("GO_GENCODE_df_hg_v19")
```

**Format**

A data frame.

**Value**

A data frame.

**Source**

Carlson M. org.Hs.eg.db: Genome wide annotation for Human. R package version 3.0.0.

**References**

Harrow J, et al. (2012) GENCODE: The reference human genome annotation for The ENCODE Project

**Examples**

```
data(GO_GENCODE_df_hg_v19)
head(GO_GENCODE_df_hg_v19)
```



---

GO\_GENCODE\_df\_hg\_v20 *intersection genes of GO terms and GENCODE 20*

---

**Description**

intersection genes of GO terms and GENCODE 20

**Usage**

```
data("GO_GENCODE_df_hg_v20")
```

**Format**

A data frame.

**Value**

A data frame.

**Source**

Carlson M. org.Hs.eg.db: Genome wide annotation for Human. R package version 3.0.0.

**References**

Harrow J, et al. (2012) GENCODE: The reference human genome annotation for The ENCODE Project

**Examples**

```
data(GO_GENCODE_df_hg_v20)  
head(GO_GENCODE_df_hg_v20)
```

---

GO\_GENCODE\_df\_mm\_vM1 *intersection genes of GO terms and GENCODE vM1*

---

**Description**

intersection genes of GO terms and GENCODE vM1

**Usage**

```
data("GO_GENCODE_df_mm_vM1")
```

**Format**

A data frame.

**Value**

A data frame.

**Source**

Carlson M. org.Hs.eg.db: Genome wide annotation for Human. R package version 3.0.0.

**References**

Harrow J, et al. (2012) GENCODE: The reference human genome annotation for The ENCODE Project

**Examples**

```
data(GO_GENCODE_df_mm_vM1)
head(GO_GENCODE_df_mm_vM1)
```

---

GO\_GENCODE\_df\_mm\_vM3 *intersection genes of GO terms and GENCODE vM3*

---

**Description**

intersection genes of GO terms and GENCODE vM3

**Usage**

```
data("GO_GENCODE_df_mm_vM3")
```

**Format**

A data frame.

**Value**

A data frame.

**Source**

Carlson M. org.Hs.eg.db: Genome wide annotation for Human. R package version 3.0.0.

**References**

Harrow J, et al. (2012) GENCODE: The reference human genome annotation for The ENCODE Project

**Examples**

```
data(GO_GENCODE_df_mm_vM3)
head(GO_GENCODE_df_mm_vM3)
```

---

GO\_GENCODE\_df\_mm\_vM4 *intersection genes of GO terms and GENCODE vM4*

---

**Description**

intersection genes of GO terms and GENCODE vM4 simply by gene symbol match

**Usage**

```
data("GO_GENCODE_df_mm_vM4")
```

**Format**

A data frame.

**Value**

A data frame.

**Source**

Carlson M. org.Hs.eg.db: Genome wide annotation for Human. R package version 3.0.0.

**References**

Harrow J, et al. (2012) GENCODE: The reference human genome annotation for The ENCODE Project

**Examples**

```
data(GO_GENCODE_df_mm_vM4)
head(GO_GENCODE_df_mm_vM4)
```

---

GO\_MF\_list

*Gene symbol list of GO term MF*

---

**Description**

Gene symbol list of GO term MF

**Usage**

```
data("GO_MF_list")
```

**Format**

A list, list names are Go term MF's IDs, list elements are gene symbols in GO term MF.

**Value**

A list, list names are Go term MF's IDs, list elements are gene symbols in GO term MF.

**Source**

Carlson M. org.Hs.eg.db: Genome wide annotation for Human. R package version 3.0.0.

**Examples**

```
data(GO_MF_list)
head(GO_MF_list)
```

---

MsigDB\_C5

*MsigDB data set*

---

**Description**

.gsa format data

**Usage**

```
data("MsigDB_C5")
```

**Format**

A list with 3 sub lists.

genesets a list of gene names

geneset.names a list of geneset names

geneset.descriptions a list of geneset descriptions

**Value**

A "GSA.genesets" object from GSA package.

---

Msig\_GENCODE\_df\_hg\_v19

*intersection genes of MSigDB collection and GENCODE 19*

---

**Description**

intersection genes of MSigDB collection and GENCODE 19

**Usage**

```
data("Msig_GENCODE_df_hg_v19")
```

**Format**

A data frame.

**Value**

A data frame.

**References**

Harrow J, et al. (2012) GENCODE: The reference human genome annotation for The ENCODE Project. Subramanian, Tamayo, et al. (2005, PNAS 102, 15545-15550).

**Examples**

```
data(Msig_GENCODE_df_hg_v19)
head(Msig_GENCODE_df_hg_v19)
```

---

Msig\_GENCODE\_df\_hg\_v20

*intersection genes of MSigDB collection and GENCODE 20*

---

**Description**

intersection genes of MSigDB collection and GENCODE 20

**Usage**

```
data("Msig_GENCODE_df_hg_v20")
```

**Format**

A data frame.

**Value**

A data frame.

**References**

Harrow J, et al. (2012) GENCODE: The reference human genome annotation for The ENCODE Project. Subramanian, Tamayo, et al. (2005, PNAS 102, 15545-15550).

**Examples**

```
data(Msig_GENCODE_df_hg_v20)
head(Msig_GENCODE_df_hg_v20)
```

Msig\_GENCODE\_df\_mm\_vM1

*intersection genes of MSigDB collection and GENCODE vM1*

---

**Description**

intersection genes of MSigDB collection and GENCODE vM1

**Usage**

```
data("Msig_GENCODE_df_mm_vM1")
```

**Format**

A data frame.

**Value**

A data frame.

**References**

Harrow J, et al. (2012) GENCODE: The reference human genome annotation for The ENCODE Project. Subramanian, Tamayo, et al. (2005, PNAS 102, 15545-15550).

**Examples**

```
data(Msig_GENCODE_df_mm_vM1)  
head(Msig_GENCODE_df_mm_vM1)
```

---

Msig\_GENCODE\_df\_mm\_vM3

*intersection genes of MSigDB collection and GENCODE vM3*

---

**Description**

intersection genes of MSigDB collection and GENCODE vM3

**Usage**

```
data("Msig_GENCODE_df_mm_vM3")
```

**Format**

A data frame.

**Value**

A data frame.

**References**

Harrow J, et al. (2012) GENCODE: The reference human genome annotation for The ENCODE Project. Subramanian, Tamayo, et al. (2005, PNAS 102, 15545-15550).

**Examples**

```
data(Msig_GENCODE_df_mm_vM3)
head(Msig_GENCODE_df_mm_vM3)
```

---

Msig\_GENCODE\_df\_mm\_vM4

*intersection genes of MSigDB collection and GENCODE vM4*

---

**Description**

intersection genes of MSigDB collection and GENCODE vM4 simply by gene symbol match

**Usage**

```
data("Msig_GENCODE_df_mm_vM4")
```

**Format**

A data frame.

**Value**

A data frame.

**References**

Harrow J, et al. (2012) GENCODE: The reference human genome annotation for The ENCODE Project. Subramanian, Tamayo, et al. (2005, PNAS 102, 15545-15550).

**Examples**

```
data(Msig_GENCODE_df_mm_vM4)
head(Msig_GENCODE_df_mm_vM4)
```

# Index

## \*Topic **datasets**

- dat\_gene2path\_chip, [2](#)
- dat\_gene2path\_RNA, [2](#)
- dat\_seq2pathway\_GOterms, [3](#)
- dat\_seq2pathway\_Msig, [3](#)
- Des\_BP\_list, [4](#)
- Des\_CC\_list, [4](#)
- Des\_MF\_list, [5](#)
- gencode\_coding, [5](#)
- gene\_description, [6](#)
- GO\_BP\_list, [7](#)
- GO\_CC\_list, [7](#)
- GO\_GENCODE\_df\_hg\_v19, [8](#)
- GO\_GENCODE\_df\_hg\_v20, [9](#)
- GO\_GENCODE\_df\_mm\_vM1, [9](#)
- GO\_GENCODE\_df\_mm\_vM3, [10](#)
- GO\_GENCODE\_df\_mm\_vM4, [11](#)
- GO\_MF\_list, [11](#)
- Msig\_GENCODE\_df\_hg\_v19, [12](#)
- Msig\_GENCODE\_df\_hg\_v20, [13](#)
- Msig\_GENCODE\_df\_mm\_vM1, [14](#)
- Msig\_GENCODE\_df\_mm\_vM3, [14](#)
- Msig\_GENCODE\_df\_mm\_vM4, [15](#)
- MsigDB\_C5, [12](#)

- Msig\_GENCODE\_df\_hg\_v19, [12](#)
- Msig\_GENCODE\_df\_hg\_v20, [13](#)
- Msig\_GENCODE\_df\_mm\_vM1, [14](#)
- Msig\_GENCODE\_df\_mm\_vM3, [14](#)
- Msig\_GENCODE\_df\_mm\_vM4, [15](#)
- MsigDB\_C5, [12](#)

- dat\_gene2path\_chip, [2](#)
- dat\_gene2path\_RNA, [2](#)
- dat\_seq2pathway\_GOterms, [3](#)
- dat\_seq2pathway\_Msig, [3](#)
- Des\_BP\_list, [4](#)
- Des\_CC\_list, [4](#)
- Des\_MF\_list, [5](#)

- gencode\_coding, [5](#)
- gene\_description, [6](#)
- GO\_BP\_list, [7](#)
- GO\_CC\_list, [7](#)
- GO\_GENCODE\_df\_hg\_v19, [8](#)
- GO\_GENCODE\_df\_hg\_v20, [9](#)
- GO\_GENCODE\_df\_mm\_vM1, [9](#)
- GO\_GENCODE\_df\_mm\_vM3, [10](#)
- GO\_GENCODE\_df\_mm\_vM4, [11](#)
- GO\_MF\_list, [11](#)